

1. Identification				
	Safety Data Sheet 1. Identification			
Product Name:	Roman Chamomile Essential Oil			
Botanical/INCI:	Anthemis nobilis			
Synonyms:	N/A			
	8015-92-7			
Product Uses:	Personal care, Aromatherapy			
	Amrita Aromatherapy, Inc.®			
Address:	1900 W. Stone Ave., Suite C Fairfield, IA 52556			
	1(800)410-9651 or 1(641)472-9136			
Fax:	1(641)472-8672			
Emergency Contact:	Poison Control: 1(800)222-1222			
2. Hazard(s) Identification				
Appearance:	Liquid			
Signal Word:	Warning			
Precautionary Statements:	H226 Flammable liquid and vapor H315 Causes skin irritation H317 May cause an allergic skin reaction H318 Causes serious eye damage H341 Suspected of causing genetic defects P210 Keep away from heat/sparks/open flames/hot surfaces – No smoking. P233 Keep away from any possible contact with water, because of violent reaction and possible flash fire. P243 Take action to prevent static discharges. P280 Wear protective gloves/protective clothing/eye protection/face protection. P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower]. P370+P378 In case of fire: Use Foam, Dry chemical, Carbon Dioxide, B class Extinguishers for extinction. P403+P235 Store in a well-ventilated place. Keep cool. P501 Dispose of contents/container with local/regional/national/international regulations.			
	Category 1			
	Category 2			
	n/a			
1	n/a			
' '	Category 3			
	Category 3			
Classification according to EU Directives 67/548/EEC or 1999/45/EC. For the full text of the R-phrases mentioned in this Section, see Section 16.				
Hazards				
Symbol(s) Writing	Pictogram(s)			



"Naturally the Purest"					
May cause an allergic skin reaction			>		
Flammable liquid and vapor		W	>		
 Suspected of causing genetic defects Causes skin irritation Causes serious eye damage 			>		
3. Composition / Information on Ingr					
Ingredients List: Roman Chamomile Essentia Component	II Oil	CAS Number	Weight %	Classification	REACH Number
Isobutyl Angelate		7779-81-9	<=28%	FL3	231-941-7
Pinocarvone		30460-92-5	<=13%	SI2, SS1B, ED1, MUT2	250-211-9
Methyl Allyl Angelate		61692-78-2	<=7%	n/a	262-901-7
Trans Pinocarveol		547-61-5	<=4%	SI2, ED1	208-927-4
Isobutyl n-Butyrate		539-90-2	<=3%	FL3	208-729-8
Myrtenol		515-00-4	<=2%	n/a	208-193-5
Borneol		507-70-0	<=2%	FS1	204-712-4
Myrcene		123-35-3	<=1%	FL3, AspT1, SI2, EI2, AC3	204-622-5
(See	Section 8 for	Exposure Limit	s)		
4. First Aid Measures					
General Advice:	Seek medical attention in case of any discomfort. Observe risk of aspiration if vomiting occurs. May cause lung damage if swallowed.				
Eye Contact:	Remove contact lenses. Flush repeatedly with water for 15 minutes; contact physician				
Skin Contact:	Remove contaminated clothing, wash with water and soap. Contact physician if redness or irritation develop.				
Ingestion:	Do NOT induce vomiting. Rinse out mouth. Do NOT give water or milk unless directed by medical professional. Contact POISON CENTER or doctor immediately.				
Inhalation:	Remove to fresh air and contact a physician if symptoms such as wheezing, coughing, shortness of breath, or burning in the mouth, throat, or chest occur.				
5. Fire Fighting Measures					
Extinguishing Media:	SUITABLE: Foam, Dry chemical, Carbon Dioxide, B class Extinguishers NON-SUITABLE: Water Jet			nguishers	

July 28, 2023 Safety Data Sheet Pg. 2



	"Naturally the Purest"
Hazardous Combustion Products:	Carbon Dioxide and Carbon Monoxide
Fire Fighting Procedures:	When possible, prevent environmental run-off. Use self-contained breathing apparatus and protective clothing.
Fire / Explosion Hazards:	Carbon monoxide, carbon dioxide, acrid fumes, smoke, or flammable vapor may be released during oil fires. Flammable liquid and vapor. Vapors are heavier than air and may travel along surfaces to remote ignition sources and flash back.
6. Accidental Release Measures	
Health and Safety Precautions:	Personnel involved in cleanup should wear appropriate personal protective equipment (see Section 8). Minimize exposure. Eliminate all sources of ignition and ventilate area using explosion-proof equipment.
Measures for Cleaning and Collecting:	Absorb spill with non-combustible matter (such as detergentdo not use solvents) and transfer to containers. Clean spill area thoroughly.
Measures for Environmental Protections:	Do NOT allow to enter the sewer or outdoor environment. Place waste in an appropriately labeled, sealed container for disposal. Care should be taken to avoid environmental release.
Additional Considerations for Large Spills:	Contain and control the leaks or spills with non-combustible absorbent materials such as sand, earth, vermiculite, or diatomaceous earth in drums for waste disposal. Avoid allowing product to reach sewage system or any waterways. Inform respective authorities in case of seepage into sewage system or waterways.
7. Handling and Storage	
General Handling:	Avoid contact with eyes, skin, mucous and clothing. Wear required PPE. Observe good hygiene guidelines and general safety practices. Do NOT eat, drink, or smoke when handling. Ensure workspace is properly ventilated. Wash hands after handling.
Storage Conditions:	Store in tightly sealed glass container, away from heat, light, and other sources of ignition; in a well-ventilated, dry, and cool location. Keep away from strong oxidizing agents.
8. Exposure Controls / Personal Pro	tection
Exposure Limit:	This product, as supplied, does not contain any hazardous materials with occupational exposure limits established by the region-specific regulatory bodies.
Engineering Controls:	Extraction or global ventilation. Equipment should be grounded. Provide eyewash station.
Environmental Exposure Controls:	Avoid discharging into sewer or environment. Do NOT eat, drink, or smoke near or after handling product.
Personal Protective Equipment (PPE):	Work clothing worn by personnel shall be laundered regularly. After contact with the product, all parts of the body that have been soiled must be washed
Hands:	Wear suitable protective gloves (resistant to chemical agents in accordance with standard EN374) in the event of prolonged or repeated skin contact.
Eyes:	Avoid contact with eyes. Use eye protectors (safety goggles in accordance with standard EN166) designed to protect against liquid splashes.
Skin:	Use protective clothing as necessary, such as a lab coat.
Respiratory Protection:	Assure a well-ventilated work area – Use general face covering
9. Physical and Chemical Properties	
Physical State:	Liquid
Liquid Color:	Clear to pale yellow, translucent

July 28, 2023 Safety Data Sheet Pg. 3



Odor:	Sweet herbaceous, fruity aroma	
Molecular Weight:	No information	
Water Solubility:	Not soluble	
Boiling Point (°C):	No information	
Vapor Pressure (kPa):	No information	
Vapor Density (g/mL):	No information	
Flash Point – Liquid (°C):	50°C	
Upper Explosive Limits:	No information	
Lower Explosive Limits:	No information	
Polymerization:	Will not occur	
Specific Gravity 25°C:	No information	
Specific Gravity 20°C:	0.8850 - 0.9150	
Refractive Index 20°C:	1.4300 - 1.4500	
10. Stability and Reactivity		
Chemical Stability:	Stable under normal conditions of use.	
Conditions to Avoid:	Keep away from heat, spark, flames and all other sources of ignition	
Incompatible Materials:	Strong oxidizing agents and strong inorganic acids	
11. Toxicological Information		
General Information:	Product does not present an acute toxicity hazard based on known or	
	supplied information.	
Acute Toxicity:	Not Determined	
Irritation / Sensitization:	Not Determined	
Skin Absorption:	No adverse effects with normal skin. However, potentially harmful amounts	
	of material may be absorbed across markedly abraded skin when contact is sustained.	
Carcinogen Status:	Carcinogenicity of the mixture has not been determined. Not listed as	
our our out out at	carcinogenicity of the mixture has not been determined. Not listed as carcinogens by IARC, US OSHA or NTP.	
12. Ecological Information		
Environmental Overview:	The environmental characteristics of this mixture have not been fully	
	evaluated. Releases to the environment should be avoided.	
Eco-toxicity Effects:	Not Determined	
Persistence and Degradability:	Biodegradation is expected	
Bio-accumulative Potential:	Bioaccumulation is unlikely	
Mobility in Soil:	Not Determined	
Other Adverse Effects:	Avoid exposure to marine environments and waterways	
13. Disposal Considerations		
Waste Treatment Methods:	Releases to the environment should be avoided. Review and implement	
	appropriate technical and procedural wastewater and waste disposal measures to prevent occupational exposure or environmental releases.	
	Waste from a spill: Contain the source of spill if it is safe to do so. Collect	
	spill with absorbent material. Place waste in an appropriately labeled,	
	sealed container for disposal. Clean spill area thoroughly. Care should be	
	taken to avoid environmental release.	
14. Transport Information		
The following refers to all modes of transportation ADR, IMDG, and IATA regulations.	on unless specified below. This material is regulated for transport under DOT,	
UN Number:	1169	



Extracts, aromatic, liquid Transport Hazard Class(es): Flammable Class 3 Flammable Class 5 Flammable Class 6 Flammable Class 7 Flammab	"Naturally the Purest"			
Packing Group: Flash Point (°C): Flash Point (°C		Extracts, aromatic, liquid		
Flash Point (°C): Marine Pollutant: Yes 15. Regulatory Information EU Symbol: EU Indication of Danger: X - Hazard F - Flammable C - Corrosive R10 - Flammable, R38 - Irritating to skin. R41 - Risk of serious damage to eyes. R46 - May cause heritable genetic damage. EU Safety Phrases: S 39 - Keep in a cool, well-ventilated place. S 16 - Keep away from sources of ignition - No smoking S 27/28 - After contact with skin, take off immediately all contaminated clothing, and wash immediately with plenty of soap and water S 33 - Take precautionary measures against static discharges S 36/37/39 - Wear suitable protective clothing, gloves, and eye/face protection. S 43 - In case of fire use Foam, Dry chemical, Carbon Dioxide, B class Extinguishers for extinction. S 43 - In case of fire use foam, Dry chemical, Carbon Dioxide, B class Extinguishers for extinction. S 61 - Avoid release to the environment. Refer to special instructions/safety data sheet Warming No duty to mark/Exempt Warming No duty to mark/Exempt Warning No duty to mark/Exempt WARNING! This product contains chemicals known to the State of California Proposition 65: Warning No to present EU EINECS/ELINCS List: Ocmplies P240 Ground and bond container and receiving equipment. P241 Use explosion-proof [electrical/ventilating/lighting/] equipment. P241 Use explosion-proof [electrical/ventilating/lighting/] equipment. P241 Use explosion-proof [electrical/ventilating/lighting/] equipment. P242 Use non-sparking tools. Section 3 Expanded Classification 1272 / Incoarvone – Skin Irritant 2, Skin Sensitizer 1B, Eye Damage 1, Mutagenicity 2 Trans-Pinocarvone – Skin Irritant 2, Sky Damage 1 Mycene – Flammable Liquid 3, Aspiration Toxicity 1, Skin Irritant 2, Eye Irritant 2, Agate Chronic 3	Transport Hazard Class(es):	Flammable Class 3		
Marine Pollutant: Yes	Packing Group:			
Teu Indication of Danger: EU Indication of Danger: EU Risk Phrases: R10 - Flammable C - Corrosive R41 - Risk of serious damage to eyes. R46 - May cause heritable genetic damage. EU Safety Phrases: S3/9 - Keep in a cool, well-ventilated place. S16 - Keep away from sources of ignition - No smoking S 27/28 - Affer contact with skin, take off immediately all contaminated clothing, and wash immediately with plenty of soap and water S 33 - Take precautionary measures against static discharges S 36/37/39 - Wear suitable protective clothing, gloves, and eyelface protection. S 43 - In case of fire use Foam, Dry chemical, Carbon Dioxide, B class Extinguishers for extinction. S 61 - Avoid release to the environment. Refer to special instructions/safety data sheet OSHA Label: Warning Identifying Markings in Accordance with EC Directives / GefStoffv: California Proposition 65: WARNING! This product contains chemicals known to the State of California to cause cancer or reproductive harm. For more information go to www. P65Warnings.ca.gov. United States TSCA: WARNING! This product contains chemicals known to the State of California to cause cancer or reproductive harm. For more information go to www. P65Warnings.ca.gov. United States TSCA: Complies 16. Other Information Section 3 Expanded Classification 1272 / 2008 P240 Ground and bond container and receiving equipment. P241 Use explosion-proof [electrical/ventilating/lighting/] equipment. P242 Use non-sparking tools. Soction 3 Expanded Classification 1272 / 2008 Incoarvone - Skin Irritant 2, Skin Sensitizer 1B, Eye Damage 1, Mutagenicity 2 Trans-Pinocarvone - Skin Irritant 2, Eye Damage 1 Isobutyl n-butyrate - Flammable Liquid 3 Borneol - Flammable Liquid 3, Aspiration Toxicity 1, Skin Irritant 2, Eye Irritant 2, Eye Irritant 2, Eye Damage 1 Soction 3, Aspiration Toxicity 1, Skin Irritant 2, Eye Irritant 2,	Flash Point (°C):			
EU Indication of Danger: EU Indication of Danger: EU Risk Phrases: EU Risk Phrases: EU Risk Phrases: R10 - Flammable. R38 - Irritating to skin. R41 - Risk of serious damage to eyes. R46 - May cause heritable genetic damage. EU Safety Phrases: S 3/9 - Keep in a cool, well-ventilated place. S 16 - Keep away from sources of ignition - No smoking S 27/28 - After contact with skin, take off immediately all contaminated clothing, and wash immediately with plenty of scap and water S 33 - Take precautionary measures against static discharges S 36/37/39 - Wear suitable protective clothing, gloves, and eye/face protection. S 43 - In case of fire use Foam, Dry chemical, Carbon Dioxide, B class Extinguishers for extinction. S 61 - Avoid release to the environment. Refer to special instructions/safety data sheet OSHA Label: Warning Identifying Markings in Accordance with EC Directives / GefStoffy: California Proposition 65: WARNING! This product contains chemicals known to the State of California to cause cancer or reproductive harm. For more information go to www.P65Warnings.ca.gov. United States TSCA: Complies United States TSCA: Complies OSHA Label: WARNING! This product contains chemicals known to the State of California to cause cancer or reproductive harm. For more information go to www.P65Warnings.ca.gov. United States TSCA: Complies 16. Other Information Section 3 Expanded Precautionary Statements P240 Ground and bond container and receiving equipment. P241 Use explosion-proof [electrical/ventilating/lighting/] equipment. P242 Use non-sparking tools. Section 3 Expanded Classification 1272 / Pincacarvone - Skin Irritant 2, Eye Damage 1, Mutagenicity 2 Trans-Pincacarvoel - Skin Irritant 2, Eye Damage 1 Isobutyl n-butyrate - Flammable Liquid 3 Borneol - Flammable Liquid 3, Aspiration Toxicity 1, Skin Irritant 2, Eye Irritant 2, Eye Damage 1 Isobutyl n-butyrate - Flammable Liquid 3, Aspiration Toxicity 1, Skin Irritant 2, Eye Irritant	Marine Pollutant:	Yes		
EU Indication of Danger: EU Risk Phrases: EU Risk Phrases: R10 - Flammable. R38 - Irritating to skin. R41 - Risk of serious damage to eyes. R46 - May cause heritable genetic damage. EU Safety Phrases: S 3/9 - Keep in a cool, well-ventilated place. S 16 - Keep away from sources of ignition - No smoking S 27/28 - After contact with skin, take off immediately all contaminated olothing, and wash immediately with plenty of soap and water S 33 - Take precautionary measures against static discharges S 3/6/37/39 - Wear suitable protective clothing, gloves, and eye/face protection. S 43 - In case of fire use Foam, Dry chemical, Carbon Dioxide, B class Extinguishers for extinction. S 61 - Avoid release to the environment. Refer to special instructions/safety data sheet OSHA Label: Warning Identifying Markings in Accordance with EC Directives / GefStoffy: California Proposition 65: WARNING! This product contains chemicals known to the State of California to cause cancer or reproductive harm. For more information go to www.P65Warnings.ca.gov. United States TSCA: Complies United States TSCA: Complies 16. Other Information Section 3 Expanded Precautionary Statements P240 Ground and bond container and receiving equipment. P241 Use explosion-proof [electrical/ventilating/lighting/] equipment. P242 Use non-sparking tools. Section 3 Expanded Classification 1272 / Its explosion-proof [electrical/ventilating/lighting/] equipment. P242 Use non-sparking tools. Socion 3 Expanded Classification 1272 / Its explosion-proof [electrical/ventilating/lighting/] equipment. P241 Use explosion-proof [electrical/ventilating/lighting/] equipment. P242 Use non-sparking tools. Socion 3 Expanded Classification 1272 / Its explosion-proof [electrical/ventilating/lighting/] equipment. P245 Use explosion-proof [electrical/ventilating/lighting/] equipment. P246 Use explosion-proof [electrical/ventilating/lighting/] equipment. P247 Use explosion-proof [electrical/ventilating/lighting/] equipment. P248 Use explosio	15 Pagulatory Information			
EU Indication of Danger: X - Hazard F - Flammable C - Corrosive EU Risk Phrases: R10 - Flammable R38 - Irritating to skin. R41 - Risk of serious damage to eyes. R46 - May cause heritable genetic damage. EU Safety Phrases: S 3/9 - Keep in a cool, well-ventilated place. S 16 - Keep away from sources of ignition - No smoking S 27/28 - After contact with skin, take off immediately all contaminated clothing, and wash immediately with plenty of soap and water S 33 - Take precautionary measures against static discharges S 36/37/39 - Wear suitable protective clothing, gloves, and eye/face protection. S 43 - In case of fire use Foam, Dry chemical, Carbon Dioxide, B class Extinguishers for extinction. S 61 - Avoid release to the environment. Refer to special instructions/safety data sheet Warning Identifying Markings in Accordance with EC Directives / GefStoffy: California Proposition 65: WARNING! This product contains chemicals known to the State of California to cause cancer or reproductive harm. For more information go to www.P65Warnings.ca.gov. United States TSCA: Australia (AICS): Not present EU EINECS/ELINCS List: Complies 16. Other Information Section 2 Expanded Precautionary Statements P240 Ground and bond container and receiving equipment. P241 Use explosion-proof [electrical/ventilating/lighting/] equipment. P242 Use non-sparking tools. Section 3 Expanded Classification 1272 / Sobutyl Angelate – Flammable Liquid 3 Pinocarvone – Skin Irritant 2, Eye Damage 1, Mutagenicity 2 Trans-Pinocarveol – Skin Irritant 2, Eye Damage 1 Isobutyl n-butyrate – Flammable Liquid 3 Borneol – Flammable Liquid 3, Aspiration Toxicity 1, Skin Irritant 2, Eye Irritant 2, Aquatic Chronic 3				
EU Risk Phrases: R10 - Flammable C - Corrosive R38 - Irritating to skin. R41 - Risk of serious damage to eyes. R46 - May cause heritable genetic damage. S3/9 - Keep in a cool, well-ventilated place. S16 - Keep away from sources of ignition - No smoking S27/28 - After contact with skin, take off immediately all contaminated clothing, and wash immediately with plenty of soap and water S33 - Take precautionary measures against static discharges S36/37/39 - Wear suitable protective clothing, gloves, and eyelface protection. S43 - In case of fire use Foam, Dry chemical, Carbon Dioxide, B class Extinguishers for extinction. S61 - Avoid release to the environment. Refer to special instructions/safety data sheet Warning Warning No duty to mark/Exempt C Directives / GefStoffV: California Proposition 65: WARNING! This product contains chemicals known to the State of california to cause cancer or reproductive harm. For more information go to www.P65V9arnings.ca.gov. United States TSCA: Complies Australia (AICS): Not present EU EINECS/ELINCS List: Complies P240 Ground and bond container and receiving equipment. P241 Use explosion-proof [electrical/ventilating/lighting/] equipment. P241 Use explosion-proof [electrical/ventilating/lighting/] equipment. P242 Use non-sparking tools. Section 3 Expanded Classification 1272 / 2008 Rection 2 Expanded Classification 1272 / 2008 Section 3 Expanded Classification 1272 / 2008 Rection 3 Expanded Classification 1272 /	•			
EU Risk Phrases: R10 - Flammable. R38 - Irritating to skin. R41 - Risk of serious damage to eyes. R46 - May cause heritable genetic damage. EU Safety Phrases: S39 - Keep in a cool, well-ventilated place. S16 - Keep away from sources of ignition - No smoking S 27/28 - After contact with skin, take off immediately all contaminated clothing, and wash immediately with plenty of soap and water S33 - Take precautionary measures against static discharges S 36/37/39 - Wear suitable protective clothing, gloves, and eye/face protection. S43 - In case of fire use Foam, Dry chemical, Carbon Dioxide, B class Extinguishers for extinction. S61 - Avoid release to the environment. Refer to special instructions/safety data sheet OSHA Label: Warning Identifying Markings in Accordance with EC Directives / GefStoffV: California Proposition 65: WARNING! This product contains chemicals known to the State of California to cause cancer or reproductive harm. For more information go to www.P65Warnings.ca.gov. United States TSCA: Complies Warning United States TSCA: Complies Not present EU EINECS/ELINCS List: Complies P240 Ground and bond container and receiving equipment. P241 Use explosion-proof [electrical/ventilating/lighting/] equipment. P241 Use explosion-proof [electrical/ventilating/lighting/] equipment. P242 Use non-sparking tools. Section 3 Expanded Classification 1272 / Use pon-sparking tools. Section 3 Expanded Classification 1272 / Isobutyl Angelate – Flammable Liquid 3 Pinocarvone – Skin Irritant 2, Skin Sensitizer 1B, Eye Damage 1, Mutagenicity 2 Trans-Pinocarveol – Skin Irritant 2, Eye Damage 1 Isobutyl n-butyrate – Flammable Liquid 3 Borneol – Flammable Liquid 3	EU Indication of Danger:	X – Hazard		
EU Risk Phrases: R10 – Flammable. R38 – Irritating to skin. R41 – Risk of serious damage to eyes. R46 – May cause heritable genetic damage. S 3/9 – Keep in a cool, well-ventilated place. S 16 – Keep away from sources of ignition – No smoking S 27/28 – After contact with skin, take off immediately all contaminated clothing, and wash immediately with plenty of soap and water S 3 – Take precautionary measures against static discharges S 3/3/7/39 – Wear suitable protective clothing, gloves, and eye/face protection. S 43 – In case of fire use Foam, Dry chemical, Carbon Dioxide, B class Extinguishers for extinction. S 61 – Avoid release to the environment. Refer to special instructions/safety data sheet Warning No duty to mark/Exempt California Proposition 65: WARNING! This product contains chemicals known to the State of California to cause cancer or reproductive harm. For more information go to www.P65Warnings.ca.gov. United States TSCA: Complies Not present EU EINECS/ELINCS List: Complies 16. Other Information Section 2 Expanded Precautionary Statements P240 Ground and bond container and receiving equipment. P241 Use explosion-proof [electrical/ventilating/lighting/] equipment. P242 Use non-sparing tools. Section 3 Expanded Classification 1272 / 2008 Section 3 Expanded Classification 1272 / 2108 Isobutyl Angelate – Flammable Liquid 3 Pinocarvone – Skin Irritant 2, Skin Sensitizer 1B, Eye Damage 1, Mutagenicity 2 Trans-Pinocarveel – Skin Irritant 2, Eye Damage 1 Isobutyl n-butyrate – Flammable Liquid 3, Aspiration Toxicity 1, Skin Irritant 2, Eye Irritant 2, Eye Damage – Flammable Liquid 3, Aspiration Toxicity 1, Skin Irritant 2, Eye Irritant 2, Ey		F - Flammable		
R38 – Irritating to skin. R41 – Risk of serious damage to eyes. R46 – May cause heritable genetic damage. EU Safety Phrases: S39 – Keep in a cool, well-ventilated place. S16 – Keep away from sources of ignition – No smoking S27/28 – After contact with skin, take off immediately all contaminated clothing, and wash immediately with plenty of soap and water S33 – Take precautionary measures against static discharges S36/37/39 – Wear suitable protective clothing, gloves, and eye/face protection. S43 – In case of fire use Foam, Dry chemical, Carbon Dioxide, B class Extinguishers for extinction. S61 – Avoid release to the environment. Refer to special instructions/safety data sheet Warning Identifying Markings in Accordance with EC Directives / GefStoffty: California Proposition 65: WARNING! This product contains chemicals known to the State of California to cause cancer or reproductive harm. For more information go to www.P65Warnings.ca.gov. United States TSCA: Complies Australia (AICS): Not present EU EINECS/ELINCS List: Complies 16. Other Information Section 2 Expanded Precautionary Statements P240 Ground and bond container and receiving equipment. P241 Use explosion-proof [electrical/ventilating/lighting/] equipment. P242 Use non-sparking tools. Section 3 Expanded Classification 1272 / 2008 Isobutyl Angelate – Flammable Liquid 3 Pinocarvone – Skin Irritant 2, Skin Sensitizer 1B, Eye Damage 1, Mutagenicity 2 Trans-Pinocarveol – Skin Irritant 2, Eye Damage 1 Isobutyl n-butyrate – Flammable Liquid 3 Borneol – Flammable Solvent 1 Myrcene – Flammable Liquid 3, Aspiration Toxicity 1, Skin Irritant 2, Eye Irritant 2, Aquatic Chronic 3				
EU Safety Phrases: EU Safety Phrases: S 3/9 - Keep in a cool, well-ventilated place. S 16 - Keep away from sources of ignition - No smoking S 27/28 - After contact with skin, take off immediately all contaminated clothing, and wash immediately with plenty of soap and water S 33 - Take precautionary measures against static discharges S 36/37/39 - Wear suitable protective clothing, gloves, and eyelface protection. S 43 - In case of fire use Foam, Dry chemical, Carbon Dioxide, B class Extinguishers for extinction. S 61 - Avoid release to the environment. Refer to special instructions/safety data sheet OSHA Label: Warning Identifying Markings in Accordance with EC Directives / GefStoffV: California Proposition 65: WARNING! This product contains chemicals known to the State of California to cause cancer or reproductive harm. For more information go to www.P65Warnings.ca.gov. United States TSCA: Australia (AICS): United States TSCA: Complies 16. Other Information Section 2 Expanded Precautionary Statements P240 Ground and bond container and receiving equipment. P242 Use explosion-proof [electrical/ventilating/lighting/] equipment. P242 Use explosion-proof [electrical/ventilating/lighting/] equipment. P242 Use non-sparking tools. Section 3 Expanded Classification 1272 / 2008 Isobutyl Angelate - Flammable Liquid 3 Pinocarvone - Skin Irritant 2, Eye Damage 1 Isobutyl n-butyrate - Flammable Liquid 3 Borneol	EU Risk Phrases:			
EU Safety Phrases: EU Safety Phrases: S 3/9 - Keep in a cool, well-ventilated place. S 16 - Keep away from sources of ignition - No smoking S 27/28 - After contact with skin, take off immediately all contaminated clothing, and wash immediately with plenty of soap and water S 33 - Take precautionary measures against static discharges S 3/67/39 - Wear suitable protective clothing, gloves, and eye/face protection. S 43 - In case of fire use Foam, Dry chemical, Carbon Dioxide, B class Extinguishers for extinction. S 61 - Avoid release to the environment. Refer to special instructions/safety data sheet Warning No duty to mark/Exempt California Proposition 65: WARNING! This product contains chemicals known to the State of California Proposition 65: Warning This product contains chemicals known to the State of California to cause cancer or reproductive harm. For more information go to www.P65Warnings.ca.gov. United States TSCA: Complies Australia (AICS): EU EINECS/ELINCS List: Complies 16. Other Information Section 2 Expanded Precautionary Statements P240 Ground and bond container and receiving equipment. P241 Use explosion-proof [electrical/ventilating/lighting/] equipment. P242 Use non-sparking tools. Section 3 Expanded Classification 1272 / 1008 Isobutyl Angelate - Flammable Liquid 3 Pinocarvone - Skin Irritant 2, Eye Damage 1, Mutagenicity 2 Trans-Pinocarvoel - Skin Irritant 2, Eye Damage 1 Isobutyl n-butyrate - Flammable Liquid 3 Borneol - Flammable Liquid 3, Aspiration Toxicity 1, Skin Irritant 2, Eye Irritant 2, Aquatic Chronic 3		<u> </u>		
EU Safety Phrases: S 3/9 – Keep in a cool, well-ventilated place. S 16 – Keep away from sources of ignition – No smoking S 27/28 – After contact with skin, take off immediately all contaminated clothing, and wash immediately with plenty of soap and water S 33 – Take precautionary measures against static discharges S 36/37/39 – Wear suitable protective clothing, gloves, and eyelface protection. S 43 – In case of fire use Foam, Dry chemical, Carbon Dioxide, B class Extinguishers for extinction. S 61 – Avoid release to the environment. Refer to special instructions/safety data sheet Warning Identifying Markings in Accordance with EC Directives / GefStoffV: California Proposition 65: WARNING! This product contains chemicals known to the State of California to cause cancer or reproductive harm. For more information go to www.P65Warnings.ca.gov. United States TSCA: Complies Australia (AICS): Not present EU EINECS/ELINCS List: Complies 16. Other Information Section 2 Expanded Precautionary Statements P240 Ground and bond container and receiving equipment. P241 Use explosion-proof [electrical/ventilating/lighting/] equipment. P242 Use non-sparking tools. Section 3 Expanded Classification 1272 / 2008 Isobutyl Angelate – Flammable Liquid 3 Pinocarvone – Skin Irritant 2, Skin Sensitizer 1B, Eye Damage 1, Mutagenicity 2 Trans-Pinocarvone – Skin Irritant 2, Eye Damage 1 Isobutyl n-butyrate – Flammable Liquid 3 Borneol – Flammable Liquid 3, Aspiration Toxicity 1, Skin Irritant 2, Eye Irritant 2, Aquatic Chronic 3		,		
S 16 – Keep away from sources of ignition – No smoking S 27/28 – After contact with skin, take off immediately all contaminated clothing, and wash immediately with plenty of soap and water S 33 – Take precautionary measures against static discharges S 36/37/39 – Wear suitable protective clothing, gloves, and eye/face protection. S 43 – In case of fire use Foam, Dry chemical, Carbon Dioxide, B class Extinguishers for extinction. S 61 – Avoid release to the environment. Refer to special instructions/safety data sheet OSHA Label: Warning Identifying Markings in Accordance with EC Directives / GefStoffV: California Proposition 65: WARNING! This product contains chemicals known to the State of California to cause cancer or reproductive harm. For more information go to www.P65Warnings.ca.gov. United States TSCA: Complies Australia (AICS): Not present EU EINECS/ELINCS List: Complies 16. Other Information Section 2 Expanded Precautionary Statements P240 Ground and bond container and receiving equipment. P241 Use explosion-proof [electrical/ventilating/lighting/] equipment. P242 Use non-sparking tools. Section 3 Expanded Classification 1272 / Isobutyl Angelate – Flammable Liquid 3 Pinocarvone – Skin Irritant 2, Skin Sensitizer 1B, Eye Damage 1, Mutagenicity 2 Trans-Pinocarveol – Skin Irritant 2, Eye Damage 1 Isobutyl n-butyrate – Flammable Liquid 3 Borneol – Flammable Liquid 3, Aspiration Toxicity 1, Skin Irritant 2, Eye Irritant 2, Apatic Chronic 3	FILO () Bloom			
protection. S 43 – In case of fire use Foam, Dry chemical, Carbon Dioxide, B class Extinguishers for extinction. S 61 – Avoid release to the environment. Refer to special instructions/safety data sheet Warning Identifying Markings in Accordance with EC Directives / GefStoffV: California Proposition 65: WARNING! This product contains chemicals known to the State of California to cause cancer or reproductive harm. For more information go to www.P65Warnings.ca.gov. United States TSCA: Complies Australia (AICS): EU EINECS/ELINCS List: Complies 16. Other Information Section 2 Expanded Precautionary Statements P240 Ground and bond container and receiving equipment. P241 Use explosion-proof [electrical/ventilating/lighting/] equipment. P242 Use non-sparking tools. Section 3 Expanded Classification 1272 / 2008 Pinocarvone – Skin Irritant 2, Skin Sensitizer 1B, Eye Damage 1, Mutagenicity 2 Trans-Pinocarvool – Skin Irritant 2, Eye Damage 1 Isobutyl n-butyrate – Flammable Liquid 3 Borneol – Flammable Liquid 3	Lo salety Fillases.	S 16 – Keep away from sources of ignition – No smoking S 27/28 – After contact with skin, take off immediately all contaminated clothing, and wash immediately with plenty of soap and water S 33 – Take precautionary measures against static discharges		
S 43 – In case of fire use Foam, Dry chemical, Carbon Dioxide, B class Extinguishers for extinction. S 61 – Avoid release to the environment. Refer to special instructions/safety data sheet Warning Identifying Markings in Accordance with EC Directives / GefStoffV: California Proposition 65: WARNING! This product contains chemicals known to the State of California to cause cancer or reproductive harm. For more information go to www.P65Warnings.ca.gov. United States TSCA: Complies Australia (AICS): RU EINECS/ELINCS List: Complies 16. Other Information Section 2 Expanded Precautionary Statements P240 Ground and bond container and receiving equipment. P241 Use explosion-proof [electrical/ventilating/lighting/] equipment. P242 Use non-sparking tools. Section 3 Expanded Classification 1272 / 2008 Isobutyl Angelate – Flammable Liquid 3 Pinocarvone – Skin Irritant 2, Skin Sensitizer 1B, Eye Damage 1, Mutagenicity 2 Trans-Pinocarveol – Skin Irritant 2, Eye Damage 1 Isobutyl n-butyrate – Flammable Liquid 3 Borneol – Flammable Solvent 1 Myrcene – Flammable Liquid 3, Aspiration Toxicity 1, Skin Irritant 2, Eye Irritant 2, Aquatic Chronic 3				
S 61 – Avoid release to the environment. Refer to special instructions/safety data sheet Warning Identifying Markings in Accordance with EC Directives / GefStoffV: California Proposition 65: WARNING! This product contains chemicals known to the State of California to cause cancer or reproductive harm. For more information go to www.P65Warnings.ca.gov. United States TSCA: Complies Australia (AICS): EU EINECS/ELINCS List: Complies 16. Other Information Section 2 Expanded Precautionary Statements P240 Ground and bond container and receiving equipment. P241 Use explosion-proof [electrical/ventilating/lighting/] equipment. P242 Use non-sparking tools. Section 3 Expanded Classification 1272 / 2008 Pinocarvone – Skin Irritant 2, Skin Sensitizer 1B, Eye Damage 1, Mutagenicity 2 Trans-Pinocarveol – Skin Irritant 2, Eye Damage 1 Isobutyl n-butyrate – Flammable Liquid 3 Borneol – Flammable Solvent 1 Myrcene – Flammable Liquid 3, Aspiration Toxicity 1, Skin Irritant 2, Eye Irritant 2, Aquatic Chronic 3		·		
OSHA Label: Warning Identifying Markings in Accordance with EC Directives / GefStoffV: California Proposition 65: WARNING! This product contains chemicals known to the State of California to cause cancer or reproductive harm. For more information go to www.P65Warnings.ca.gov. United States TSCA: Complies Australia (AICS): EU EINECS/ELINCS List: Complies 16. Other Information Section 2 Expanded Precautionary Statements P240 Ground and bond container and receiving equipment. P241 Use explosion-proof [electrical/ventilating/lighting/] equipment. P242 Use non-sparking tools. Section 3 Expanded Classification 1272 / 2008 Pinocarvone – Skin Irritant 2, Skin Sensitizer 1B, Eye Damage 1, Mutagenicity 2 Trans-Pinocarveol – Skin Irritant 2, Eye Damage 1 Isobutyl n-butyrate – Flammable Liquid 3 Borneol – Flammable Liquid 3, Aspiration Toxicity 1, Skin Irritant 2, Eye Irritant 2, Aquatic Chronic 3				
DSHA Label: Warning Identifying Markings in Accordance with EC Directives / GefStoffV: No duty to mark/Exempt		· · · · · · · · · · · · · · · · · · ·		
Identifying Markings in Accordance with EC Directives / GefStoffV: California Proposition 65: WARNING! This product contains chemicals known to the State of California to cause cancer or reproductive harm. For more information go to www.P65Warnings.ca.gov. United States TSCA: Complies Australia (AICS): EU EINECS/ELINCS List: Complies 16. Other Information Section 2 Expanded Precautionary Statements P240 Ground and bond container and receiving equipment. P241 Use explosion-proof [electrical/ventilating/lighting/] equipment. P242 Use non-sparking tools. Section 3 Expanded Classification 1272 / 2008 Isobutyl Angelate – Flammable Liquid 3 Pinocarvone – Skin Irritant 2, Skin Sensitizer 1B, Eye Damage 1, Mutagenicity 2 Trans-Pinocarveol – Skin Irritant 2, Eye Damage 1 Isobutyl n-butyrate – Flammable Liquid 3 Borneol – Flammable Solvent 1 Myrcene – Flammable Liquid 3, Aspiration Toxicity 1, Skin Irritant 2, Eye Irritant 2, Aquatic Chronic 3				
EC Directives / GefStoffV: California Proposition 65: WARNING! This product contains chemicals known to the State of California to cause cancer or reproductive harm. For more information go to www.P65Warnings.ca.gov. United States TSCA: Complies Australia (AICS): Not present EU EINECS/ELINCS List: Complies 16. Other Information Section 2 Expanded Precautionary Statements P240 Ground and bond container and receiving equipment. P241 Use explosion-proof [electrical/ventilating/lighting/] equipment. P242 Use non-sparking tools. Section 3 Expanded Classification 1272 / 2008 Isobutyl Angelate – Flammable Liquid 3 Pinocarvone – Skin Irritant 2, Skin Sensitizer 1B, Eye Damage 1, Mutagenicity 2 Trans-Pinocarveol – Skin Irritant 2, Eye Damage 1 Isobutyl n-butyrate – Flammable Liquid 3 Borneol – Flammable Liquid 3, Aspiration Toxicity 1, Skin Irritant 2, Eye Irritant 2, Aquatic Chronic 3		Warning		
California to cause cancer or reproductive harm. For more information go to www.P65Warnings.ca.gov. United States TSCA: Complies Australia (AICS): Not present Complies 16. Other Information Section 2 Expanded Precautionary Statements P240 Ground and bond container and receiving equipment. P241 Use explosion-proof [electrical/ventilating/lighting/] equipment. P242 Use non-sparking tools. Section 3 Expanded Classification 1272 / 2008 Isobutyl Angelate – Flammable Liquid 3 Pinocarvone – Skin Irritant 2, Skin Sensitizer 1B, Eye Damage 1, Mutagenicity 2 Trans-Pinocarveol – Skin Irritant 2, Eye Damage 1 Isobutyl n-butyrate – Flammable Liquid 3 Borneol – Flammable Solvent 1 Myrcene – Flammable Liquid 3, Aspiration Toxicity 1, Skin Irritant 2, Eye Irritant 2, Aquatic Chronic 3		No duty to mark/Exempt		
United States TSCA: Australia (AICS): EU EINECS/ELINCS List: Complies 16. Other Information Section 2 Expanded Precautionary Statements P240 Ground and bond container and receiving equipment. P241 Use explosion-proof [electrical/ventilating/lighting/] equipment. P242 Use non-sparking tools. Section 3 Expanded Classification 1272 / 2008 Isobutyl Angelate – Flammable Liquid 3 Pinocarvone – Skin Irritant 2, Skin Sensitizer 1B, Eye Damage 1, Mutagenicity 2 Trans-Pinocarveol – Skin Irritant 2, Eye Damage 1 Isobutyl n-butyrate – Flammable Liquid 3 Borneol – Flammable Solvent 1 Myrcene – Flammable Liquid 3, Aspiration Toxicity 1, Skin Irritant 2, Eye Irritant 2, Aquatic Chronic 3	California Proposition 65:	California to cause cancer or reproductive harm. For more information go to		
EU EINECS/ELINCS List: Complies 16. Other Information Section 2 Expanded Precautionary Statements P240 Ground and bond container and receiving equipment. P241 Use explosion-proof [electrical/ventilating/lighting/] equipment. P242 Use non-sparking tools. Section 3 Expanded Classification 1272 / 2008 Isobutyl Angelate – Flammable Liquid 3 Pinocarvone – Skin Irritant 2, Skin Sensitizer 1B, Eye Damage 1, Mutagenicity 2 Trans-Pinocarveol – Skin Irritant 2, Eye Damage 1 Isobutyl n-butyrate – Flammable Liquid 3 Borneol – Flammable Solvent 1 Myrcene – Flammable Liquid 3, Aspiration Toxicity 1, Skin Irritant 2, Eye Irritant 2, Aquatic Chronic 3	United States TSCA:	Complies		
EU EINECS/ELINCS List: Complies 16. Other Information Section 2 Expanded Precautionary Statements P240 Ground and bond container and receiving equipment. P241 Use explosion-proof [electrical/ventilating/lighting/] equipment. P242 Use non-sparking tools. Section 3 Expanded Classification 1272 / 2008 Isobutyl Angelate – Flammable Liquid 3 Pinocarvone – Skin Irritant 2, Skin Sensitizer 1B, Eye Damage 1, Mutagenicity 2 Trans-Pinocarveol – Skin Irritant 2, Eye Damage 1 Isobutyl n-butyrate – Flammable Liquid 3 Borneol – Flammable Solvent 1 Myrcene – Flammable Liquid 3, Aspiration Toxicity 1, Skin Irritant 2, Eye Irritant 2, Aquatic Chronic 3	Australia (AICS):	·		
P240 Ground and bond container and receiving equipment. Statements	EU EINECS/ELINCS List:	·		
Section 2 Expanded Precautionary Statements P241 Use explosion-proof [electrical/ventilating/lighting/] equipment. P242 Use non-sparking tools. Section 3 Expanded Classification 1272 / 2008 Isobutyl Angelate – Flammable Liquid 3 Pinocarvone – Skin Irritant 2, Skin Sensitizer 1B, Eye Damage 1, Mutagenicity 2 Trans-Pinocarveol – Skin Irritant 2, Eye Damage 1 Isobutyl n-butyrate – Flammable Liquid 3 Borneol – Flammable Solvent 1 Myrcene – Flammable Liquid 3, Aspiration Toxicity 1, Skin Irritant 2, Eye Irritant 2, Aquatic Chronic 3				
P241 Use explosion-proof [electrical/ventilating/lighting/] equipment. P242 Use non-sparking tools. Section 3 Expanded Classification 1272 Isobutyl Angelate – Flammable Liquid 3 Pinocarvone – Skin Irritant 2, Skin Sensitizer 1B, Eye Damage 1, Mutagenicity 2 Trans-Pinocarveol – Skin Irritant 2, Eye Damage 1 Isobutyl n-butyrate – Flammable Liquid 3 Borneol – Flammable Solvent 1 Myrcene – Flammable Liquid 3, Aspiration Toxicity 1, Skin Irritant 2, Eye Irritant 2, Aquatic Chronic 3		P240 Ground and bond container and receiving equipment.		
Isobutyl Angelate – Flammable Liquid 3	•			
Pinocarvone – Skin Irritant 2, Skin Sensitizer 1B, Eye Damage 1, Mutagenicity 2 Trans-Pinocarveol – Skin Irritant 2, Eye Damage 1 Isobutyl n-butyrate – Flammable Liquid 3 Borneol – Flammable Solvent 1 Myrcene – Flammable Liquid 3, Aspiration Toxicity 1, Skin Irritant 2, Eye Irritant 2, Aquatic Chronic 3				
Mutagenicity 2 Trans-Pinocarveol – Skin Irritant 2, Eye Damage 1 Isobutyl n-butyrate – Flammable Liquid 3 Borneol – Flammable Solvent 1 Myrcene – Flammable Liquid 3, Aspiration Toxicity 1, Skin Irritant 2, Eye Irritant 2, Aquatic Chronic 3		,		
Isobutyl n-butyrate – Flammable Liquid 3 Borneol – Flammable Solvent 1 Myrcene – Flammable Liquid 3, Aspiration Toxicity 1, Skin Irritant 2, Eye Irritant 2, Aquatic Chronic 3	2008			
Borneol – Flammable Solvent 1 Myrcene – Flammable Liquid 3, Aspiration Toxicity 1, Skin Irritant 2, Eye Irritant 2, Aquatic Chronic 3				
Myrcene – Flammable Liquid 3, Aspiration Toxicity 1, Skin Irritant 2, Eye Irritant 2, Aquatic Chronic 3		· · · · · · · · · · · · · · · · · · ·		
Irritant 2, Aquatic Chronic 3				
	Disclaimer: The information contained herein is	s accurate to the best of our knowledge. Amrita Aromatherapy, Inc.® makes		



no warranty of any kind, express or implied, concerning the safe use of this material in your process or in combination with other substances.

Revision Tracking				
Revision	Date	Reason	Author	Reviewed by
V1.0	10/31/2022	Creation	AG	SS