

Safety Data Sheet				
1. Identification	•			
Product Name:	Elemi Essential Oil			
Botanical/INCI:	Canarium luzonicum			
Synonyms:	n/a			
CAS Number:	8023-89-0			
Product Uses:	Personal care, Aromatherapy			
Manufacturer/Supplier:	Amrita Aromatherapy, Inc.®			
Address:	1900 W. Stone Ave., Suite C Fairfield, IA 52556			
Phone:	1(800)410-9651 or 1(641)472-9136			
Fax:	1(641)472-8672			
Emergency Contact:	Poison Control: 1(800)222-1222			
2. Hazard(s) Identification				
Appearance:	Liquid			
Signal Word:	Danger			
Statement of Hazard:	H226 Flammable liquid and vapor			
Statement of Hazard:	H304 May be fatal if swallowed and enters airways			
	H315 Causes skin irritation			
	H317 May cause an allergic skin reaction			
	H410 Very toxic to aquatic life with long lasting effects			
	P210 Keep away from heat/sparks/open flames/hot			
	surfaces No smoking.			
	P301+P315+331 IF SWALLOWED: Get immediate medica advice/attention. Do NOT induce vomiting.			
Precautionary Statements:	P302+P352 IF ON SKIN: Wash with plenty of soap and			
r recautionary otalements.	water.			
	P303+P361+P353 IF ON SKIN (or hair): Remove/Take off			
	immediately all contaminated clothing. Rinse skin with			
	water/shower.			
	P332+P314 If skin irritation occurs: Get medical			
	advice/attention if you feel unwell.			
	P333+P313 If skin irritation or rash occurs: Get medical			
	advice/attention.			
	P362 Take off contaminated clothing and wash before			
	reuse. P370+P378 In case of fire: Use Foam, Dry chemical,			
	Carbon Dioxide, B class Extinguishers for extinction.			
	P403+P235 Store in a well-ventilated place. Keep cool.			
	P405 Store locked up.			
	P501 Dispose of contents/container in accordance with			
	local/regional/national/international regulations			
Aspiration Toxicity:	Category 1			
Skin Irritation:	Category 2			
Skin Sensitization:	Category 1			
Acute Aquatic Toxicity:	Category 1			
Chronic Aquatic Toxicity:	Category 1			
Flammable Liquids:	Category 3			
<u> </u>	EEC or 1999/45/EC. For the full text of the R-phrases mentioned in this			
Section, see Section 16.	20 of 1000,40(20.1 of the fail text of the frephlases mentioned in this			



Symbol(s) Writing					
Flammable liquid and vapor		Pictogram(s)			
 May be fatal if swallowed and enters airways Causes skin irritation May cause an allergic skin reaction 					
ng effects	¥2>	•			
redients					
	CAS Number	Weight %	Classification	REACH Number	
	5989-27-5	<=62%	FL3, AspT1, SI2, SS1, AA1,	227-813-5	
	99-83-2	<=11%	FL3, AspT1	202-792-5	
	23811-48-5	<=8%	n/a	211-360-5	
Elemol Sabinene		<=4%	FL3, AspT1, SI2, EI2, STOT SE 3 (Resp)	222-212-4	
Elemicin		<=2%	SS1, EI2	207-649-0	
Alpha Terpineol		<=2%	SI2, EI2	202-680-6	
Terpinolene		<=1%	FL3, AspT1, SI2, SS1B, AA1, AC2	209-578-0	
Section 8 for	Exposure Limit	s)			
Seek medical attention in case of any discomfort. Observe risk of aspiration if vomiting occurs. May cause lung damage if swallowed.					
Remove contact lenses. Flush repeatedly with water for 15 minutes; contact physician					
Remove contaminated clothing, wash with water and soap. Contact physician if redness or irritation develop.					
Do NOT induce vomiting. Rinse out mouth. Do NOT give water or milk unless directed by medical professional. Contact POISON CENTER or doctor immediately.					
Remove to fresh air and contact a physician if symptoms such as wheezing, coughing, shortness of breath, or burning in the mouth, throat, or chest occur.					
chest occur.					
chest occur.					
<u> </u>	Hazz irways irways age effects age effec	CAS Number 5989-27-5 99-83-2 23811-48-5 3387-41-5 487-11-6 98-55-5 586-62-9 Seek medical attention in case if vomiting occurs. May cause Remove contact lenses. Flush contact physician Remove contaminated clothing physician if redness or irritation on NOT induce vomiting. Rins unless directed by medical prodoctor immediately. Remove to fresh air and contambeezing, coughing, shortnes	Pictogram(s) Pi	Pictogram(s) Pictogram(s) Tedients CAS Number Weight % Classification 1272 / 2008 5989-27-5 <=62% FL3, AspT1, Sl2, SS1, AA1, AC1 99-83-2 <=11% FL3, AspT1, Sl2, SS1, AA1, AC1 23811-48-5 <=8% n/a 3387-41-5 <=4% FL3, AspT1, Sl2, EI2, STOT SE 3 (Resp) 487-11-6 <=2% SS1, EI2 98-55-5 <=2% SI2, EI2 586-62-9 <=1% FL3, AspT1, Sl2, SS1B, AA1, AC2 PSection 8 for Exposure Limits) Seek medical attention in case of any discomfort. Observe risk if vomiting occurs. May cause lung damage if swallowed. Remove contact lenses. Flush repeatedly with water for 15 mic contact physician Remove contact lenses. Flush repeatedly with water and soap. Cophysician if redness or irritation develop. Do NOT induce vomiting. Rinse out mouth. Do NOT give wate unless directed by medical professional. Contact POISON CEI doctor immediately. Remove to fresh air and contact a physician if symptoms such wheezing, coughing, shortness of breath, or burning in the mo	



	"Naturally the Purest"		
	NON-SUITABLE: Water Jet		
Hazardous Combustion Products:	Carbon Dioxide and Carbon Monoxide		
Fire Fighting Procedures:	When possible, prevent environmental run-off. Use self-contained breathing apparatus and protective clothing.		
Fire / Explosion Hazards:	Carbon monoxide, carbon dioxide, acrid fumes, smoke, or flammable vapor may be released during oil fires. Flammable liquid and vapor. Vapors are heavier than air and may travel along surfaces to remote ignition sources and flash back.		
6. Accidental Release Measures			
Health and Safety Precautions:	Personnel involved in cleanup should wear appropriate personal protective equipment (see Section 8). Minimize exposure. Eliminate all sources of ignition and ventilate area using explosion-proof equipment.		
Measures for Cleaning and Collecting:	Absorb spill with non-combustible matter (such as detergentdo not use solvents) and transfer to containers. Clean spill area thoroughly.		
Measures for Environmental Protections:	Do NOT allow to enter the sewer or outdoor environment. Place waste in an appropriately labeled, sealed container for disposal. Care should be taken to avoid environmental release.		
Additional Considerations for Large Spills:	Contain and control the leaks or spills with non-combustible absorbent materials such as sand, earth, vermiculite, or diatomaceous earth in drums for waste disposal. Avoid allowing product to reach sewage system or any waterways. Inform respective authorities in case of seepage into sewage system or waterways.		
7. Handling and Storage			
General Handling:	Avoid contact with eyes, skin, mucous and clothing. Wear required PPE. Observe good hygiene guidelines and general safety practices. Do NOT eat, drink, or smoke when handling. Ensure workspace is properly ventilated. Wash hands after handling.		
Storage Conditions:	Store in tightly sealed glass container, away from heat, light, and other sources of ignition; in a well-ventilated, dry, and cool location. Keep away from strong oxidizing agents.		
8. Exposure Controls / Personal Pro	tection		
Exposure Limit:	This product, as supplied, does not contain any hazardous materials with occupational exposure limits established by the region-specific regulatory bodies.		
Engineering Controls:	Extraction or global ventilation. Equipment should be grounded. Provide eyewash station.		
Environmental Exposure Controls:	Avoid discharging into sewer or environment. Do NOT eat, drink, or smoke near or after handling product.		
Personal Protective Equipment (PPE):	Work clothing worn by personnel shall be laundered regularly. After contact with the product, all parts of the body that have been soiled must be washed		
Hands:	Wear suitable protective gloves (resistant to chemical agents in accordance with standard EN374) in the event of prolonged or repeated skin contact.		
Eyes:	Avoid contact with eyes. Use eye protectors (safety goggles in accordance with standard EN166) designed to protect against liquid splashes.		
Skin:	Use protective clothing as necessary, such as a lab coat.		
Respiratory Protection:	Assure a well-ventilated work area – Use general face covering		
9. Physical and Chemical Properties			
Physical State:	Liquid		



	"Naturally the Purest"			
Liquid Color:	Clear with yellow tinge			
Odor:	Fresh, lemony, spicy, with balsamic undertones			
Molecular Weight:	No information			
Water Solubility:	Not soluble			
Boiling Point (°C):	No information			
Vapor Pressure (kPa):	No information			
Vapor Density (g/mL):	No information			
Flash Point – Liquid (°C):	54 °C			
Upper Explosive Limits:	No information			
Lower Explosive Limits:	No information			
Polymerization:	Will not occur			
Specific Gravity 25°C:	No information			
Specific Gravity 20°C:	0.8600 - 0.8700			
Refractive Index 20°C:	1.4400 - 1.4800			
10. Stability and Reactivity				
Chemical Stability:	Stable under normal conditions of use.			
Conditions to Avoid:	Keep away from heat, spark, flames, and all other sources of ignition			
Incompatible Materials:	Strong oxidizing agents and strong inorganic acids			
11. Toxicological Information				
General Information:	Product does not present an acute toxicity hazard based on known or supplied information.			
Acute Toxicity:	Not Determined			
Irritation / Sensitization:	Not Determined			
Skin Absorption:	No adverse effects with normal skin. However, potentially harmful amounts of material may be absorbed across markedly abraded skin when contact is sustained.			
Carcinogen Status:	Carcinogenicity of the mixture has not been determined. Not listed as carcinogens by IARC, US OSHA or NTP.			
12. Ecological Information				
Environmental Overview:	The environmental characteristics of this mixture have not been fully evaluated. Releases to the environment should be avoided.			
Eco-toxicity Effects:	Very toxic to aquatic organisms; may cause long-term adverse effects in the aquatic environment.			
Persistence and Degradability:	Biodegradation is expected			
Bio-accumulative Potential:	Bioaccumulation is unlikely			
Mobility in Soil:	Not Determined			
Other Adverse Effects:	Avoid exposure to marine environments and waterways			
13. Disposal Considerations				
Waste Treatment Methods:	Releases to the environment should be avoided. Review and implement appropriate technical and procedural wastewater and waste disposal measures to prevent occupational exposure or environmental releases. Waste from a spill: Contain the source of spill if it is safe to do so. Collect spill with absorbent material. Place waste in an appropriately labeled, sealed container for disposal. Clean spill area thoroughly. Care should be taken to avoid environmental release.			
14. Transport Information The following refers to all modes of transportate	ion unless specified below. This material is regulated for transport under DOT,			



	"Naturally the Purest"		
ADR, IMDG, and IATA regulations.			
UN Number:	1169		
UN Proper Shipping Name:	Extracts, aromatic, liquid		
Transport Hazard Class(es):	Flammable Class 3		
Packing Group:			
Flash Point (°C):	54 °C		
Marine Pollutant:	Yes		
15. Regulatory Information			
EU Symbol:			
EU Indication of Danger:	F – Flammable		
	X – Hazard		
	N – Environmentally hazardous		
EU Risk Phrases:	R10 – Flammable. R22 – Harmful if swallowed. R26 – Very toxic by inhalation. R 50/53 – Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.		
EU Safety Phrases:	S 1 – Keep locked up S 3 – Keep in a cool place S 7 – Keep container tightly closed S 9 – Keep container in a well-ventilated place S 16 – Keep away from sources of ignition – No smoking S 23 – Do not breathe gas/fumes/vapor/spray. S 28 – After contact with skin, wash immediately with plenty of soap and water. S 33 – Take precautionary measures against static discharges. S 36/37/39 – Wear suitable protective clothing, gloves, and eye/face protection. S 43 – In case of fire use Foam, Dry chemical, Carbon Dioxide, B class Extinguishers for extinction. S 46 – If swallowed, seek medical advice immediately and show this container or label S 56 – Dispose of this material and its container to hazardous or special waste collection point S 61 – Avoid release to the environment. Refer to special instructions/safety data sheet		
OSHA Label:	Danger		
Identifying Markings in Accordance with EC Directives / GefStoffV:	No duty to mark/Exempt		
California Proposition 65:	WARNING! This product contains chemicals known to the State of California to cause cancer or reproductive harm. For more information go to www.P65Warnings.ca.gov.		
United States TSCA:	Complies		
Australia (AICS):	Not present		
EU EINECS/ELINCS List:	Complies		
16. Other Information			
Section 2 Expanded Precautionary	P240 Ground/bond container and receiving equipment.		
	J. J. T. F. T. T.		

July 28, 2023 Safety Data Sheet Pg. 5



Statements		P241 Use explosion-proof electrical/ventilating/lighting//equipment.				
		P242 Use only non-spa	P242 Use only non-sparking tools.			
		P243 Take precautions	ary measures against	static discharge.		
		P261 Avoid breathing	dust/fume/gas/mist/va	pors/spray.		
		P264 Wash hands thou	P264 Wash hands thoroughly after handling.			
		P272 Contaminated wo workplace.				
		P273 Avoid release to	P273 Avoid release to the environment.			
		P280 Wear protective	P280 Wear protective gloves/protective clothing/eye protection/face			
		protection.				
		P233 Keep container tightly closed.				
		P391 Collect spillage				
Section 3 Expanded 2008	Classification 1272 /	d-Limonene – Flammable Liquid 3, Aspiration Toxicity 1, Skin Irritant 2, Skin Sensitizer 1, Aquatic Acute 1, Aquatic Chronic 1				
		Alpha Phellandrene – Flammable Liquid 3, Aspiration Toxicity 1				
		Sabinene – Flammable Liquid 3, Aspiration Toxicity 1, Skin Irritant 2, Eye				
		Irritant 2, STOT SE 3 (Respiratory)	Irritant 2, STOT SE 3 (Specific Target Organ Toxicity – Single Exposure -			
		Elemicin – Skin Sensiti				
		Alpha Terpineol – Skin		2		
		Terpinolene – Flammable Liquid 3, Aspiration Toxicity 1, Skin Irritant 2, Skin Sensitizer 1B, Aquatic Acute 1, Aquatic Chronic 2				
Disclaimer: The inform	nation contained herein			Aromatherapy, Inc.® makes		
no warranty of any kind	d, express or implied, co	ncerning the safe use of t	his material in your pr	ocess or in combination with		
other substances.						
		Revision Tracking				
Revision	Date	Reason	Author	Reviewed by		
V1.0	4/1/2022	Creation	SS	AG		
V1.1	8/1/2022	Edit	AG	SS		