

Safety Data Sheet

1. Identification	Deleem Els Occupits Essential Oli		
Product Name:	Balsam Fir Organic Essential Oil		
Botanical/INCI:	Abies balsamea		
Synonyms:	n/a		
CAS Number:	8007-47-4		
Product Uses:	Personal care, Aromatherapy		
Manufacturer/Supplier:	Amrita Aromatherapy, Inc.®		
Address:	1900 W. Stone Ave., Suite C Fairfield, IA 52556		
Phone:	1(800)410-9651 or 1(641)472-9136		
Fax:	1(641)472-8672		
Emergency Contact:	Poison Control: 1(800)222-1222		
2. Hazard(s) Identification			
Appearance:	Liquid		
Signal Word:	Danger		
Statement of Hazard:	H226 Flammable liquid and vapor		
Statement of Hazaru.	H304 May be fatal if swallowed and enters airways		
	H315 Causes skin irritation		
	H317 May cause an allergic skin reaction		
	H410 Very toxic to aquatic life with long lasting effects		
	P210 Keep away from heat/sparks/open flames/hot		
	surfaces No smoking.		
	P233 Keep container tightly closed. P243 Take precautionary measures against static		
Precautionary Statements:	discharge.		
r recationary statements.	P261 Avoid breathing dust/fume/gas/mist/vapors/spray.		
	P264 Wash hands thoroughly after handling.		
	P301+P310+ P331 IF SWALLOWED: Immediately call a		
	POISON CENTER or doctor/physician. DO NOT induce		
	vomiting.		
	P302+P352 IF ON SKIN: Wash with plenty of soap and		
	water.		
	P333+P313 If skin irritation or rash occurs: Get medical		
	advice/attention.		
	P370+P378 In case of fire: Use Foam, Dry chemical,		
	Carbon Dioxide, B class Extinguishers for extinction.		
	P391 Collect spillage P403+P235 Store in a well-ventilated place. Keep cool.		
	P405+P255 Store locked up.		
	P501 Dispose of contents/container in accordance with		
	local/regional/national/international regulations.		
Aspiration Toxicity:	Category 1		
Skin Irritation:	Category 2		
Skin Sensitization:	Category 1		
Acute Aquatic Toxicity:	Category 1		
Chronic Aquatic Toxicity:	Category 1		
Flammable Liquids:	Category 3		



"Naturally the				
Hazar	ds			
	Pictogram(s)			
irways				
ng effects	×			
redients				
	CAS Number	Weight %	Classification	REACH Number
1	27-91-3	Trade Secret%	FL3, AspT1, SI2, SS1, AA1, AC1	242-060-2
5	5989-27-5	Trade Secret%	FL3, AspT1, SI2, SS1, AA1, AC1	227-813-5
8	30-56-8	Trade Secret%	FL3, AspT1, SI2, SS1, ED1, EI2, AA1, AC1	201-291-9
1	3466-78-9	Trade Secret%	FL3, AspT1, SI2, SS1, AC3	236-719-3
7	76-49-3	Trade Secret%	FL4, STOT RE 2 (Kid.), AA3, AC3	204-727-6
7	79-92-5	Trade Secret%	FL3, El2, AA1, AC1	201-234-8
		Trade Secret%	FL3, AspT1, SI2, EI2, AC3	204-622-5
5	586-62-9	Trade Secret%	FL3, AspT1, SI2, SS1B, AA1, AC2	209-578-0
Ę	529-16-8	Trade Secret%	n/a	n/a
e Section 8 for E	xposure Limit	s)		
Seek medical attention in case of any discomfort. Observe risk of aspiration if vomiting occurs. May cause lung damage if swallowed.				of aspiration
Remove contact lenses. Flush repeatedly with water for 15 minutes; contact physician				nutes;
Remove contaminated clothing, wash with water and soap. Contact physician if redness or irritation develop.			ntact	
r	Hazaru Hazaru Imagelfects Ing effects ential Oil Image field for the formation Image field for the formation Image for the for	Hazards Pictogram(s) Pictogram(s) Image of the second	Hazards Pictogram(s) Pictogram(s) Implement of the second s	Hazards Pictogram(s) Pictogram(s) inways inways of the second sec



	"Naturally the Purest"
Ingestion:	Do NOT induce vomiting. Rinse out mouth. Do NOT give water or milk unless directed by medical professional. Contact POISON CENTER or doctor immediately.
Inhalation:	Remove to fresh air and contact a physician if symptoms such as wheezing, coughing, shortness of breath, or burning in the mouth, throat, or chest occur.
5. Fire Fighting Measures	
Extinguishing Media:	SUITABLE: Foam, Dry chemical, Carbon Dioxide, B class Extinguishers NON-SUITABLE: Water Jet
Hazardous Combustion Products:	Carbon Dioxide and Carbon Monoxide
Fire Fighting Procedures:	When possible, prevent environmental run-off. Use self-contained breathing apparatus and protective clothing.
Fire / Explosion Hazards:	Carbon monoxide, carbon dioxide, acrid fumes, smoke, or flammable vapor may be released during oil fires. Flammable liquid and vapor. Vapors are heavier than air and may travel along surfaces to remote ignition sources and flash back.
6. Accidental Release Measures	
Health and Safety Precautions:	Personnel involved in cleanup should wear appropriate personal protective equipment (see Section 8). Minimize exposure. Eliminate all sources of ignition and ventilate area using explosion-proof equipment.
Measures for Cleaning and Collecting:	Absorb spill with non-combustible matter (such as detergentdo not use solvents) and transfer to containers. Clean spill area thoroughly.
Measures for Environmental Protections:	Do NOT allow to enter the sewer or outdoor environment. Place waste in an appropriately labeled, sealed container for disposal. Care should be taken to avoid environmental release.
Additional Considerations for Large Spills:	Contain and control the leaks or spills with non-combustible absorbent materials such as sand, earth, vermiculite, or diatomaceous earth in drums for waste disposal. Avoid allowing product to reach sewage system or any waterways. Inform respective authorities in case of seepage into sewage system or waterways.
7. Handling and Storage	
General Handling:	Avoid contact with eyes, skin, mucous and clothing. Wear required PPE. Observe good hygiene guidelines and general safety practices. Do NOT eat, drink, or smoke when handling. Ensure workspace is properly ventilated. Wash hands after handling.
Storage Conditions:	Store in tightly sealed glass container, away from heat, light, and other sources of ignition; in a well-ventilated, dry, and cool location. Keep away from strong oxidizing agents.
8. Exposure Controls / Personal Pro	tection
Exposure Limit:	This product, as supplied, does not contain any hazardous materials with occupational exposure limits established by the region-specific regulatory bodies.
Engineering Controls:	Extraction or global ventilation. Equipment should be grounded. Provide eyewash station.
Environmental Exposure Controls:	Avoid discharging into sewer or environment. Do NOT eat, drink, or smoke near or after handling product.
Personal Protective Equipment (PPE):	Work clothing worn by personnel shall be laundered regularly. After contact with the product, all parts of the body that have been soiled must be washed
Hands:	Wear suitable protective gloves (resistant to chemical agents in accordance



	"Naturally the Purest"		
	with standard EN374) in the event of prolonged or repeated skin contact.		
Eyes:	Avoid contact with eyes. Use eye protectors (safety goggles in accordance with standard EN166) designed to protect against liquid splashes.		
Skin:	Use protective clothing as necessary, such as a lab coat.		
Respiratory Protection:	Assure a well-ventilated work area – Use general face covering		
9. Physical and Chemical Propertie	es esta esta esta esta esta esta esta es		
Physical State:	Liquid		
Liquid Color:	Colorless to pale yellow clear liquid.		
Odor:	A characteristic sweet woody scent of pine.		
Molecular Weight:	No information		
Water Solubility:	Not soluble		
Boiling Point (°C):	No information		
Vapor Pressure (kPa):	No information		
Vapor Density (g/mL):	No information		
Flash Point – Liquid (°C):	93°C		
Upper Explosive Limits:	No information		
Lower Explosive Limits:	No information		
Polymerization:	Will not occur		
Specific Gravity 25°C:	No information		
Specific Gravity 20°C:	0.860 – 0.900		
Refractive Index 20°C:	1.470 – 1.500		
10. Stability and Reactivity			
Chemical Stability:	Stable under normal conditions of use.		
Conditions to Avoid:	Keep away from heat, spark, flames, and all other sources of ignition		
Incompatible Materials:	Strong oxidizing agents and strong inorganic acids		
11. Toxicological Information			
General Information:	Product does not present an acute toxicity hazard based on known or supplied information.		
Acute Toxicity:	Not Determined		
Irritation / Sensitization:	Not Determined		
Skin Absorption:	No adverse effects with normal skin. However, potentially harmful amounts of material may be absorbed across markedly abraded skin when contact is sustained.		
Carcinogen Status:	Carcinogenicity of the mixture has not been determined. Not listed as carcinogens by IARC, US OSHA or NTP.		
12. Ecological Information			
Environmental Overview:	The environmental characteristics of this mixture have not been fully evaluated. Releases to the environment should be avoided.		
Eco-toxicity Effects:	Very toxic to aquatic organisms; may cause long-term adverse effects in the aquatic environment.		
Persistence and Degradability:	Biodegradation is expected		
Bio-accumulative Potential:	Bioaccumulation is unlikely		
Mobility in Soil:	Not Determined		
Other Adverse Effects:	Avoid exposure to marine environments and waterways		
13. Disposal Considerations			
Waste Treatment Methods:	Releases to the environment should be avoided. Review and implement		



appropriate technical and procedural wastewater and waste disposal measures to prevent occupational exposure or environmental releases. Waste from a spill: Contain the source of spill if it is safe to do so. Collect spill with absorbent material. Place waste in an appropriately labeled, sealed container for disposal. Clean spill area thoroughly. Care should be taken to avoid environmental release.

14. Transport Information

The following refers to all modes of transportation unless specified below. This material is regulated for transport under DOT, and IATA requilations

ADR, IMDG, and IATA regulations.	
UN Number:	1169
UN Proper Shipping Name:	Extracts, aromatic, liquid
Transport Hazard Class(es):	Flammable Class 3
Packing Group:	III
Flash Point (°C):	93°C
Marine Pollutant:	Yes
15. Regulatory Information	
EU Symbol:	
EU Indication of Danger:	F – Flammable
	X – Hazard
	N – Dangerous for the environment
EU Risk Phrases:	R10 – Flammable. R23 – Toxic by inhalation.
	R38 – Irritating to skin.
	R43 – May cause sensitisation by skin contact.
	50/53 – Very toxic to aquatic organisms, may cause long-term adverse
	effects in the aquatic environment.
EU Safety Phrases:	S 1 – Keep locked up
	S 3 – Keep in a cool place
	S 7 – Keep container tightly closed
	S 9 – Keep container in a well-ventilated place
	S 16 – Keep away from sources of ignition – No smoking
	S 23 – Do not breathe gas/fumes/vapour/spray.
	S 28 – After contact with skin, wash immediately with plenty of soap and water
	S 33 – Take precautionary measures against static discharges
	S 35 – This material and its container must be disposed of in a safe way
	S 36/37/39 – Wear suitable protective clothing, gloves and eye/face
	protection. S 43 – In case of fire use Foam, Dry chemical, Carbon Dioxide, B class
	Extinguishers for extinction.
	S 45 – In case of accident or if you feel unwell seek medical advice
	immediately (show the label where possible)
	S 57 – Use appropriate containment to avoid environmental contamination
	S 62 – If swallowed, do not induce vomiting: seek medical advice
OSHA Label:	immediately and show this container or label.
	Danger
Identifying Markings in Accordance with EC Directives / GefStoffV:	No duty to mark/Exempt



		"Naturally the Purest"			
California Proposition	65:	Not listed			
United States TSCA:		Complies			
Australia (AICS):		Not present			
EU EINECS/ELINCS Li	st:	Complies			
16. Other Informat	ion				
Section 2 Expanded P Statements	recautionary	 P240 Ground/bond container and receiving equipment. P241 Use explosion-proof electrical/ventilating/lighting//equipment. P242 Use only non-sparking tools. P272 Contaminated work clothing should not be allowed out of the workplace. P273 Avoid release to the environment. P280 Wear protective gloves/protective clothing/eye protection/face protection. P303+P361+P353 IF ON SKIN (or hair): Remove/Take off immediately all protection. 			
Section 3 Expanded Classification 1272 / 2008		 contaminated clothing. Rinse skin with water/shower. Beta Pinene – Flammable Liquid 3, Aspiration Toxicity 1, Skin Irritant 2, Skin Sensitizer 1, Aquatic Acute 1, Aquatic Chronic 1 d-Limonene – Flammable Liquid 3, Aspiration Toxicity 1, Skin Irritant 2, Skin Sensitizer 1, Aquatic Acute 1, Aquatic Chronic 1 Alpha Pinene – Flammable Liquid 3, Aspiration Toxicity 1, Skin Irritant 2, Skin Sensitizer 1, Eye Damage 1, Eye Irritant 2, Aquatic Acute 1, Aquatic Chronic 1 Delta-3-Carene – Flammable Liquid 3, Aspiration Toxicity 1, Skin Irritant 2, Skin Sensitizer 1, Aquatic Chronic 3 Bornyl Acetate – Flammable Liquid 4, STOT RE 2 (Specific Target Organ Toxicity - Repeat Exposure – Kidney) 2, Aquatic Acute 3, Aquatic Chronic 3 Camphene – Flammable Liquid 3, Aspiration Toxicity 1, Skin Irritant 2, Eye Irritant 2, Aquatic Acute 1, Aquatic Chronic 3 			
		accurate to the best of our erning the safe use of this			
other substances.					
		Revision Tracking			
Revision	Date	Reason	Author	Reviewed by	
V1.0	4/20/2022	Creation	SS	AG	
V1.1	9/27/2022	Edit	AG	SS	