

1. Identification Product Name:	
	Organic Hyssop Essential Oil
Botanical/INCI:	Hyssopus officinalis
Synonyms:	N/A
CAS Number:	8006-83-5
Product Uses:	Personal care, Aromatherapy
Manufacturer/Supplier:	Amrita Aromatherapy, Inc.®
Address:	1900 W. Stone Ave., Suite C Fairfield, IA 52556
Phone:	1(800)410-9651 or 1(641)472-9136
Fax:	1(641)472-8672
Emergency Contact:	Poison Control: 1(800)222-1222
2. Hazard(s) Identification	
Appearance:	Liquid
Signal Word:	Danger
Statement of Hazard:	H227 Combustible liquid
	H302 Harmful if swallowed
	H304 May be fatal if swallowed and enters airways
	H315 Causes skin irritation
	H317 May cause an allergic skin reaction
	H320 Causes eye irritation H412 Harmful to aquatic life with long lasting effects
	P210 Keep away from heat, hot surfaces, sparks, open
Precautionary Statements:	flames, and other ignition sources. No smoking.
	P280 Wear protective gloves/protective clothing.
	P301+P316+P331 IF SWALLOWED: Get emergency
	medical help immediately. Do NOT induce vomiting. P303+P361+P353 IF ON SKIN (or hair): Take off
	Immediately all contaminated clothing. Rinse SKIN with
	water or shower.
	P305+P351+P338 IF IN EYES: Rinse cautiously with wate
	for several minutes. Remove contact lenses if present and easy to do. Continue rinsing.
	P370+P378 In case of fire: Use Foam, Dry chemical,
	Carbon Dioxide, B class Extinguishers to extinguish.
	P403+P233 Store in a well-ventilated place. Keep contained
	tightly closed.
	P501 Dispose of contents/container in accordance with
	local/regional/national/international regulations.
Aspiration Toxicity:	Category 1
Skin Irritation:	Category 2
Skin Sensitization:	Category 1B
Eye Irritation:	Category 2B
Eye Damage:	Category N/A
Acute Aquatic Toxicity:	Category 3
Chronic Aquatic Toxicity:	Category 3
Flammable Liquids:	Category 4

Amrita Aromatherapy, Inc.® | 1900 W. Stone Ave. Suite C, Fairfield, IA 52556 | Fax: 641-472-8672

Telephone: 1-800-410-9651 | E-Mail: info@amrita.net | Web: www.amrita.net

July 31, 2023 | Safety Data Sheet | Pg. 1



	"Naturally t	he Purest"			
	Haz				
Symbol(s) Writing	Pictogram(s)				
 Harmful if swallowed Causes skin irritation May cause an allergic skin reaction Causes eye irritation 			>		
May be fatal if swallowed and enters a	iirways		>		
Harmful to aquatic life with long lasting	g effects	***	>		
3. Composition / Information on Ingi	redients				
Ingredients List: 100% Organic Hyssop Essel Component	ntial Oil	CAS Number	Weight %	Classification 1272 / 2008	REACH Number
Iso-pinocamphone		18358-53-7	<=45%	N/A	N/A
Beta pinene		127-91-3	<=17%	FL3, AspT1, SI2, SS1, AA1, AC1	204-872-5
Pinocamphone	Pinocamphone		<=14%	ATox4	208-926-9
d-Limonene		5989-27-5	<=7%	FL3, AspT1, SI2, SS1B, AA1, AC3	227-813-5
Myrcene		123-35-3	<=3%	FL3, AspT1, SI2, EI2, AC3	204-622-5
Germacrene D	A # 55	23986-74-5	<=3%	ATox4, AspT1	639-624-9
	Section 8 for	Exposure Limit	s)		
4. First Aid Measures	Coali mi il	l attant! ' · · ·		mafaut Obsession 1	e of a contract to
General Advice:	Seek medical attention in case of any discomfort. Observe risk of aspiration if vomiting occurs. May cause lung damage if swallowed.				
Eye Contact:	Remove contact lenses. Flush repeatedly with water for 15 minutes; contact physician				
Skin Contact:	Remove contaminated clothing, wash with water and soap. Contact physician if redness or irritation develop.				
Ingestion:	Do NOT induce vomiting. Rinse out mouth. Do NOT give water or milk unless directed by medical professional. Contact POISON CENTER or doctor immediately.				
Inhalation:	Remove to fresh air and contact a physician if symptoms such as wheezing, coughing, shortness of breath, or burning in the mouth, throat, or chest occur.				
5. Fire Fighting Measures					



apparatus and protective clothing.		"Naturally the Purest"		
Fire Fighting Procedures: When possible, prevent environmental run-off. Use self-contained breathin apparatus and protective clothing. Carbon monoxide, carbon dioxide, acrid furnes, smoke, or flammable vapo may be released during oil fires. Flammable liquid and vapor. Vapors are heavier than air and may travel along surfaces to remote ignition sources and flash back. 6. Accidental Release Measures Health and Safety Precautions: Personnel involved in cleanup should wear appropriate personal protective equipment (see Section 8). Minimize exposure. Eliminate all sources of ignition and ventilate area using explosion-proof equipment. Absorb spill with non-combustible matter (such as detergent—do not use solvents) and transfer to containers. Clean spill area thoroughly. Measures for Environmental Protections: Absorb spill with non-combustible area thoroughly. Measures for Environmental Protections: Do NOT allow to enter the sewer or outdoor environment. Place waste in an appropriately labeled, sealed container for disposal. Care should be taken to avoid environmental release. Additional Considerations for Large Spills: Contain and control the leaks or spills with non-combustible absorbent materials such as sand, earth, vermiculite, or diatomaceous earth in drums for waste disposal. Avoid allowing product to reach sewage system or any waterways. Inform respective authorities in case of seepage into sewage system or waterways. 7. Handling and Storage General Handling: Avoid contact with eyes, skin, nucous and clothing. Wear required PPE. Observe good hygiene guidelines and general safety practices. Do NOT eat, drink, or smoke when handling. Ensure workspace is properly ventilated. Wash hands after handling. Storage Conditions: Storage Conditions: Storage Controls / Personal Protection This product, as supplied, does not contain any hazardous materials with occupational exposure limits established by the region-specific regulatory bodies. Exposure Controls: Extraction or global ventilation. Equipment	Extinguishing Media:			
apparatus and protective clothing.	Hazardous Combustion Products:	Carbon Dioxide and Carbon Monoxide		
may be released during oil fires. Flammable liquid and vapor. Vapors are heavier than air and may travel along surfaces to remote ignition sources and flash back. 6. Accidental Release Measures Health and Safety Precautions: Personnel involved in cleanup should wear appropriate personal protective equipment (see Section 8). Minimize exposure. Eliminate all sources of ignition and ventilate area using explosion-proof equipment. Absorb spill with non-combustible matter (such as detergent-do not use solvents) and transfer to containers. Clean spill area thoroughly. Measures for Environmental Protections: Do NOT allow to enter the sewer or outdoor environment. Place waste in an appropriately labeled, sealed container for disposal. Care should be taken to avoid environmental release. Additional Considerations for Large Spills: Contain and control the leaks or spills with non-combustible absorbent materials such as sand, earth, vermicultle, or dialomaceous earth in drunch soft waste disposal. Avoid allowing product to reach sewage system or any waterways. Inform respective authorities in case of seepage into sewage system or waterways. Inform respective authorities in case of seepage into sewage system or waterways. Inform respective authorities in case of seepage into sewage system or waterways. Inform respective authorities in case of seepage into sewage system or waterways. Inform respective authorities in case of seepage into sewage system or waterways. Inform respective authorities in case of seepage into sewage system or waterways. Inform respective authorities in case of seepage into sewage system or waterways. Inform respective authorities in case of seepage into sewage system or waterways. Inform respective workspace is properly ventilated. Wash hands after handling. Storage Conditions: Storage Conditions: This product, as supplied, does not contain any hazardous materials with occupational into product. This product, as supplied, does not contain any hazardous materials with occupations in produ	Fire Fighting Procedures:	When possible, prevent environmental run-off. Use self-contained breathing apparatus and protective clothing.		
Personnel involved in cleanup should wear appropriate personal protective equipment (see Section 8). Minimize exposure. Eliminate all sources of ignition and ventilate area using explosion-proof equipment. Measures for Cleaning and Collecting:	Fire / Explosion Hazards:	heavier than air and may travel along surfaces to remote ignition sources		
equipment (see Section 8). Minimize exposure. Eliminate all sources of ignition and ventilate area using explosion-proof equipment. Absorb spill with non-combustible matter (such as detergent-do not use solvents) and transfer to containers. Clean spill area thoroughly.	6. Accidental Release Measures			
Solvents and transfer to containers. Clean spill area thoroughly.	Health and Safety Precautions:			
an appropriately labeled, sealed container for disposal. Care should be taken to avoid environmental release. Additional Considerations for Large Spills: Contain and control the leaks or spills with non-combustible absorbent materials such as sand, earth, vermiculite, or diatomaceous earth in drums for waste disposal. Avoid allowing product to reach sewage system or any waterways. Inform respective authorities in case of seepage into sewage system or waterways. 7. Handling and Storage General Handling: Avoid contact with eyes, skin, mucous and clothing. Wear required PPE. Observe good hygiene guidelines and general safety practices. Do NOT eat, drink, or smoke when handling. Ensure workspace is properly ventilated. Wash hands after handling. Storage Conditions: Store in tightly sealed glass container, away from heat, light, and other sources of ignition; in a well-ventilated, dry, and cool location. Keep away from strong oxidizing agents. 8. Exposure Controls / Personal Protection Exposure Limit: This product, as supplied, does not contain any hazardous materials with occupational exposure limits established by the region-specific regulatory bodies. Engineering Controls: Extraction or global ventilation. Equipment should be grounded. Provide eyewash station. Environmental Exposure Controls: Avoid discharging into sewer or environment. Do NOT eat, drink, or smoke near or after handling product. Work clothing worn by personnel shall be laundered regularly. After contac with the product, all parts of the body that have been soiled must be washed Hands: Wear suitable protective gloves (resistant to chemical agents in accordance with standard EN374) in the event of prolonged or repeated skin contact. Eyes: Avoid contact with eyes. Use eye protectors (safety goggles in accordance with standard EN166) designed to protect against liquid splashes. Skin: Use protective clothing as necessary, such as a lab coat.	Measures for Cleaning and Collecting:			
materials such as sand, earth, vermiculite, or diatomaceous earth in drums for waste disposal. Avoid allowing product to reach sewage system or any waterways. Inform respective authorities in case of seepage into sewage system or waterways. 7. Handling and Storage General Handling: Avoid contact with eyes, skin, mucous and clothing. Wear required PPE. Observe good hygiene guidelines and general safety practices. Do NOT eat, drink, or smoke when handling. Ensure workspace is properly ventilated. Wash hands after handling. Storage Conditions: Store in tightly sealed glass container, away from heat, light, and other sources of ignition; in a well-ventilated, dry, and cool location. Keep away from strong oxidizing agents. 8. Exposure Controls / Personal Protection Exposure Limit: This product, as supplied, does not contain any hazardous materials with occupational exposure limits established by the region-specific regulatory bodies. Engineering Controls: Extraction or global ventilation. Equipment should be grounded. Provide eyewash station. Environmental Exposure Controls: Avoid discharging into sewer or environment. Do NOT eat, drink, or smoke near or after handling product. Work clothing worn by personnel shall be laundered regularly. After contact with the product, all parts of the body that have been soiled must be washed Hands: Wear suitable protective gloves (resistant to chemical agents in accordance with standard EN374) in the event of prolonged or repeated skin contact. Eyes: Avoid contact with eyes. Use eye protectors (safety goggles in accordance with standard EN166) designed to protect against liquid splashes. Skin: Use protective clothing as necessary, such as a lab coat.	Measures for Environmental Protections:	an appropriately labeled, sealed container for disposal. Care should be		
Avoid contact with eyes, skin, mucous and clothing. Wear required PPE. Observe good hygiene guidelines and general safety practices. Do NOT eat, drink, or smoke when handling. Ensure workspace is properly ventilated. Wash hands after handling. Storage Conditions: Store in tightly sealed glass container, away from heat, light, and other sources of ignition; in a well-ventilated, dry, and cool location. Keep away from strong oxidizing agents. 8. Exposure Controls / Personal Protection Exposure Limit: This product, as supplied, does not contain any hazardous materials with occupational exposure limits established by the region-specific regulatory bodies. Engineering Controls: Extraction or global ventilation. Equipment should be grounded. Provide eyewash station. Environmental Exposure Controls: Avoid discharging into sewer or environment. Do NOT eat, drink, or smoke near or after handling product. Work clothing worn by personnel shall be laundered regularly. After contact with the product, all parts of the body that have been soiled must be washed Hands: Wear suitable protective gloves (resistant to chemical agents in accordance with standard EN374) in the event of prolonged or repeated skin contact. Eyes: Avoid contact with eyes. Use eye protectors (safety goggles in accordance with standard EN374) in the event of protect against liquid splashes. Skin: Use protective clothing as necessary, such as a lab coat. Respiratory Protection: Assure a well-ventilated work area — Use general face covering	Additional Considerations for Large Spills:	materials such as sand, earth, vermiculite, or diatomaceous earth in drums for waste disposal. Avoid allowing product to reach sewage system or any waterways. Inform respective authorities in case of seepage into sewage		
Observe good hygiene guidelines and general safety practices. Do NOT eat, drink, or smoke when handling. Ensure workspace is properly ventilated. Wash hands after handling. Storage Conditions: Store in tightly sealed glass container, away from heat, light, and other sources of ignition; in a well-ventilated, dry, and cool location. Keep away from strong oxidizing agents. 8. Exposure Controls / Personal Protection Exposure Limit: This product, as supplied, does not contain any hazardous materials with occupational exposure limits established by the region-specific regulatory bodies. Engineering Controls: Extraction or global ventilation. Equipment should be grounded. Provide eyewash station. Environmental Exposure Controls: Avoid discharging into sewer or environment. Do NOT eat, drink, or smoke near or after handling product. Personal Protective Equipment (PPE): Work clothing worn by personnel shall be laundered regularly. After contact with the product, all parts of the body that have been soiled must be washed Hands: Wear suitable protective gloves (resistant to chemical agents in accordance with standard EN374) in the event of prolonged or repeated skin contact. Eyes: Avoid contact with eyes. Use eye protectors (safety goggles in accordance with standard EN166) designed to protect against liquid splashes. Skin: Use protective clothing as necessary, such as a lab coat. Respiratory Protection: Assure a well-ventilated work area – Use general face covering	7. Handling and Storage			
sources of ignition; in a well-ventilated, dry, and cool location. Keep away from strong oxidizing agents. 8. Exposure Controls / Personal Protection Exposure Limit: This product, as supplied, does not contain any hazardous materials with occupational exposure limits established by the region-specific regulatory bodies. Engineering Controls: Extraction or global ventilation. Equipment should be grounded. Provide eyewash station. Environmental Exposure Controls: Avoid discharging into sewer or environment. Do NOT eat, drink, or smoke near or after handling product. Work clothing worn by personnel shall be laundered regularly. After contact with the product, all parts of the body that have been soiled must be washed Hands: Wear suitable protective gloves (resistant to chemical agents in accordance with standard EN374) in the event of prolonged or repeated skin contact. Eyes: Avoid contact with eyes. Use eye protectors (safety goggles in accordance with standard EN166) designed to protect against liquid splashes. Skin: Use protective clothing as necessary, such as a lab coat. Respiratory Protection: Assure a well-ventilated work area – Use general face covering	General Handling:	Observe good hygiene guidelines and general safety practices. Do NOT eat, drink, or smoke when handling. Ensure workspace is properly		
Exposure Limit: This product, as supplied, does not contain any hazardous materials with occupational exposure limits established by the region-specific regulatory bodies. Extraction or global ventilation. Equipment should be grounded. Provide eyewash station. Environmental Exposure Controls: Avoid discharging into sewer or environment. Do NOT eat, drink, or smoke near or after handling product. Work clothing worn by personnel shall be laundered regularly. After contact with the product, all parts of the body that have been soiled must be washed Hands: Wear suitable protective gloves (resistant to chemical agents in accordance with standard EN374) in the event of prolonged or repeated skin contact. Eyes: Avoid contact with eyes. Use eye protectors (safety goggles in accordance with standard EN166) designed to protect against liquid splashes. Skin: Use protective clothing as necessary, such as a lab coat. Respiratory Protection: Assure a well-ventilated work area – Use general face covering	Storage Conditions:	sources of ignition; in a well-ventilated, dry, and cool location. Keep away		
occupational exposure limits established by the region-specific regulatory bodies. Engineering Controls: Extraction or global ventilation. Equipment should be grounded. Provide eyewash station. Environmental Exposure Controls: Avoid discharging into sewer or environment. Do NOT eat, drink, or smoke near or after handling product. Personal Protective Equipment (PPE): Work clothing worn by personnel shall be laundered regularly. After contact with the product, all parts of the body that have been soiled must be washed Hands: Wear suitable protective gloves (resistant to chemical agents in accordance with standard EN374) in the event of prolonged or repeated skin contact. Eyes: Avoid contact with eyes. Use eye protectors (safety goggles in accordance with standard EN166) designed to protect against liquid splashes. Skin: Use protective clothing as necessary, such as a lab coat. Respiratory Protection: Assure a well-ventilated work area – Use general face covering	8. Exposure Controls / Personal Pro	otection		
eyewash station. Avoid discharging into sewer or environment. Do NOT eat, drink, or smoke near or after handling product. Personal Protective Equipment (PPE): Work clothing worn by personnel shall be laundered regularly. After contact with the product, all parts of the body that have been soiled must be washed Hands: Wear suitable protective gloves (resistant to chemical agents in accordance with standard EN374) in the event of prolonged or repeated skin contact. Eyes: Avoid contact with eyes. Use eye protectors (safety goggles in accordance with standard EN166) designed to protect against liquid splashes. Skin: Use protective clothing as necessary, such as a lab coat. Respiratory Protection: Assure a well-ventilated work area – Use general face covering	Exposure Limit:	occupational exposure limits established by the region-specific regulatory		
near or after handling product. Personal Protective Equipment (PPE): Work clothing worn by personnel shall be laundered regularly. After contact with the product, all parts of the body that have been soiled must be washed Hands: Wear suitable protective gloves (resistant to chemical agents in accordance with standard EN374) in the event of prolonged or repeated skin contact. Eyes: Avoid contact with eyes. Use eye protectors (safety goggles in accordance with standard EN166) designed to protect against liquid splashes. Skin: Use protective clothing as necessary, such as a lab coat. Respiratory Protection: Assure a well-ventilated work area – Use general face covering	Engineering Controls:			
with the product, all parts of the body that have been soiled must be washed Hands: Wear suitable protective gloves (resistant to chemical agents in accordance with standard EN374) in the event of prolonged or repeated skin contact. Eyes: Avoid contact with eyes. Use eye protectors (safety goggles in accordance with standard EN166) designed to protect against liquid splashes. Skin: Use protective clothing as necessary, such as a lab coat. Respiratory Protection: Assure a well-ventilated work area – Use general face covering	Environmental Exposure Controls:	Avoid discharging into sewer or environment. Do NOT eat, drink, or smoke near or after handling product.		
with standard EN374) in the event of prolonged or repeated skin contact. Eyes: Avoid contact with eyes. Use eye protectors (safety goggles in accordance with standard EN166) designed to protect against liquid splashes. Skin: Use protective clothing as necessary, such as a lab coat. Respiratory Protection: Assure a well-ventilated work area – Use general face covering	Personal Protective Equipment (PPE):	· · · · · · · · · · · · · · · · · · ·		
with standard EN166) designed to protect against liquid splashes. Skin: Use protective clothing as necessary, such as a lab coat. Respiratory Protection: Assure a well-ventilated work area – Use general face covering	Hands:	Wear suitable protective gloves (resistant to chemical agents in accordance with standard EN374) in the event of prolonged or repeated skin contact.		
Respiratory Protection: Assure a well-ventilated work area – Use general face covering	Eyes:	Avoid contact with eyes. Use eye protectors (safety goggles in accordance with standard EN166) designed to protect against liquid splashes.		
	Skin:	Use protective clothing as necessary, such as a lab coat.		
0 DI 1 I I I I I I I I I I I I I I I I I	Respiratory Protection:	Assure a well-ventilated work area – Use general face covering		
9. Physical and Chemical Properties	9. Physical and Chemical Properties	5		



	"Naturally the Purest"
Physical State:	Liquid
Liquid Color:	Colorless
Odor:	Characteristic
Molecular Weight:	No information
Water Solubility:	Not soluble
Boiling Point (°C):	No information
Vapor Pressure (kPa):	No information
Vapor Density (g/mL):	No information
Flash Point – Liquid (°C):	52°C
Upper Explosive Limits:	No information
Lower Explosive Limits:	No information
Polymerization:	Will not occur
Specific Gravity 25°C:	No information
Specific Gravity 20°C:	0.860 – 0.917
Refractive Index 20°C:	1.469 – 1.490
10. Stability and Reactivity	
Chemical Stability:	Stable under normal conditions of use.
Conditions to Avoid:	Keep away from heat, spark, flames, and all other sources of ignition
Incompatible Materials:	Strong oxidizing agents and strong inorganic acids
11. Toxicological Information	
General Information:	Product does not present an acute toxicity hazard based on known or supplied information.
Acute Toxicity:	Not Determined
Irritation / Sensitization:	Not Determined
Skin Absorption:	No adverse effects with normal skin. However, potentially harmful amounts of material may be absorbed across markedly abraded skin when contact is sustained.
Carcinogen Status:	Carcinogenicity of the mixture has not been determined. Not listed as carcinogens by IARC, US OSHA or NTP.
12. Ecological Information	
Environmental Overview:	The environmental characteristics of this mixture have not been fully evaluated. Releases to the environment should be avoided.
Eco-toxicity Effects:	Harmful to aquatic life with long lasting effects
Persistence and Degradability:	Biodegradation is expected
Bio-accumulative Potential:	Bioaccumulation is unlikely
Mobility in Soil:	Not Determined
Other Adverse Effects:	Avoid exposure to marine environments and waterways
13. Disposal Considerations	
Waste Treatment Methods:	Releases to the environment should be avoided. Review and implement appropriate technical and procedural wastewater and waste disposal measures to prevent occupational exposure or environmental releases. Waste from a spill: Contain the source of spill if it is safe to do so. Collect spill with absorbent material. Place waste in an appropriately labeled, sealed container for disposal. Clean spill area thoroughly. Care should be taken to avoid environmental release.
14. Transport Information	



	"Naturally the Purest"			
The following refers to all modes of transportat ADR, IMDG, and IATA regulations.	ion unless specified below. This material is regulated for transport under DOT,			
UN Number:	1169			
UN Proper Shipping Name:	Extracts, aromatic, liquid			
Transport Hazard Class(es):	Flammable Class 3			
Packing Group:				
Flash Point (°C):	III 52°C			
Marine Pollutant:	Yes			
	Tes			
15. Regulatory Information				
EU Symbol:				
EU Indication of Danger:	Xn – Harmful			
	Xi – Irritant			
	N – Dangerous for the environment			
EU Risk Phrases:	R22 Harmful if swallowed			
	R36/38 Irritating to eyes and skin			
	R43 May cause sensitization by skin contact			
	R52/53 Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic anyienment			
EU Safety Phrases:	in the aquatic environment			
Lo oalety i iliases.	S7/9 Keep container tightly closed and in well-ventilated place.			
	S16 Keep away from sources of ignition – No smoking			
	S24/25 Avoid contact with skin and eyes S26 In case of contact with eyes, rinse immediately with plenty of water and seek medical advice			
	S27/28 After contact with skin, take off immediately all contaminated			
	clothing and wash skin with plenty of soap.			
	S29/56 Do not empty into drains, dispose of this material and its container			
	at hazardous or special waste collection point			
	S36/37 Wear suitable protective clothing and gloves			
	S62 If swallowed, do not induce vomiting: seek medical advice immediately			
001141.1.1	and show this container or label where possible			
OSHA Label:	Danger			
Identifying Markings in Accordance with EC Directives / GefStoffV:	No duty to mark/Exempt			
California Proposition 65:	WARNING! This product contains Myrcene, a chemical known to the state of California to cause cancer. For more information go to www.P65Warnings.ca.gov.			
United States TSCA:	Complies			
Australia (AICS):	Not present			
EU EINECS/ELINCS List:	Complies			
16. Other Information				
Section 2 Expanded Precautionary Statements	N/A			
Section 3 Expanded Classification 1272 /	AspT = Aspiration Toxicity			
2008	ATox = Acute Toxicity			
	SI = Skin Irritant SS = Skin Sensitizer			
	SS = Skin Sensitizer SC = Skin Corrosion			
	OO OMIT OUTOGIOT			

July 31, 2023 Safety Data Sheet Pg. 5



	AC = Aquatic Chronic
	AA = Aquatic Acute
	FL = Flammable Liquid
	FS = Flammable Solid
	El = Eye Irritant
	ED = Éye Damage
	STOT SE = Specific Target Organ Toxicity - Single Exposure
	STOT RE = Specific Target Organ Toxicity - Repeat Exposure
	MUT = Mutagenicity
	CAR = Carcinogenicity
B T	

Disclaimer: The information contained herein is accurate to the best of our knowledge. Amrita Aromatherapy, Inc.® makes no warranty of any kind, express or implied, concerning the safe use of this material in your process or in combination with other substances.

Revision Tracking					
Revision	Date	Reason	Author	Reviewed by	
V1.0	2/6/2023	Creation	AG	SS	