

Sa	afety Data Sheet
1. Identification	<b>,</b>
Product Name:	Organic Red Mandarin Essential Oil
Botanical/INCI:	Citrus reticulata
Synonyms:	N/A
CAS Number:	8008-31-9
Product Uses:	Personal care, Aromatherapy
Manufacturer/Supplier:	Amrita Aromatherapy, Inc.®
Address:	1900 W. Stone Ave., Suite C Fairfield, IA 52556
Phone:	1(800)410-9651 or 1(641)472-9136
Fax:	1(641)472-8672
Emergency Contact:	Poison Control: 1(800)222-1222
2. Hazard(s) Identification	
Appearance:	Liquid
Signal Word:	Danger
Statement of Hazard:	H226 Flammable liquid and vapor H304 May be fatal if swallowed and enters airways H315 Causes skin irritation H317 May cause an allergic skin reaction H319 Causes serious eye irritation H410 Very toxic to aquatic life with long lasting effects
Precautionary Statements:	P210 Keep away from heat, hot surfaces, sparks, open flames, and other ignition sources. P243 Take precautionary measures against static discharge. P264+P265 Wash hands thoroughly after handling. Do not touch eyes. P272 Contaminated work clothing should not be allowed out of the workplace. P273 Avoid release to the environment. P280 Wear protective gloves/protective clothing. P301+P316+P331 IF SWALLOWED: Get emergency medical help immediately. Do NOT induce vomiting. P303+P361+P353 IF ON SKIN (or hair): Take off Immediately all contaminated clothing. Rinse SKIN with water or shower. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do. Continue rinsing. P361+P364 Take off immediately all contaminated clothing and wash it before reuse. P370+P378 In case of fire: Use Foam, Dry chemical, Carbon Dioxide, B class Extinguishers to extinguish. P391 Collect spillage. P403+P233 Store in a well-ventilated place. Keep container tightly closed. P501 Dispose of contents/container in accordance with
Aspiration Toxicity:	local/regional/national/international regulations.  Category 1



	11.0000				
Skin Irritation:		Category 1			
Skin Sensitization:		Category 2			
Eye Irritation:		Category 2			
Eye Damage:		Category N/A			
Acute Aquatic Toxicity:		Category 1			
Chronic Aquatic Toxicity:		Category 1			
Flammable Liquids:		Category 3			
Classification according to EU Directives 67/548 Section, see Section 16.	/EEC or 1999/	45/EC. For the ful	I text of the R	-phrases mentione	d in this
	Haz	ards			
Symbol(s) Writing		Pictogram(s)			
Flammable liquid and vapor			<b>&gt;</b>		
<ul> <li>Causes skin irritation</li> <li>May cause an allergic skin reaction</li> <li>Causes serious eye irritation</li> </ul>			•		
May be fatal if swallowed and enters a	irways		•		
Very toxic to aquatic life with long lasti	ng effects	*	<b>&gt;</b>		
3. Composition / Information on Ing	redients				
Ingredients List: 100% Organic Red Mandarii	n Essential Oi		T	1	T
Component		CAS Number	Weight %	Classification 1272 / 2008	REACH Number
d-Limonene		5989-27-5	<=78%	FL3, AspT1, SI2, SS1, AA1, AC1	227-813-5
Gamma terpinene		99-85-4	<=20%	FL3, AspT1	202-794-6
Myrcene		123-35-3	<=3%	FL3, AspT1, SI2, EI2, AC3	204-622-5
(See	e Section 8 fo	r Exposure Limit	s)		
4. First Aid Measures					
General Advice:	Seek medical attention in case of any discomfort. Observe risk of aspiration if vomiting occurs. May cause lung damage if swallowed.				
Eye Contact:	Remove contact lenses. Flush repeatedly with water for 15 minutes; contact physician				
	Johnaci priys	noidii			



	"Naturally the Purest"		
Skin Contact:	Remove contaminated clothing, wash with water and soap. Contact physician if redness or irritation develop.		
Ingestion:	Do NOT induce vomiting. Rinse out mouth. Do NOT give water or milk unless directed by medical professional. Contact POISON CENTER or doctor immediately.		
Inhalation:	Remove to fresh air and contact a physician if symptoms such as wheezing, coughing, shortness of breath, or burning in the mouth, throat, c chest occur.		
5. Fire Fighting Measures			
Extinguishing Media:	SUITABLE: Foam, Dry chemical, Carbon Dioxide, B class Extinguishers NON-SUITABLE: Water Jet		
Hazardous Combustion Products:	Carbon Dioxide and Carbon Monoxide		
Fire Fighting Procedures:	When possible, prevent environmental run-off. Use self-contained breathing apparatus and protective clothing.		
Fire / Explosion Hazards:	Carbon monoxide, carbon dioxide, acrid fumes, smoke, or flammable vapor may be released during oil fires. Flammable liquid and vapor. Vapors are heavier than air and may travel along surfaces to remote ignition sources and flash back.		
6. Accidental Release Measures			
Health and Safety Precautions:	Personnel involved in cleanup should wear appropriate personal protective equipment (see Section 8). Minimize exposure. Eliminate all sources of ignition and ventilate area using explosion-proof equipment.		
Measures for Cleaning and Collecting:	Absorb spill with non-combustible matter (such as detergentdo not use solvents) and transfer to containers. Clean spill area thoroughly.		
Measures for Environmental Protections:	Do NOT allow to enter the sewer or outdoor environment. Place waste in an appropriately labeled, sealed container for disposal. Care should be taken to avoid environmental release.		
Additional Considerations for Large Spills:	Contain and control the leaks or spills with non-combustible absorbent materials such as sand, earth, vermiculite, or diatomaceous earth in drums for waste disposal. Avoid allowing product to reach sewage system or any waterways. Inform respective authorities in case of seepage into sewage system or waterways.		
7. Handling and Storage			
General Handling:	Avoid contact with eyes, skin, mucous and clothing. Wear required PPE. Observe good hygiene guidelines and general safety practices. Do NOT eat, drink, or smoke when handling. Ensure workspace is properly ventilated. Wash hands after handling.		
Storage Conditions:	Store in tightly sealed glass container, away from heat, light, and other sources of ignition; in a well-ventilated, dry, and cool location. Keep away from strong oxidizing agents.		
8. Exposure Controls / Personal Pro	tection		
Exposure Limit:	This product, as supplied, does not contain any hazardous materials with occupational exposure limits established by the region-specific regulatory bodies.		
Engineering Controls:	Extraction or global ventilation. Equipment should be grounded. Provide eyewash station.		
Environmental Exposure Controls:	Avoid discharging into sewer or environment. Do NOT eat, drink, or smoke near or after handling product.		
Personal Protective Equipment (PPE):	Work clothing worn by personnel shall be laundered regularly. After contact with the product, all parts of the body that have been soiled must be		

July 31, 2023 Safety Data Sheet Pg. 3



Hands:  Eyes:  A  Skin:	Vear suitable protective gloves (resistant to chemical agents in accordance with standard EN374) in the event of prolonged or repeated skin contact.  Avoid contact with eyes. Use eye protectors (safety goggles in accordance with standard EN166) designed to protect against liquid splashes.  Use protective clothing as necessary, such as a lab coat.  Assure a well-ventilated work area – Use general face covering
Eyes: A w	with standard EN374) in the event of prolonged or repeated skin contact.  Avoid contact with eyes. Use eye protectors (safety goggles in accordance with standard EN166) designed to protect against liquid splashes.  Use protective clothing as necessary, such as a lab coat.
Skin: U	vith standard EN166) designed to protect against liquid splashes.  Jse protective clothing as necessary, such as a lab coat.
	· · · · · · · · · · · · · · · · · · ·
Respiratory Protection:	Assure a well-ventilated work area – Use general face covering
9. Physical and Chemical Properties	
Physical State:	iquid
Liquid Color:	Drange to red
Odor: C	Characteristic
Molecular Weight:	No information
Water Solubility:	Not soluble
Boiling Point (°C):	No information
Vapor Pressure (kPa):	No information
Vapor Density (g/mL):	No information
Flash Point – Liquid (°C):	-50°C
Upper Explosive Limits:	No information
Lower Explosive Limits:	No information
Polymerization:	Vill not occur
Specific Gravity 25°C:	No information
Specific Gravity 20°C: 0	0.841 – 0.851
Refractive Index 20°C: 1	.460 – 1.480
10. Stability and Reactivity	
Chemical Stability: S	Stable under normal conditions of use.
Conditions to Avoid:	Keep away from heat, spark, flames, and all other sources of ignition
Incompatible Materials:	Strong oxidizing agents and strong inorganic acids
11. Toxicological Information	
General Information:	Product does not present an acute toxicity hazard based on known or supplied information.
Acute Toxicity:	Not Determined
Irritation / Sensitization:	Causes skin irritation
	May cause an allergic skin reaction
	Causes serious eye irritation
0	No adverse effects with normal skin. However, potentially harmful amounts of material may be absorbed across markedly abraded skin when contact is sustained.
	Carcinogenicity of the mixture has not been determined. Not listed as carcinogens by IARC, US OSHA or NTP.
12. Ecological Information	
Environmental Overview:	The environmental characteristics of this mixture have not been fully evaluated. Releases to the environment should be avoided.
Eco-toxicity Effects:	/ery toxic to aquatic life with long lasting effects
Persistence and Degradability:	Biodegradation is expected
Bio-accumulative Potential:	Bioaccumulation is unlikely
Mobility in Soil:	Not Determined



"Naturally the Purest"			
Other Adverse Effects:	Avoid exposure to marine environments and waterways		
13. Disposal Considerations			
Waste Treatment Methods:	Releases to the environment should be avoided. Review and implement appropriate technical and procedural wastewater and waste disposal measures to prevent occupational exposure or environmental releases. Waste from a spill: Contain the source of spill if it is safe to do so. Collect spill with absorbent material. Place waste in an appropriately labeled, sealed container for disposal. Clean spill area thoroughly. Care should be taken to avoid environmental release.		
14. Transport Information			
The following refers to all modes of transportation ADR, IMDG, and IATA regulations.	on unless specified below. This material is regulated for transport under DOT,		
UN Number:	1169		
UN Proper Shipping Name:	Extracts, aromatic, liquid		
Transport Hazard Class(es):	Flammable Class 3		
Packing Group:	III		
Flash Point (°C):	>50°C		
Marine Pollutant:	Yes		
15. Regulatory Information			
EU Symbol:			
EU Indication of Danger:	F – Flammable Xn – Harmful Xi – Irritant N – Dangerous for the environment		
EU Risk Phrases:	R10 Flammable R22 Harmful if swallowed R36/38 Irritating to eyes and skin R43 May cause sensitization by skin contact R50/53 Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment		
EU Safety Phrases:	S7/9 Keep container tightly closed and in a well-ventilated place S16 Keep away from sources of ignition – No smoking S24/25 Avoid contact with skin and eyes S26 In case of contact with eyes, rinse immediately with plenty of water and seek medical advice S27/28 After contact with skin, take off immediately all contaminated clothing and wash immediately with plenty of soap S29/56 Do not empty into drains, dispose of this material and its container at hazardous or special waste collection point S36/37 Wear suitable protective clothing and gloves S62 If swallowed, do not induce vomiting: seek medical advice immediately and show this container or label where possible		
OSHA Label:	Danger		
Identifying Markings in Accordance with EC Directives / GefStoffV:	No duty to mark/Exempt		
California Proposition 65:	WARNING! This product contains Myrcene, a chemical known to the state		

July 31, 2023 Safety Data Sheet Pg. 5



		of California to cause cancer. For more information go to				
		www.P65vvarnings	www.P65Warnings.ca.gov.			
United States TSC	CA:	Complies				
Australia (AICS):		Not present	Not present			
EU EINECS/ELINC	S List:	Complies	Complies			
16. Other Infor	mation	·				
Section 2 Expand Statements	ed Precautionary	N/A	N/A			
Section 3 Expand 2008	ed Classification 1272 /	ATox = Acute Toxic SI = Skin Irritant SS = Skin Sensitize SC = Skin Corrosic AC = Aquatic Chrol AA = Aquatic Acute FL = Flammable Lifes = Flammable SEI = Eye Irritant ED = Eye Damage STOT SE = Specifi STOT RE = Specifi	SS = Skin Sensitizer SC = Skin Corrosion AC = Aquatic Chronic AA = Aquatic Acute FL = Flammable Liquid FS = Flammable Solid EI = Eye Irritant ED = Eye Damage STOT SE = Specific Target Organ Toxicity - Single Exposure STOT RE = Specific Target Organ Toxicity - Repeat Exposure MUT = Mutagenicity			
				a Aromatherapy, Inc. ® makes rocess or in combination with		
		Revision Track	ing			
Revision	Date	Reason	Author	Reviewed by		
V1.0	2/2/2023	Creation	AG	SS		