

| otanical/INCI: Ment ynonyms: N/A AS Number: 8006 roduct Uses: Personant lanufacturer/Supplier: Amrit ddress: 1900 hone: 1(800) ax: 1(64) | permint Essential Oil tha piperita i-90-4 conal care, Aromatherapy ta Aromatherapy, Inc.® W. Stone Ave., Suite C Fairfield, IA 52556 0)410-9651 or 1(641)472-9136 1)472-8672 |
|--|--|
| otanical/INCI: Ment ynonyms: N/A AS Number: 8006 roduct Uses: Personant lanufacturer/Supplier: Amrit ddress: 1900 hone: 1(800) ax: 1(64) | tha piperita i-90-4 conal care, Aromatherapy ta Aromatherapy, Inc.® I.W. Stone Ave., Suite C Fairfield, IA 52556 0)410-9651 or 1(641)472-9136 |
| otanical/INCI: Ment ynonyms: N/A AS Number: 8006 roduct Uses: Personant lanufacturer/Supplier: Amrit ddress: 1900 hone: 1(800) ax: 1(64) | tha piperita i-90-4 conal care, Aromatherapy ta Aromatherapy, Inc.® I.W. Stone Ave., Suite C Fairfield, IA 52556 0)410-9651 or 1(641)472-9136 |
| ynonyms: N/A AS Number: 8006 roduct Uses: Personant lanufacturer/Supplier: Amrit ddress: 1900 hone: 1(800) ax: 1(64) | i-90-4 onal care, Aromatherapy ta Aromatherapy, Inc. ® I.W. Stone Ave., Suite C Fairfield, IA 52556 0)410-9651 or 1(641)472-9136 |
| AS Number: 8006 roduct Uses: Personant lanufacturer/Supplier: Amrit ddress: 1900 hone: 1(800) ax: 1(64) | onal care, Aromatherapy ta Aromatherapy, Inc.® W. Stone Ave., Suite C Fairfield, IA 52556 0)410-9651 or 1(641)472-9136 |
| Ianufacturer/Supplier: Amrit ddress: 1900 hone: 1(800) ax: 1(64) | ta Aromatherapy, Inc.® W. Stone Ave., Suite C Fairfield, IA 52556 0)410-9651 or 1(641)472-9136 |
| Ianufacturer/Supplier: Amrit ddress: 1900 hone: 1(800) ax: 1(64) | ta Aromatherapy, Inc.® W. Stone Ave., Suite C Fairfield, IA 52556 0)410-9651 or 1(641)472-9136 |
| ddress: 1900 hone: 1(800 ax: 1(64) | W. Stone Ave., Suite C Fairfield, IA 52556 0)410-9651 or 1(641)472-9136 |
| hone: 1(800) ax: 1(64) | 0)410-9651 or 1(641)472-9136 |
| · · · · · · · · · · · · · · · · · · · | 1)472-8672 |
| mergency Contact: Poisc | 1)712 0012 |
| | on Control: 1(800)222-1222 |
| . Hazard(s) Identification | |
| ppearance: Liqui | d |
| ignal Word: Warr | ning |
| H315 H317 H319 | S Flammable liquid and vapor 5 Causes skin irritation 7 May cause an allergic skin reaction 9 Causes serious eye irritation 2 Harmful to aquatic life with long lasting effects |
| flame P233 P243 disch P272 of the P273 P280 prote P301 unwe P303 imme or sh P305 wate prese P370 Carb P391 P403 P501 | Reep away from heat, hot surfaces, sparks, open as and other ignition sources. No smoking. Reep container tightly closed. Take precautionary measures against static harge. Contaminated work clothing should not be allowed out a workplace. Avoid release to the environment Wear protective gloves/protective clothing/eye action/face protection. +P319 IF SWALLOWED: Get medical help if you feel hell. B+P353+P361 IF ON SKIN (or hair): Take off adiately all contaminated clothing. Rinse skin with water lower. B+P338+P354: IF IN EYES: Immediately rinse with a r for several minutes. Remove contact lenses, if and easy to do. Continue rinsing. B+P378 In case of fire: Use Foam, Dry chemical, on Dioxide, B class Extinguishers to extinguish. Collect spillage. Store in a well-ventilated place. Dispose of contents/container in accordance with (regional/national/international regulations) |
| spiration Toxicity: Cate | gory N/A |
| kin Irritation: Cate | gory 2 |
| kin Sensitization: Cate | gory 1 |
| ye Irritation: Cate | gory 2 |
| , | gory N/A |
| , | gory 3 |



| | "Naturally 1 | the Purest" | | | |
|--|--|-------------------|------------------|--------------------------------------|-----------------|
| Chronic Aquatic Toxicity: | Category 3 | | | | |
| Flammable Liquids: | Category 3 | | | | |
| Classification according to EU Directives 67/548 Section, see Section 16. | /EEC or 1999/ | 45/EC. For the fu | ll text of the R | -phrases mentione | d in this |
| | Haz | ards | | | |
| Symbol(s) Writing | | Pictogram(s) | | | |
| Flammable liquid and vapor | | | > | | |
| Causes skin irritation May cause an allergic skin reaction Causes serious eye irritation | | | > | | |
| Harmful to aquatic life with long lasting | g effects | * | > | | |
| 3. Composition / Information on Ingi | redients | | | | |
| Ingredients List: 100% Peppermint Essential | | | | | |
| Component | | CAS Number | Weight % | Classification 1272 / 2008 | REACH Number |
| Menthol | | 1490-04-6 | <=37% | SI2, EI2 | 201-939-0 |
| Menthone | | 89-80-5 | <=27% | FL3, SI2, SS1, AC3 | 237-926-1 |
| Isomenthone | | 18309-28-9 | <=11% | FL3, SI2, SS1, AC3 | 214-049-2 |
| Menthyl acetate | | 16409-45-3 | <=6% | AC2 | 201-911-8 |
| 1,8-Cineol | | 470-82-6 | <=6% | FL3, SS1 | 207-431-5 |
| d-Limonene | | 5989-27-5 | <=3% | FL3, AspT1, SI2, SS1, AA1, AC1 | 227-813-5 |
| Beta caryophyllene | | 10579-93-8 | <=3% | N/A | 234-173-0 |
| • • • | Section 8 for | Exposure Limit | s) | | |
| 4. First Aid Measures | | | | | |
| General Advice: | Seek medical attention in case of any discomfort. Observe risk of aspiration if vomiting occurs. May cause lung damage if swallowed. | | | | |
| Eye Contact: | Remove contact lenses. Flush repeatedly with water for 15 minutes; contact physician | | | | |
| Skin Contact: | Remove contaminated clothing, wash with water and soap. Contact physician if redness or irritation develop. | | | | |
| Ingestion: | Do NOT induce vomiting. Rinse out mouth. Do NOT give water or milk unless directed by medical professional. Contact POISON CENTER or doctor immediately. | | | | |



| | • | | |
|---|---|--|--|
| Inhalation: | Remove to fresh air and contact a physician if symptoms such as wheezing, coughing, shortness of breath, or burning in the mouth, throat, or chest occur. | | |
| 5. Fire Fighting Measures | | | |
| Extinguishing Media: | SUITABLE: Foam, Dry chemical, Carbon Dioxide, B class Extinguishers NON-SUITABLE: Water Jet | | |
| Hazardous Combustion Products: | Carbon Dioxide and Carbon Monoxide | | |
| Fire Fighting Procedures: | When possible, prevent environmental run-off. Use self-contained breat apparatus and protective clothing. | | |
| Fire / Explosion Hazards: | Carbon monoxide, carbon dioxide, acrid fumes, smoke, or flammable vapor may be released during oil fires. Flammable liquid and vapor. Vapors are heavier than air and may travel along surfaces to remote ignition sources and flash back. | | |
| 6. Accidental Release Measures | | | |
| Health and Safety Precautions: | Personnel involved in cleanup should wear appropriate personal protective equipment (see Section 8). Minimize exposure. Eliminate all sources of ignition and ventilate area using explosion-proof equipment. | | |
| Measures for Cleaning and Collecting: | Absorb spill with non-combustible matter (such as detergentdo not use solvents) and transfer to containers. Clean spill area thoroughly. | | |
| Measures for Environmental Protections: | Do NOT allow to enter the sewer or outdoor environment. Place waste in an appropriately labeled, sealed container for disposal. Care should be taken to avoid environmental release. | | |
| Additional Considerations for Large Spills: | Contain and control the leaks or spills with non-combustible absorbent materials such as sand, earth, vermiculite, or diatomaceous earth in drums for waste disposal. Avoid allowing product to reach sewage system or any waterways. Inform respective authorities in case of seepage into sewage system or waterways. | | |
| 7. Handling and Storage | | | |
| General Handling: | Avoid contact with eyes, skin, mucous and clothing. Wear required PPE. Observe good hygiene guidelines and general safety practices. Do NOT eat, drink, or smoke when handling. Ensure workspace is properly ventilated. Wash hands after handling. | | |
| Storage Conditions: | Store in tightly sealed glass container, away from heat, light, and other sources of ignition; in a well-ventilated, dry, and cool location. Keep away from strong oxidizing agents. | | |
| 8. Exposure Controls / Personal Pro | tection | | |
| Exposure Limit: | This product, as supplied, does not contain any hazardous materials with occupational exposure limits established by the region-specific regulatory bodies. | | |
| Engineering Controls: | Extraction or global ventilation. Equipment should be grounded. Provide eyewash station. | | |
| Environmental Exposure Controls: | Avoid discharging into sewer or environment. Do NOT eat, drink, or smoke near or after handling product. | | |
| Personal Protective Equipment (PPE): | Work clothing worn by personnel shall be laundered regularly. After contact with the product, all parts of the body that have been soiled must be washed | | |
| Hands: | Wear suitable protective gloves (resistant to chemical agents in accordance with standard EN374) in the event of prolonged or repeated skin contact. | | |
| Eyes: | Avoid contact with eyes. Use eye protectors (safety goggles in accordance with standard EN166) designed to protect against liquid splashes. | | |

July 31, 2023 Safety Data Sheet Pg. 3



| | "Naturally the Purest" | |
|-----------------------------------|--|--|
| 011 | Here to Contact the Contact to the C | |
| Skin: | Use protective clothing as necessary, such as a lab coat. | |
| Respiratory Protection: | Assure a well-ventilated work area – Use general face covering | |
| 9. Physical and Chemical Properti | | |
| Physical State: | Liquid | |
| Liquid Color: | Colorless to pale yellow | |
| Odor: | Characteristic | |
| Molecular Weight: | No information | |
| Water Solubility: | Not soluble | |
| Boiling Point (°C): | No information | |
| Vapor Pressure (kPa): | No information | |
| Vapor Density (g/mL): | No information | |
| Flash Point – Liquid (°C): | 63°C | |
| Upper Explosive Limits: | No information | |
| Lower Explosive Limits: | No information | |
| Polymerization: | Will not occur | |
| Specific Gravity 25°C: | 0.896 to 0.908 | |
| Specific Gravity 20°C: | 0.899 to 0.911 | |
| Refractive Index 20°C: | 1.459 – 1.465 | |
| 10. Stability and Reactivity | | |
| Chemical Stability: | Stable under normal conditions of use. | |
| Conditions to Avoid: | Keep away from heat, spark, flames, and all other sources of ignition | |
| Incompatible Materials: | Strong oxidizing agents and strong inorganic acids | |
| 11. Toxicological Information | | |
| General Information: | Product does not present an acute toxicity hazard based on known or supplied information. | |
| Acute Toxicity: | Not Determined | |
| Irritation / Sensitization: | Not Determined | |
| Skin Absorption: | No adverse effects with normal skin. However, potentially harmful amounts of material may be absorbed across markedly abraded skin when contact is sustained. | |
| Carcinogen Status: | Carcinogenicity of the mixture has not been determined. Not listed as carcinogens by IARC, US OSHA or NTP. | |
| 12. Ecological Information | | |
| Environmental Overview: | The environmental characteristics of this mixture have not been fully evaluated. Releases to the environment should be avoided. | |
| Eco-toxicity Effects: | Harmful to aquatic life with long lasting effects | |
| Persistence and Degradability: | Biodegradation is expected | |
| Bio-accumulative Potential: | Bioaccumulation is unlikely | |
| Mobility in Soil: | Not Determined | |
| Other Adverse Effects: | Avoid exposure to marine environments and waterways | |
| 13. Disposal Considerations | | |
| Waste Treatment Methods: | Releases to the environment should be avoided. Review and implement appropriate technical and procedural wastewater and waste disposal measures to prevent occupational exposure or environmental releases. Waste from a spill: Contain the source of spill if it is safe to do so. Collect | |



| | "Naturally the Purest" | | |
|--|--|--|--|
| | spill with absorbent material. Place waste in an appropriately labeled, sealed container for disposal. Clean spill area thoroughly. Care should be taken to avoid environmental release. | | |
| 14. Transport Information | | | |
| | on unless specified below. This material is regulated for transport under DOT, | | |
| UN Number: | 1169 | | |
| UN Proper Shipping Name: | Extracts, aromatic, liquid | | |
| Transport Hazard Class(es): | Flammable Class 3 | | |
| Packing Group: | III | | |
| Flash Point (°C): | 63°C | | |
| Marine Pollutant: | Yes | | |
| 15. Regulatory Information | | | |
| EU Symbol: | | | |
| EU Indication of Danger: | F – Flammable Xi – Irritant N – Dangerous for the environment | | |
| EU Risk Phrases: | R10 Flammable R36/38 Irritating to eyes and skin R43 May cause sensitization by skin contact R51/53 Toxic to aquatic organisms, may cause long-term adverse effects the aquatic environment | | |
| EU Safety Phrases: | S3/7/9 Keep container tightly closed in a cool, well-ventilated place S16 Keep away from sources of ignition – No smoking S24/25 Avoid contact with skin and eyes S26 In case of contact with eyes, rinse immediately with plenty of water and seek medical advice S29/56 Do not empty into drains, dispose of this material and its container at hazardous or special waste collection point S33 Take precautionary measures against static discharges S36/37/39 Wear suitable protective clothing, gloves, and eye/face protection S62 If swallowed, do not induce vomiting: seek medical advice immediately and show this container or label where possible | | |
| OSHA Label: | Warning | | |
| Identifying Markings in Accordance with EC Directives / GefStoffV: | No duty to mark/Exempt | | |
| California Proposition 65: | WARNING: This product can expose you to chemicals including Pulegone, which is known to the state of California to cause cancer. For more information, go to www.P65Warnings.ca.gov. | | |
| United States TSCA: | Complies | | |
| Australia (AICS): | Not present | | |
| EU EINECS/ELINCS List: | Complies | | |
| 16. Other Information | | | |
| Section 2 Expanded Precautionary Statements | P240 Ground/bond container and receiving equipment. P241 Use explosion-proof equipment. | | |

July 31, 2023 Safety Data Sheet Pg. 5



| | P242 Use only non-sparking tools. | | |
|--|--|--|--|
| Section 3 Expanded Classification 1272 / | AspT = Aspiration Toxicity | | |
| 2008 | ATox = Acute Toxicity | | |
| | SI = Skin Irritant | | |
| | SS = Skin Sensitizer | | |
| | SC = Skin Corrosion | | |
| | AC = Aquatic Chronic | | |
| | AA = Aquatic Acute | | |
| | FL = Flammable Liquid | | |
| | FS = Flammable Solid | | |
| | EI = Eye Irritant | | |
| | ED = Eye Damage | | |
| | STOT SE = Specific Target Organ Toxicity - Single Exposure | | |
| | STOT RE = Specific Target Organ Toxicity - Repeat Exposure | | |
| | MUT = Mutagenicity | | |
| | CAR = Carcinogenicity | | |

Disclaimer: The information contained herein is accurate to the best of our knowledge. Amrita Aromatherapy, Inc.® makes no warranty of any kind, express or implied, concerning the safe use of this material in your process or in combination with other substances.

| Revision Tracking | | | | |
|-------------------|----------|----------|--------|-------------|
| Revision | Date | Reason | Author | Reviewed by |
| V1.0 | 2/6/2023 | Creation | AG | SS |
| | | | | |
| | | | | |

Pg. 6