

	"Naturally the Purest"
Sa	afety Data Sheet
1. Identification	
Product Name:	Organic Siberian Fir Essential Oil
Botanical/INCI:	Abies sibirica
Synonyms:	Siberian Fir
CAS Number:	8021-29-2
Product Uses:	Personal care, Aromatherapy
Manufacturer/Supplier:	Amrita Aromatherapy, Inc.®
Address:	1900 W. Stone Ave., Suite C Fairfield, IA 52556
Phone:	1(800)410-9651 or 1(641)472-9136
Fax:	1(641)472-8672
Emergency Contact:	Poison Control: 1(800)222-1222
2. Hazard(s) Identification	
Appearance:	Liquid
Signal Word:	Danger
Statement of Hazard:	H226 Flammable liquid and vapor H304 May be fatal if swallowed and enters airways H315 Causes skin irritation H317 May cause an allergic skin reaction H319 Causes serious eye irritation H410 Very toxic to aquatic life with long lasting effects
Precautionary Statements:	surfaces No smoking. P233 Keep container tightly closed. P240 Ground/bond container and receiving equipment. P242 Use only non-sparking tools. P243 Take precautionary measures against static discharge P261 Avoid breathing dust/fume/gas/mist/vapor/spray P264 Wash hands thoroughly after handling product P272 Contaminated work clothing should not be allowed out of the workplace P273 Avoid release to the environment. P280 Wear protective gloves/protective clothing/eye protection/face protection. P301+P316 IF SWALLOWED: Get emergency medical help immediately. P303+P361+P353 IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P332+P317 IF SKIN irritation occurs: Get emergency medical help P362+P364 Take off contaminated clothing and wash it before reuse P370+P378 In case of fire: Use Foam, Dry chemical, Carbon Dioxide, B class Extinguishers for extinction. P391 Collect spillage P403+P235 Store in a well-ventilated place. Keep cool. P405 Store locked up.

July 31, 2023 Safety Data Sheet Pg. 1



	local/regional/national/international regulations.
Aspiration Toxicity:	Category 1
Skin Irritation:	Category 2
Skin Sensitization:	Category 1
Eye Irritation:	Category 2
Eye Damage:	Category 2
Acute Aquatic Toxicity:	Category 1
Chronic Aquatic Toxicity:	Category 1
Flammable Liquids:	Category 3
Classification according to ELL Directives 67/548	R/FFC or 1999/45/FC. For the full text of the R-phrases mentioned in this

Classification according to EU Directives 67/548/EEC or 1999/45/EC. For the full text of the R-phrases mentioned in this Section, see Section 16.

## Hazards

Symbol(s) Writing P



Pictogram(s)

- Causes skin irritation
- May cause an allergic skin reaction

Flammable liquid and vapor

• Causes serious eye irritation



May be fatal if swallowed and enters airways



Very toxic to aquatic life with long lasting effects



## 3. Composition / Information on Ingredients

Ingredients List: 100% Organic Siberian Fir Essential Oil

Component	CAS Number	Weight %	Classification 1272 / 2008	REACH Number
Bornyl Acetate	76-49-3	<=27%	FL4, STOT SE 2, AA3, AC3	204-727-6
Camphene	79-92-5	<=23%	FL3, El2, AA1, AC1	201-234-8
Alpha Pinene	80-56-8	<=13%	FL3, AspT1, SI2, SS1, ED1, EI2, AA1, AC1	201-291-9
Delta-3 Carene	13466-78-9	<=12%	FL3, AspT1, SI2, SS1, AC3	236-719-3
D-Limonene	5989-27-5	<=8%	FL3, AspT1, SI2, SS1, AA1, AC1	227-813-5



	"Naturally 1	he Purest"	•		
Santene		529-16-8	<=2%	N/A	N/A
Tricyclene	Tricyclene		<=2%	AspT1, AA1, AC1	208-083-7
Borneol		507-70-0	<=1%	FS1	204-712-4
Terpinolene		586-62-9	<=1%	FL3, AspT1, SI2, SS1B, AA1, AC1	209-578-0
Beta Caryophyllene		87-44-5	<=1%	AspT1, SS1	201-746-1
(Se	e Section 8 for	Exposure Lim	nits)	•	•
4. First Aid Measures					
General Advice:		al attention in ca ccurs. May caus		omfort. Observe ris e if swallowed.	sk of aspiration
Eye Contact:	Remove contact lenses. Flush repeatedly with water for 15 minutes; contact physician				
Skin Contact:	Remove contaminated clothing, wash with water and soap. Contact physician if redness or irritation develop.			Contact	
Ingestion:		ed by medical p		. Do NOT give wat ontact POISON CI	
Inhalation:				an if symptoms suc or burning in the m	
5. Fire Fighting Measures					
Extinguishing Media:		oam, Dry chem BLE: Water Jet	nical, Carbon [	Dioxide, B class Ex	tinguishers
Hazardous Combustion Products:	Carbon Dioxi	de and Carbon	Monoxide		
Fire Fighting Procedures:		le, prevent envi d protective clo		-off. Use self-conta	ined breathing
Fire / Explosion Hazards:	Carbon monoxide, carbon dioxide, acrid fumes, smoke, or flammable vapor may be released during oil fires. Flammable liquid and vapor. Vapors are heavier than air and may travel along surfaces to remote ignition sources and flash back.				
6. Accidental Release Measures	•				
Health and Safety Precautions:	Personnel involved in cleanup should wear appropriate personal protective equipment (see Section 8). Minimize exposure. Eliminate all sources of ignition and ventilate area using explosion-proof equipment.				
Measures for Cleaning and Collecting:			,	such as detergent- spill area thorough	
Measures for Environmental Protections:	an appropria		aled container	or environment. Pla for disposal. Care	
Additional Considerations for Large Spills:				earth in drums ystem or any	
7. Handling and Storage					
General Handling:	Observe goo	d hygiene guide	elines and gen	clothing. Wear rec eral safety practice e workspace is pro	s. Do NOT



Storage Conditions:  Store in tightly sealed glass container, away from heat, light, sources of ignition; in a well-ventilated, dry and cool location. from strong oxidizing agents.  8. Exposure Controls / Personal Protection  Exposure Limit:  This product, as supplied, does not contain any hazardous moccupational exposure limits established by the region-specific bodies.  Engineering Controls:  Extraction or global ventilation. Equipment should be grounded eyewash station.  Environmental Exposure Controls:  Avoid discharging into sewer or environment. Do NOT eat, drong after handling product.  Personal Protective Equipment (PPE):  Work clothing worn by personnel shall be laundered regularly with the product, all parts of the body that have been soiled moveshed  Hands:  Wear suitable protective gloves (resistant to chemical agents with standard EN374) in the event of prolonged or repeated so the standard EN374) in the event of prolonged or repeated so the standard EN36) designed to protect against liquid splases skin:  Use protective clothing as necessary, such as a lab coat.  Respiratory Protection:  Assure a well-ventilated work area – Use general face coveries.	
sources of ignition; in a well-ventilated, dry and cool location. from strong oxidizing agents.  8. Exposure Controls / Personal Protection  Exposure Limit:  This product, as supplied, does not contain any hazardous moccupational exposure limits established by the region-specific bodies.  Engineering Controls:  Extraction or global ventilation. Equipment should be grounded eyewash station.  Environmental Exposure Controls:  Avoid discharging into sewer or environment. Do NOT eat, dronger or after handling product.  Personal Protective Equipment (PPE):  Work clothing worn by personnel shall be laundered regularly with the product, all parts of the body that have been soiled movement. Wear suitable protective gloves (resistant to chemical agents with standard EN374) in the event of prolonged or repeated so with standard EN374) in the event of prolonged or repeated so with standard EN166) designed to protect against liquid splass with standard EN166) designed to protect against liquid splass skin:  Use protective clothing as necessary, such as a lab coat.  Respiratory Protection:  Assure a well-ventilated work area – Use general face covering the control of the product.	
Exposure Limit:  This product, as supplied, does not contain any hazardous moccupational exposure limits established by the region-specific bodies.  Engineering Controls:  Extraction or global ventilation. Equipment should be grounded eyewash station.  Environmental Exposure Controls:  Avoid discharging into sewer or environment. Do NOT eat, dranear or after handling product.  Work clothing worn by personnel shall be laundered regularly with the product, all parts of the body that have been soiled mashed  Hands:  Wear suitable protective gloves (resistant to chemical agents with standard EN374) in the event of prolonged or repeated swith standard EN166) designed to protect against liquid splass  Skin:  Use protective clothing as necessary, such as a lab coat.  Respiratory Protection:  Assure a well-ventilated work area – Use general face covering	
ccupational exposure limits established by the region-specific bodies.  Engineering Controls:  Environmental Exposure Controls:  Avoid discharging into sewer or environment. Do NOT eat, dronger or after handling product.  Personal Protective Equipment (PPE):  Work clothing worn by personnel shall be laundered regularly with the product, all parts of the body that have been soiled mashed  Wear suitable protective gloves (resistant to chemical agents with standard EN374) in the event of prolonged or repeated so with standard EN166) designed to protect against liquid splass  Skin:  Use protective clothing as necessary, such as a lab coat.  Respiratory Protection:  Assure a well-ventilated work area – Use general face covering	
eyewash station.  Avoid discharging into sewer or environment. Do NOT eat, dr near or after handling product.  Personal Protective Equipment (PPE):  Work clothing worn by personnel shall be laundered regularly with the product, all parts of the body that have been soiled m washed  Hands:  Wear suitable protective gloves (resistant to chemical agents with standard EN374) in the event of prolonged or repeated s with standard EN166) designed to protect against liquid splass skin:  Use protective clothing as necessary, such as a lab coat.  Respiratory Protection:  Assure a well-ventilated work area – Use general face covering	
near or after handling product.  Personal Protective Equipment (PPE):  Work clothing worn by personnel shall be laundered regularly with the product, all parts of the body that have been soiled mashed  Hands:  Wear suitable protective gloves (resistant to chemical agents with standard EN374) in the event of prolonged or repeated s with standard EN166) designed to protect against liquid splass  Skin:  Use protective clothing as necessary, such as a lab coat.  Respiratory Protection:  Assure a well-ventilated work area – Use general face covering	ed. Provide
with the product, all parts of the body that have been soiled mashed  Hands:  Wear suitable protective gloves (resistant to chemical agents with standard EN374) in the event of prolonged or repeated s with standard EN166) designed to protect against liquid splass with standard EN166) designed to protect against liquid splass Skin:  Use protective clothing as necessary, such as a lab coat.  Respiratory Protection:  Assure a well-ventilated work area – Use general face covering the content of the body that have been soiled mashed.	ink, or smoke
with standard EN374) in the event of prolonged or repeated s  Eyes:  Avoid contact with eyes. Use eye protectors (safety goggles in with standard EN166) designed to protect against liquid splass  Skin:  Use protective clothing as necessary, such as a lab coat.  Respiratory Protection:  Assure a well-ventilated work area – Use general face covering	
with standard EN166) designed to protect against liquid splas  Skin:  Use protective clothing as necessary, such as a lab coat.  Respiratory Protection:  Assure a well-ventilated work area – Use general face covering	
Respiratory Protection: Assure a well-ventilated work area – Use general face covering	
	ng
9. Physical and Chemical Properties	
Physical State: Liquid	
Liquid Color: Colorless to pale yellow	
Odor: Rich Balsamic-sweet and pleasant coniferous aroma	
Molecular Weight: No information	
Water Solubility: Not soluble	
Boiling Point (°C): No information	
Vapor Pressure (kPa):   No information	
Vapor Density (g/mL):   No information	
Flash Point – Liquid (°C): 40 °C	
Upper Explosive Limits: No information	
Lower Explosive Limits: No information	
Polymerization: Will not occur	
Specific Gravity 25°C: No information	
Specific Gravity 20°C:         0.873 – 0.885	
Refractive Index 20°C:         1.470 – 1.485	
10. Stability and Reactivity	
Chemical Stability:   Stable under normal conditions of use.	
Conditions to Avoid: Keep away from heat, spark, flames and all other sources of it	ignition
Incompatible Materials: Strong oxidizing agents and strong inorganic acids	
11. Toxicological Information	
<b>General Information:</b> Product does not present an acute toxicity hazard based on k supplied information.	
Acute Toxicity: Not Determined	nown or
Irritation / Sensitization: Not Determined	nown or

July 31, 2023 Safety Data Sheet Pg. 4



	"Naturally the Purest"
Skin Absorption:	No adverse effects with normal skin. However, potentially harmful amounts of material may be absorbed across markedly abraded skin when contact is sustained.
Carcinogen Status:	Carcinogenicity of the mixture has not been determined. Not listed as carcinogens by IARC, US OSHA or NTP.
12. Ecological Information	
Environmental Overview:	The environmental characteristics of this mixture have not been fully evaluated. Releases to the environment should be avoided.
Eco-toxicity Effects:	Very toxic to aquatic organisms; may cause long-term adverse effects in the aquatic environment.
Persistence and Degradability:	Biodegradation is expected
Bio-accumulative Potential:	Bioaccumulation is unlikely
Mobility in Soil:	Not Determined
Other Adverse Effects:	Avoid exposure to marine environments and waterways
13. Disposal Considerations	
Waste Treatment Methods:	Releases to the environment should be avoided. Review and implement appropriate technical and procedural wastewater and waste disposal measures to prevent occupational exposure or environmental releases. Waste from a spill: Contain the source of spill if it is safe to do so. Collect spill with absorbent material. Place waste in an appropriately labeled, sealed container for disposal. Clean spill area thoroughly. Care should be taken to avoid environmental release.
14. Transport Information	andation unless associated below. This made vial is very labely for transport under DOT
ADR, IMDG, and IATA regulations.	ortation unless specified below. This material is regulated for transport under DOT,
UN Number:	1169
UN Proper Shipping Name:	Extracts, aromatic, liquid
Transport Hazard Class(es):	Flammable Class 3
Packing Group:	
Flash Point (°C):	40 °C
Marine Pollutant:	Yes
15. Regulatory Information	
EU Symbol:	
EU Indication of Danger:	Hazard Flammable Dangerous to Environment
EU Risk Phrases:	R 10 – Flammable. R 20/22 – Harmful by inhalation and if swallowed R 36/38 – Irritating to eyes and skin. R 41 – Risk of serious damage to eyes R43 – May cause sensitization by skin contact R 50/53 – Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment
EU Safety Phrases:	S 3/7/9 – Keep container tightly closed in a cool, well-ventilated place S 16 – Keep away from sources of ignition – No smoking S 25 – Avoid contact with eyes



		"Naturally the Purest"		
		S 26 – In case of contact of and seek medical advice S 27/28 – After contact will clothing, and wash immed S 29 – Do not empty into 6 S 33 – Take precautionary S 36/37/39 – Wear suitably protection. S 43 – In case of fire use: class Extinguishers for exist S 59 – Refer to manufacture S 61 – Avoid release to the data sheet.	th skin, take off immediate liately with plenty of soap drains y measures against static le protective clothing, glov Use Foam, Dry chemical, tinction. urer/supplier for informatic	ely all contaminated and water.  discharges res, and eye/face , Carbon Dioxide, B
		S 62 - If swallowed, do no		
		immediately and show this	s container or label where	possible.
OSHA Label:		Danger		
Identifying Markings in		No duty to mark/Exempt		
EC Directives / GefStoff California Proposition 6		Not listed		
United States TSCA:		Complies		
Australia (AICS):		· · · · · · · · · · · · · · · · · · ·		
EU EINECS/ELINCS List		Not present		
		Complies		
16. Other Information		D04444		
Section 2 Expanded Pre Statements	ecautionary	P241 Use explosion-proof	f electrical/ventilating/light	ing//equipment.
Section 3 Expanded Cla 2008		Bornyl Acetate – Flammal Toxicity Single Exposure [ Camphene – Flammable I Chronic 1 Alpha Pinene – Flammabl Skin Sensitizer 1, Eye Dar Chronic 1	Kidney]), Aquatic Acute 3 Liquid 3, Eye Irritant 2, Aq e Liquid 3, Aspiration Tox mage 1, Eye Irritant 2, Aq	, Aquatic Chronic 3 uatic Acute 1, Aquatic cicity 1, Skin Irritant 2,
Disabises The information		Skin Sensitizer 1, Aquatic D-Limonene – Flammable Skin Sensitizer 1, Aquatic Tricyclene – Aspiration To Borneol – Flammable Solv Terpinolene – Flammable Sensitizer 1B, Aquatic Acu Beta Caryophyllene – Asp	Chronic 3 Liquid 3, Aspiration Toxic Acute 1, Aquatic Chronic exicity 1, Aquatic Acute 1, went 1 Liquid 3, Aspiration Toxic aute 1, Aquatic Chronic 1 Liguid Toxicity 1, Skin Se	1 Aquatic Chronic 1 Sity 1, Skin Irritant 2, Skin
	tion contained herein is a	Skin Sensitizer 1, Aquatic D-Limonene – Flammable Skin Sensitizer 1, Aquatic Tricyclene – Aspiration To Borneol – Flammable Solv Terpinolene – Flammable Sensitizer 1B, Aquatic Act Beta Caryophyllene – Aspaccurate to the best of our erning the safe use of this	Chronic 3 Liquid 3, Aspiration Toxic Acute 1, Aquatic Chronic exicity 1, Aquatic Acute 1, event 1 Liquid 3, Aspiration Toxic ate 1, Aquatic Chronic 1 Liguid Toxicity 1, Skin Seknowledge. Amrita Aroma	city 1, Skin Irritant 2, 1 Aquatic Chronic 1 city 1, Skin Irritant 2, Skin ensitizer 1 atherapy, Inc.®makes
no warranty of any kind, e other substances.	tion contained herein is a express or implied, conc	Skin Sensitizer 1, Aquatic D-Limonene – Flammable Skin Sensitizer 1, Aquatic Tricyclene – Aspiration To Borneol – Flammable Solv Terpinolene – Flammable Sensitizer 1B, Aquatic Act Beta Caryophyllene – Aspaccurate to the best of our erning the safe use of this Revision Tracking	Chronic 3 Liquid 3, Aspiration Toxic Acute 1, Aquatic Chronic exicity 1, Aquatic Acute 1, event 1 Liquid 3, Aspiration Toxicute 1, Aquatic Chronic 1 eviration Toxicity 1, Skin Seknowledge. Amrita Aroma material in your process of	city 1, Skin Irritant 2, 1 Aquatic Chronic 1 city 1, Skin Irritant 2, Skin ensitizer 1 atherapy, Inc. ® makes or in combination with
no warranty of any kind, e other substances.	tion contained herein is a express or implied, conc	Skin Sensitizer 1, Aquatic D-Limonene – Flammable Skin Sensitizer 1, Aquatic Tricyclene – Aspiration To Borneol – Flammable Solv Terpinolene – Flammable Sensitizer 1B, Aquatic Act Beta Caryophyllene – Aspaccurate to the best of our erning the safe use of this Revision Tracking	Chronic 3 Liquid 3, Aspiration Toxic Acute 1, Aquatic Chronic exicity 1, Aquatic Acute 1, event 1 Liquid 3, Aspiration Toxicute 1, Aquatic Chronic 1 eviration Toxicity 1, Skin Seknowledge. Amrita Aroma material in your process of Author	city 1, Skin Irritant 2, 1 Aquatic Chronic 1 city 1, Skin Irritant 2, Skin ensitizer 1 atherapy, Inc. ® makes or in combination with
no warranty of any kind, e other substances.	tion contained herein is a express or implied, conc	Skin Sensitizer 1, Aquatic D-Limonene – Flammable Skin Sensitizer 1, Aquatic Tricyclene – Aspiration To Borneol – Flammable Solv Terpinolene – Flammable Sensitizer 1B, Aquatic Act Beta Caryophyllene – Aspaccurate to the best of our erning the safe use of this Revision Tracking	Chronic 3 Liquid 3, Aspiration Toxic Acute 1, Aquatic Chronic exicity 1, Aquatic Acute 1, event 1 Liquid 3, Aspiration Toxicute 1, Aquatic Chronic 1 eviration Toxicity 1, Skin Seknowledge. Amrita Aroma material in your process of	city 1, Skin Irritant 2, 1 Aquatic Chronic 1 city 1, Skin Irritant 2, Skin ensitizer 1 atherapy, Inc. ® makes or in combination with