

"Naturally the Purest"				
	rfety Data Sheet			
1. Identification				
Product Name:	Fir Siberian Essential Oil			
Botanical/INCI:	Abies sibirica			
Synonyms:	Siberian Fir			
CAS Number:	8021-29-2			
Product Uses:	Personal care, Aromatherapy			
Manufacturer/Supplier:	Amrita Aromatherapy, Inc.®			
Address:	1900 W. Stone Ave., Suite C Fairfield, IA 52556			
Phone:	1(800)410-9651 or 1(641)472-9136			
Fax:	1(641)472-8672			
Emergency Contact:	Poison Control: 1(800)222-1222			
2. Hazard(s) Identification				
Appearance:	Liquid			
Signal Word:	Danger			
Statement of Hazard:	H226 Flammable liquid and vapor H304 May be fatal if swallowed and enters airways H315 Causes skin irritation H317 May cause an allergic skin reaction H319 Causes serious eye irritation H410 Very toxic to aquatic life with long lasting effects			
Precautionary Statements:	P210 Keep away from heat/sparks/open flames/hot surfaces No smoking. P233 Keep container tightly closed. P240 Ground/bond container and receiving equipment. P242 Use only non-sparking tools. P243 Take precautionary measures against static discharge P261 Avoid breathing dust/fume/gas/mist/vapor/spray P264 Wash hands thoroughly after handling product P272 Contaminated work clothing should not be allowed out of the workplace P273 Avoid release to the environment. P280 Wear protective gloves/protective clothing/eye protection/face protection. P301+P316 IF SWALLOWED: Get emergency medical help immediately. P303+P361+P353 IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P332+P317 IF SKIN irritation occurs: Get emergency medical help P362+P364 Take off contaminated clothing and wash it before reuse P370+P378 In case of fire: Use Foam, Dry chemical, Carbon Dioxide, B class Extinguishers for extinction. P391 Collect spillage P403+P235 Store in a well-ventilated place. Keep cool.			



	local/regional/national/international regulations.		
Aspiration Toxicity:	Category 1		
Skin Irritation:	Category 2		
Skin Sensitization:	Category 1		
Eye Irritation:	Category 2		
Eye Damage:	Category 2		
Acute Aquatic Toxicity:	Category 1		
Chronic Aquatic Toxicity:	Category 1		
Flammable Liquids:	Category 3		
Classification asserding to ELL Directives 67/5	19/EEC or 1909/AF/EC. For the full toxt of the P phropog mentioned in this		

Classification according to EU Directives 67/548/EEC or 1999/45/EC. For the full text of the R-phrases mentioned in this Section, see Section 16.

## Hazards

Flammable liquid and vapor



Causes skin irritation

Symbol(s) Writing

- May cause an allergic skin reaction
- Causes serious eye irritation



May be fatal if swallowed and enters airways



Very toxic to aquatic life with long lasting effects



## 3. Composition / Information on Ingredients

Ingredients List: 100% Wildcrafted Fir Siberian Essential Oil

Component	CAS Number	Weight %	Classification	REACH
Component	CAS Number	weight /6	1272 / 2008	Number
Bornyl Acetate	76-49-3	<=27%	FL4, STOT SE 2, AA3, AC3	204-727-6
Camphene	79-92-5	<=23%	FL3, El2, AA1, AC1	201-234-8
Alpha Pinene	80-56-8	<=13%	FL3, AspT1, SI2, SS1, ED1, EI2, AA1, AC1	201-291-9
Delta-3 Carene	13466-78-9	<=12%	FL3, AspT1, SI2, SS1, AC3	236-719-3
D-Limonene	5989-27-5	<=8%	FL3, AspT1, SI2, SS1, AA1, AC1	227-813-5



	"Naturally 1	he Purest"	•		
Santene		529-16-8	<=2%	N/A	N/A
Tricyclene		508-32-7	<=2%	AspT1, AA1, AC1	208-083-7
Borneol		507-70-0	<=1%	FS1	204-712-4
Terpinolene		586-62-9	<=1%	FL3, AspT1, SI2, SS1B, AA1, AC1	209-578-0
Beta Caryophyllene		87-44-5	<=1%	AspT1, SS1	201-746-1
(Se	e Section 8 for	Exposure Lim	nits)	•	•
4. First Aid Measures					
General Advice:	Seek medical attention in case of any discomfort. Observe risk of aspiration if vomiting occurs. May cause lung damage if swallowed.				sk of aspiration
Eye Contact:	Remove contact lenses. Flush repeatedly with water for 15 minutes; contact physician				ninutes;
Skin Contact:	Remove contaminated clothing, wash with water and soap. Contact physician if redness or irritation develop.				Contact
Ingestion:	Do NOT induce vomiting. Rinse out mouth. Do NOT give water or milk unless directed by medical professional. Contact POISON CENTER or doctor immediately.				
Inhalation:	Remove to fresh air and contact a physician if symptoms such as wheezing, coughing, shortness of breath, or burning in the mouth, throat, or chest occur.				
5. Fire Fighting Measures					
Extinguishing Media:	SUITABLE: Foam, Dry chemical, Carbon Dioxide, B class Extinguishers NON-SUITABLE: Water Jet				
Hazardous Combustion Products:	Carbon Dioxide and Carbon Monoxide				
Fire Fighting Procedures:	When possible, prevent environmental run-off. Use self-contained breathing apparatus and protective clothing.				
Fire / Explosion Hazards:	Carbon monoxide, carbon dioxide, acrid fumes, smoke, or flammable vapor may be released during oil fires. Flammable liquid and vapor. Vapors are heavier than air and may travel along surfaces to remote ignition sources and flash back.				
6. Accidental Release Measures					
Health and Safety Precautions:	Personnel involved in cleanup should wear appropriate personal protective equipment (see Section 8). Minimize exposure. Eliminate all sources of ignition and ventilate area using explosion-proof equipment.				
Measures for Cleaning and Collecting:	Absorb spill with non-combustible matter (such as detergentdo not use solvents) and transfer to containers. Clean spill area thoroughly.				
Measures for Environmental Protections:	Do NOT allow to enter the sewer or outdoor environment. Place waste in an appropriately labeled, sealed container for disposal. Care should be taken to avoid environmental release.				
Additional Considerations for Large Spills:	Contain and control the leaks or spills with non-combustible absorbent materials such as sand, earth, vermiculite, or diatomaceous earth in drums for waste disposal. Avoid allowing product to reach sewage system or any waterways. Inform respective authorities in case of seepage into sewage system or waterways.				
7. Handling and Storage					
General Handling:	Observe goo	d hygiene guide	elines and gen	clothing. Wear rec eral safety practice e workspace is pro	s. Do NOT



Storage Conditions:  Store in tightly sealed glass container, away from heat, light, sources of ignition; in a well-ventilated, dry and cool location. from strong oxidizing agents.  8. Exposure Controls / Personal Protection  Exposure Limit:  This product, as supplied, does not contain any hazardous moccupational exposure limits established by the region-specific bodies.  Engineering Controls:  Extraction or global ventilation. Equipment should be grounded eyewash station.  Environmental Exposure Controls:  Avoid discharging into sewer or environment. Do NOT eat, dronear or after handling product.  Personal Protective Equipment (PPE):  Work clothing worn by personnel shall be laundered regularly with the product, all parts of the body that have been soiled moveshed  Hands:  Wear suitable protective gloves (resistant to chemical agents with standard EN374) in the event of prolonged or repeated so the standard EN374) in the event of prolonged or repeated so the standard EN36) designed to protect against liquid splase skin:  Use protective clothing as necessary, such as a lab coat.  Respiratory Protection:  Assure a well-ventilated work area – Use general face covering the contact with standard and the contact with standard and EN36 of the contact with standard EN36 of the contact against liquid splase skin:  Assure a well-ventilated work area – Use general face covering the contact with standard and EN46 of the contact with standard EN46 of the contact with standard EN46 of the contact with standard EN46 of the contact against liquid splase skin:  Assure a well-ventilated work area – Use general face covering the contact with standard EN46 of the	
sources of ignition; in a well-ventilated, dry and cool location. from strong oxidizing agents.  8. Exposure Controls / Personal Protection  Exposure Limit:  This product, as supplied, does not contain any hazardous moccupational exposure limits established by the region-specific bodies.  Engineering Controls:  Extraction or global ventilation. Equipment should be grounded eyewash station.  Environmental Exposure Controls:  Avoid discharging into sewer or environment. Do NOT eat, dronger or after handling product.  Personal Protective Equipment (PPE):  Work clothing worn by personnel shall be laundered regularly with the product, all parts of the body that have been soiled movement. Wear suitable protective gloves (resistant to chemical agents with standard EN374) in the event of prolonged or repeated so with standard EN374) in the event of prolonged or repeated so with standard EN166) designed to protect against liquid splass with standard EN166) designed to protect against liquid splass skin:  Use protective clothing as necessary, such as a lab coat.  Respiratory Protection:  Assure a well-ventilated work area – Use general face covering the control of the product.	
Exposure Limit:  This product, as supplied, does not contain any hazardous moccupational exposure limits established by the region-specific bodies.  Engineering Controls:  Extraction or global ventilation. Equipment should be grounded eyewash station.  Environmental Exposure Controls:  Avoid discharging into sewer or environment. Do NOT eat, dranear or after handling product.  Work clothing worn by personnel shall be laundered regularly with the product, all parts of the body that have been soiled mashed  Hands:  Wear suitable protective gloves (resistant to chemical agents with standard EN374) in the event of prolonged or repeated swith standard EN166) designed to protect against liquid splass  Skin:  Use protective clothing as necessary, such as a lab coat.  Respiratory Protection:  Assure a well-ventilated work area – Use general face covering	
ccupational exposure limits established by the region-specific bodies.  Engineering Controls:  Environmental Exposure Controls:  Avoid discharging into sewer or environment. Do NOT eat, dronear or after handling product.  Personal Protective Equipment (PPE):  Work clothing worn by personnel shall be laundered regularly with the product, all parts of the body that have been soiled mashed  Wear suitable protective gloves (resistant to chemical agents with standard EN374) in the event of prolonged or repeated so with standard EN166) designed to protect against liquid splass  Skin:  Use protective clothing as necessary, such as a lab coat.  Respiratory Protection:  Assure a well-ventilated work area – Use general face covering	
eyewash station.  Avoid discharging into sewer or environment. Do NOT eat, dr near or after handling product.  Personal Protective Equipment (PPE):  Work clothing worn by personnel shall be laundered regularly with the product, all parts of the body that have been soiled m washed  Hands:  Wear suitable protective gloves (resistant to chemical agents with standard EN374) in the event of prolonged or repeated s with standard EN166) designed to protect against liquid splass skin:  Use protective clothing as necessary, such as a lab coat.  Respiratory Protection:  Assure a well-ventilated work area – Use general face covering	
near or after handling product.  Personal Protective Equipment (PPE):  Work clothing worn by personnel shall be laundered regularly with the product, all parts of the body that have been soiled mashed  Hands:  Wear suitable protective gloves (resistant to chemical agents with standard EN374) in the event of prolonged or repeated s with standard EN166) designed to protect against liquid splass  Skin:  Use protective clothing as necessary, such as a lab coat.  Respiratory Protection:  Assure a well-ventilated work area – Use general face covering	ed. Provide
with the product, all parts of the body that have been soiled mashed  Hands:  Wear suitable protective gloves (resistant to chemical agents with standard EN374) in the event of prolonged or repeated s with standard EN166) designed to protect against liquid splass with standard EN166) designed to protect against liquid splass Skin:  Use protective clothing as necessary, such as a lab coat.  Respiratory Protection:  Assure a well-ventilated work area – Use general face covering the content of the body that have been soiled mashed.	ink, or smoke
with standard EN374) in the event of prolonged or repeated s  Eyes:  Avoid contact with eyes. Use eye protectors (safety goggles in with standard EN166) designed to protect against liquid splass  Skin:  Use protective clothing as necessary, such as a lab coat.  Respiratory Protection:  Assure a well-ventilated work area – Use general face covering	
with standard EN166) designed to protect against liquid splas  Skin:  Use protective clothing as necessary, such as a lab coat.  Respiratory Protection:  Assure a well-ventilated work area – Use general face covering	
Respiratory Protection: Assure a well-ventilated work area – Use general face covering	
	ng
9. Physical and Chemical Properties	
Physical State: Liquid	
Liquid Color: Colorless to pale yellow	
Odor: Rich Balsamic-sweet and pleasant coniferous aroma	
Molecular Weight: No information	
Water Solubility: Not soluble	
Boiling Point (°C): No information	
Vapor Pressure (kPa):   No information	
Vapor Density (g/mL):   No information	
Flash Point – Liquid (°C): 40 °C	
Upper Explosive Limits: No information	
Lower Explosive Limits: No information	
Polymerization: Will not occur	
Specific Gravity 25°C: No information	
Specific Gravity 20°C:         0.873 – 0.885	
Refractive Index 20°C:         1.470 – 1.485	
10. Stability and Reactivity	
Chemical Stability:   Stable under normal conditions of use.	
Conditions to Avoid: Keep away from heat, spark, flames and all other sources of it	ignition
Incompatible Materials: Strong oxidizing agents and strong inorganic acids	
11. Toxicological Information	
General Information:  Product does not present an acute toxicity hazard based on k supplied information.	
Acute Toxicity: Not Determined	nown or
Irritation / Sensitization: Not Determined	nown or

July 28, 2023 Safety Data Sheet Pg. 4



	"Naturally the Purest"		
Skin Absorption:	No adverse effects with normal skin. However, potentially harmful amounts of material may be absorbed across markedly abraded skin when contact is sustained.		
Carcinogen Status:	Carcinogenicity of the mixture has not been determined. Not listed as carcinogens by IARC, US OSHA or NTP.		
12. Ecological Information			
Environmental Overview:	The environmental characteristics of this mixture have not been fully evaluated. Releases to the environment should be avoided.		
Eco-toxicity Effects:	Very toxic to aquatic organisms; may cause long-term adverse effects in the aquatic environment.		
Persistence and Degradability:	Biodegradation is expected		
Bio-accumulative Potential:	Bioaccumulation is unlikely		
Mobility in Soil:	Not Determined		
Other Adverse Effects:	Avoid exposure to marine environments and waterways		
13. Disposal Considerations			
Waste Treatment Methods:	Releases to the environment should be avoided. Review and implement appropriate technical and procedural wastewater and waste disposal measures to prevent occupational exposure or environmental releases. Waste from a spill: Contain the source of spill if it is safe to do so. Collect spill with absorbent material. Place waste in an appropriately labeled, sealed container for disposal. Clean spill area thoroughly. Care should be taken to avoid environmental release.		
14. Transport Information  The following refers to all modes of transc	ortation unless specified below. This material is regulated for transport under DOT,		
ADR, IMDG, and IATA regulations.	ortation among opposition policy. The material is regulated for autopolit and a 2017,		
UN Number:	1169		
UN Proper Shipping Name:	Extracts, aromatic, liquid		
Transport Hazard Class(es):	Flammable Class 3		
Packing Group:	III		
Flash Point (°C):	40 °C		
Marine Pollutant:	Yes		
15. Regulatory Information			
EU Symbol:			
EU Indication of Danger:	Hazard Flammable Dangerous to Environment		
EU Risk Phrases:	R 10 – Flammable. R 20/22 – Harmful by inhalation and if swallowed R 36/38 – Irritating to eyes and skin. R 41 – Risk of serious damage to eyes R43 – May cause sensitization by skin contact R 50/53 – Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment		
EU Safety Phrases:	S 3/7/9 – Keep container tightly closed in a cool, well-ventilated place S 16 – Keep away from sources of ignition – No smoking S 25 – Avoid contact with eyes		



"Naturally the Purest"					
		S 26 – In case of contact with eyes, rinse immediately with plenty of water and seek medical advice S 27/28 – After contact with skin, take off immediately all contaminated clothing, and wash immediately with plenty of soap and water. S 29 – Do not empty into drains S 33 – Take precautionary measures against static discharges S 36/37/39 – Wear suitable protective clothing, gloves, and eye/face protection. S 43 – In case of fire use: Use Foam, Dry chemical, Carbon Dioxide, B class Extinguishers for extinction. S 59 – Refer to manufacturer/supplier for information on recovery/recycling S 61 – Avoid release to the environment. Refer to special instructions/safe data sheet. S 62 – If swallowed, do not induce vomiting: seek medical advice			
		immediately and show this container or label where possible.			
OSHA Label:		Danger			
Identifying Markings in EC Directives / GefStor		No duty to mark/Exempt			
California Proposition		Not listed			
United States TSCA:		Complies			
Australia (AICS):		Not present			
EU EINECS/ELINCS Lis	st:	Complies			
16. Other Informati		·			
Section 2 Expanded Pr Statements	P241 Use explosion-proof electrical/ventilating/lighting//equipment.			ting//equipment.	
Bornyl Acetate – Flammable Liquid 4, STOT SE 2 (Specific Target Toxicity Single Exposure [Kidney]), Aquatic Acute 3, Aquatic Chronic 1  Alpha Pinene – Flammable Liquid 3, Aspiration Toxicity 1, Skin Irrits Skin Sensitizer 1, Eye Damage 1, Eye Irritant 2, Aquatic Acute 1, A Chronic 1  Delta-3 Carene – Flammable Liquid 3, Aspiration Toxicity 1, Skin Irrits Skin Sensitizer 1, Aquatic Chronic 3  D-Limonene – Flammable Liquid 3, Aspiration Toxicity 1, Skin Irrits Skin Sensitizer 1, Aquatic Acute 1, Aquatic Chronic 1  Tricyclene – Aspiration Toxicity 1, Aquatic Acute 1, Aquatic Chronic 1  Terpinolene – Flammable Solvent 1  Terpinolene – Flammable Liquid 3, Aspiration Toxicity 1, Skin Irrits Sensitizer 1B, Aquatic Acute 1, Aquatic Chronic 1  Beta Caryophyllene – Aspiration Toxicity 1, Skin Sensitizer 1			3, Aquatic Chronic 3 quatic Acute 1, Aquatic dicity 1, Skin Irritant 2, quatic Acute 1, Aquatic exicity 1, Skin Irritant 2, exity 1, Skin Irritant 2, Skin ensitizer 1		
		accurate to the best of our cerning the safe use of this			
		Revision Tracking			
Revision	Date	Reason	Author	Reviewed by	
V0.1	3/15/2022	Creation	Samuel S	SG	
V1.1	9/8/2022	Edit	AG	SS	