

	"Naturally the Purest"
	Safety Data Sheet
1. Identification	
Product Name:	Turmeric Organic Essential Oil
Botanical/INCI:	Curcuma longa
Synonyms:	N/A
CAS Number:	84775-52-0
Product Uses:	Personal care, Aromatherapy
Manufacturer/Supplier:	Amrita Aromatherapy, Inc.®
Address:	1900 W. Stone Ave., Suite C Fairfield, IA 52556
Phone:	1(800)410-9651 or 1(641)472-9136
Fax:	1(641)472-8672
Emergency Contact:	Poison Control: 1(800)222-1222
2. Hazard(s) Identification	
Appearance:	Liquid
Signal Word:	Danger
Statement of Hazard:	H227 Combustible liquid H304 May be fatal if swallowed and enters airways H315 Causes skin irritation H317 May cause an allergic skin reaction H319 Causes serious eye irritation H412 Harmful to aquatic life with long lasting effects
Precautionary Statements:	P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P233 Keep container tightly closed. P243 Take precautionary measures against static discharge. P264+P265 Wash hands thoroughly after handling. Do not touch eyes. P272 Contaminated work clothing should not be allowed out of the workplace. P273 Avoid release to the environment. P280 Wear protective gloves/protective clothing. P301+P331+P316 IF SWALLOWED: Get emergency medical help immediately. Do NOT induce vomiting. P303+P361+P353 IF ON SKIN (or hair): Take off Immediately all contaminated clothing. Rinse SKIN with water or shower. P305+P354+P338 IF IN EYES: Immediately rinse with water for several minutes. Remove contact lenses if present and easy to do. Continue rinsing. P362+P364 Take off contaminated clothing and wash it before reuse. P370+P378 In case of fire: Use Foam, Dry chemical, Carbon Dioxide, B class Extinguishers to extinguish. P391 Collect spillage. P403+P235 Store in a well-ventilated place. Keep cool. P501 Dispose of contents/container in accordance with local/regional/national/international regulations.
Aspiration Toxicity:	Category 1
Skin Irritation:	Category 2
Skin Sensitization:	Category 1B
	1



	"Naturally t	he Purest"			
Eye Irritation:		Category 2			
Eye Damage:		Category N/A			
Acute Aquatic Toxicity:		Category 3			
Chronic Aquatic Toxicity:		Category 3			
Flammable Liquids:		Category 4			
Classification according to EU Directives 67/548 Section, see Section 16.			ll text of the R	-phrases mentione	d in this
	Haz	ards			
Symbol(s) Writing		Pictogram(s)			
<ul> <li>Causes skin irritation</li> <li>May cause an allergic skin reaction</li> <li>Causes serious eye irritation</li> </ul>		!	>		
May be fatal if swallowed and enters airways					
3. Composition / Information on Ingi	redients	•			
Ingredients List: 100% Organic Turmeric Ess					
Component		CAS Number	Weight %	Classification 1272 / 2008	REACH Number
Turmerone		56485-42-8	<=18%	SI2, SS1B, EI2	866-576-8
Ar-Turmerone		532-65-0	<=18%	SS1, EI2, AC2	664-010-2
Alpha Zingiberene		495-60-3	<=10%	N/A	207-804-2
Curlone		82508-14-3	<=10%	N/A	N/A
Beta Sesquiphellandrene		20307-83-9	<=8%	FL3, AspT1	866-551-1
Curcumene		644-30-4	<=8%	AspT1, SI2, SS1B	866-579-4
Alpha Phellandrene		99-83-2	<=3%	FL3, AspT1	215-532-0
Terpinolene		586-62-9	<=3%	FL3, AspT1, SI2, SS1B, AA1, AC1	209-578-0
	Section 8 for	Exposure Limit	s)		
4. First Aid Measures					
General Advice:	Seek medical attention in case of any discomfort. Observe risk of aspiration if vomiting occurs. May cause lung damage if swallowed.				
Eye Contact:	Remove contact lenses. Flush repeatedly with water for 15 minutes; contact physician				
Skin Contact:	Remove contaminated clothing, wash with water and soap. Contact physician if redness or irritation develop.				
Ingestion:	Do NOT induce vomiting. Rinse out mouth. Do NOT give water or milk unless directed by medical professional. Contact POISON CENTER or doctor immediately.				
Inhalation:	Remove to fresh air and contact a physician if symptoms such as wheezing, coughing, shortness of breath, or burning in the mouth, throat, or				

Amrita Aromatherapy, Inc.® | 1900 W. Stone Ave. Suite C, Fairfield, IA 52556 | Fax: 641-472-8672

Telephone: 1-800-410-9651 | E-Mail: info@amrita.net | Web: www.amrita.net

August 1, 2023 Safety Data Sheet Pg. 2



chest occur.  S. Fire Fighting Measures  Extinguishing Media:  SUITABLE: Foam, Dry chemical, Carbon Dioxide, B class Extinguishers NON-SUITABLE: Water Jet  August Carbon Dioxide and Carbon Monoxide  When possible, prevent environmental run-off. Use self-contained breathing apparatus and protective clothing.  Carbon monoxide, carbon dioxide, acrid furnes, smoke, or flammable vapor may be released during oil fires. Flammable liquid and vapor. Vapors are heavier than air and may travel along surfaces to remote ignition sources and flash back.  6. Accidental Release Measures  Health and Safety Precautions:  Personnel involved in cleanup should wear appropriate personal protective equipment (see Section 8). Minimize exposure. Eliminate all sources of ignition and ventilate area using explosion-proof equipment.  Measures for Cleaning and Collecting:  Absorb spill with non-combustible matter (such as detergent—do not use solvents) and transfer to containers. Clean spill area thoroughly.  Measures for Environmental Protections:  Do NOT allow to enter the sewer or outdoor environment. Place waste in appropriately labeled, sealed container for disposal. Care should be taken to avoid environmental release.  Additional Considerations for Large Spills:  Contain and control the leaks or spills with non-combustible absorbent materials such as sand, earth, vermiculite, or diatomaceous earth in drums for waste disposal. Avoid allowing product to reach sewage system or any waterways. Inform respective authorities in case of seepage into sewage system or waterways.  7. Handling and Storage  General Handling:  Avoid contact with eyes, skin, mucous and clothing. Wear required PPE. Observe good hygiene guidelines and general safety practices. Do NOT eat, drink, or smoke when handling. Ensure workspace is properly ventilated. Wash hands after handling. Ensure workspace is properly ventilated. Wash hands after handling.  Storage Conditions:  Storage Conditions:  Exposure Controls / Personal Protection  Exposure Limit:  This product, a		"Naturally the Purest"		
SUITABLE: Foam, Dry chemical, Carbon Dioxide, B class Extinguishers NON-SUITABLE: Water Jet		chest occur.		
NON-SUITABLE: Water Jet	5. Fire Fighting Measures			
Fire Fighting Procedures:  When possible, prevent environmental run-off. Use self-contained breathing apparatus and protective dothing.  Carbon monoxide, carbon dioxide, acrid fumes, smoke, or flammable vapor may be released during oil fires. Flammable liquid and vapor. Vapors are heavier than air and may travel along surfaces to remote ignition sources and flash back.  Personnel involved in cleanup should wear appropriate personal protective equipment (see Section 8). Minimize exposure. Eliminate all sources of ignition and ventilate area using explosion-proof equipment.  Measures for Cleaning and Collecting:  Absort spill with non-combustible matter (such as detergent—do not use solvents) and transfer to containers. Clean spill area throughly.  Measures for Environmental Protections:  Do NOT allow to enter the sewer or outdoor environment. Place waste in an appropriately labeled, sealed container for disposal. Care should be taken to avoid environmental release.  Additional Considerations for Large Spills:  Contain and control the leaks or spills with non-combustible absorbent materials such as sand, earth, vermiculte, or distoraceous earth in drums for waste disposal. Avoid allowing product to reach sewage system or any waterways. Inform respective authorities in case of seepage into sewage system or waterways. Inform respective authorities in case of seepage into sewage system or any waterways. Inform respective authorities in case of seepage into sewage system or waterways. Inform respective authorities in case of seepage into sewage system or waterways. Inform respective authorities in case of seepage into sewage system or any waterways. Inform respective authorities in case of seepage into sewage system or waterways. Inform respective authorities in case of seepage into sewage system or any waterways. Inform respective authorities in case of seepage into sewage system or any waterways. Inform respective authorities in case of seepage into sewage in waterways. Inform respective authorities in case of seep	Extinguishing Media:	· · · · · · · · · · · · · · · · · · ·		
apparatus and protective dothing.	<b>Hazardous Combustion Products:</b>	Carbon Dioxide and Carbon Monoxide		
may be released during oil fires. Flammable liquid and vapor. Vapors are heavier than air and may travel along surfaces to remote ignition sources and flash back.  6. Accidental Release Measures  Health and Safety Precautions:  Personnel involved in cleanup should wear appropriate personal protective equipment (see Section 8). Minimize exposure. Eliminate all sources of ignition and ventilate area using explosion-proof equipment.  Measures for Cleaning and Collecting:  Absorb spill with non-combustible matter (such as detergent—do not use solvents) and transfer to containers. Clean spill area thoroughly.  Measures for Environmental Protections:  Do NOT allow to enter the sewer or outdoor environment. Place waste in an appropriately labeled, sealed container for disposal. Care should be taken to avoid environmental release.  Additional Considerations for Large Spills:  Contain and control the leaks or spills with non-combustible absorbent materials such as sand, earth, vermiculite, or diatomaceous earth in drums for waste disposal. Avoid allowing product to reach seway system or any waterways. Inform respective authorities in case of seepage into sewage system or waterways.  7. Handling and Storage  General Handling:  Avoid contact with eyes, skin, mucous and clothing. Wear required PPE. Observe good hygiene guidelines and general safety practices. Do NOT eat, drink, or smoke when handling. Ensure workspace is properly ventilated. Wash hands after handling.  Storage Conditions:  Store in tightly sealed glass container, away from heat, light, and other sources of ignition; in a well-ventilated, dry, and cool location. Keep away from strong oxidizing agents.  8. Exposure Controls / Personal Protection  Exposure Limit:  This product, as supplied, does not contain any hazardous materials with occupational exposure limits established by the region-specific regulatory bodies.  Extraction or global ventilation. Equipment should be grounded. Provide eyewash station.  Avoid discharging into sewer or environment. Do NOT e	Fire Fighting Procedures:			
Personnel involved in cleanup should wear appropriate personal protective equipment (see Section 8). Minimize exposure. Eliminate all sources of ignition and ventilate area using explosion-proof equipment.    Measures for Cleaning and Collecting:	Fire / Explosion Hazards:	may be released during oil fires. Flammable liquid and vapor. Vapors are heavier than air and may travel along surfaces to remote ignition sources		
equipment (see Section 8). Minimize exposure. Eliminate all sources of ignition and ventilate area using explosion-proof equipment.  Measures for Cleaning and Collecting: Absorb spill with non-combustible matter (such as detergent—do not use solvents) and transfer to containers. Clean spill area thoroughly.  Measures for Environmental Protections: Do NOT allow to enter the sewer or outdoor environment. Place waste in an appropriately labeled, sealed container for disposal. Care should be taken to avoid environmental release.  Additional Considerations for Large Spills: Contain and control the leaks or spills with non-combustible absorbent materials such as sand, earth, vermiculite, or diatomaceous earth in drums for waste disposal. Avoid allowing product to reads ewaye system or any waterways. Inform respective authorities in case of seepage into sewage system or waterways.  7. Handling and Storage  General Handling: Avoid contact with eyes, skin, mucous and clothing. Wear required PPE. Observe good hygiene guidelines and general safety practices. Do NOT eat, drink, or smoke when handling. Ensure workspace is properly ventilated. Wash hands after handling.  Storage Conditions: Store in tightly sealed glass container, away from heat, light, and other sources of ignition; in a well-ventilated, dry, and cool location. Keep away from strong oxidizing agents.  8. Exposure Controls / Personal Protection  Exposure Limit: This product, as supplied, does not contain any hazardous materials with occupational exposure limits established by the region-specific regulatory bodies.  Engineering Controls: Extraction or global ventilation. Equipment should be grounded. Provide eyewash station.  Environmental Exposure Controls:  Work clothing worn by personnel shall be laundered regularly. After contact with the product, all parts of the body that have been soiled must be washed  Hands: Wear suitable protective gloves (resistant to chemical agents in accordance with standard EN374) in the event of prolonged or repeated skin cont	6. Accidental Release Measures			
Measures for Environmental Protections:  Do NOT allow to enter the sewer or outdoor environment. Place waste in an appropriately labeled, sealed container for disposal. Care should be taken to avoid environmental release.  Additional Considerations for Large Spills: Contain and control the leaks or spills with non-combustible absorbent materials such as sand, earth, vermiculite, or diatomaceous earth in drums for waste disposal. Avoid allowing product to reach sewage system or any waterways. Inform respective authorities in case of seepage into sewage system or waterways.  7. Handling and Storage  General Handling: Avoid contact with eyes, skin, mucous and clothing. Wear required PPE. Observe good hygiene guidelines and general safety practices. Do NOT eat, drink, or smoke when handling. Ensure workspace is properly ventilated. Wash hands after handling.  Storage Conditions: Storage Conditions: Store in tightly sealed glass container, away from heat, light, and other sources of ignition; in a well-ventilated, dry, and cool location. Keep away from strong oxidizing agents.  8. Exposure Controls / Personal Protection  Exposure Limit: This product, as supplied, does not contain any hazardous materials with occupational exposure limits established by the region-specific regulatory bodies.  Extraction or global ventilation. Equipment should be grounded. Provide eyewash station.  Environmental Exposure Controls: Avoid discharging into sewer or environment. Do NOT eat, drink, or smoke near or after handling product.  Work clothing worn by personnel shall be laundered regularly. After contact with the product, all parts of the body that have been soiled must be washed  Hands: Wear suitable protective gloves (resistant to chemical agents in accordance with standard EN374) in the event of prolonged or repeated skin contact.  Eyes: Avoid contact with eyes. Use eye protectors (safety goggles in accordance with standard EN374) in the event of prolonged or repeated skin contact.	Health and Safety Precautions:	equipment (see Section 8). Minimize exposure. Eliminate all sources of		
Additional Considerations for Large Spills:  Additional Considerations for Large Spills: Contain and control the leaks or spills with non-combustible absorbent materials such as sand, earth, vermiculite, or diatomaceous earth in drums for waste disposal. Avoid allowing product to reach sewage system or any waterways. Inform respective authorities in case of seepage into sewage system or vaterways.  7. Handling and Storage  General Handling: Avoid contact with eyes, skin, mucous and clothing. Wear required PPE. Observe good hygiene guidelines and general safety practices. Do NOT eat, drink, or smoke when handling. Ensure workspace is properly ventilated. Wash hands after handling.  Storage Conditions: Storage Conditions: Storage Conditions:  Storage Conditions: This product, as supplied, does not contain any hazardous materials with occupational exposure limits established by the region-specific regulatory bodies.  Exposure Limit: This product, as supplied, does not contain any hazardous materials with occupational exposure limits established by the region-specific regulatory bodies.  Environmental Exposure Controls: Extraction or global ventilation. Equipment should be grounded. Provide eyewash station.  Environmental Exposure Controls: Work clothing worn by personnel shall be laundered regularly. After contact with the product, all parts of the body that have been soiled must be washed  Wear suitable protective gloves (resistant to chemical agents in accordance with standard EN374) in the event of prolonged or repeated skin contact.  Eyes:  Avoid contact with eyes. Use eye protectors (safety goggles in accordance with standard EN366) designed to protect against liquid splashes.	Measures for Cleaning and Collecting:			
materials such as sand, earth, vermiculite, or diatomaceous earth in drums for waste disposal. Avoid allowing product to reach sewage system or any waterways. Inform respective authorities in case of seepage into sewage system or waterways.  7. Handling and Storage  General Handling:  Avoid contact with eyes, skin, mucous and clothing. Wear required PPE. Observe good hygiene guidelines and general safety practices. Do NOT eat, drink, or smoke when handling. Ensure workspace is properly ventilated. Wash hands after handling. Ensure workspace is properly ventilated. Wash hands after handling. Ensure workspace is properly ventilated. Wash hands after handling. Ensure workspace is properly ventilated. Wash hands after handling. Ensure workspace is properly ventilated. Wash hands after handling.  Storage Conditions:  Storage Conditions:  This product, as supplied, does not contain any hazardous materials with occupational exposure limits established by the region-specific regulatory bodies.  Engineering Controls:  Extraction or global ventilation. Equipment should be grounded. Provide eyewash station.  Environmental Exposure Controls:  Avoid discharging into sewer or environment. Do NOT eat, drink, or smoke near or after handling product.  Work clothing worn by personnel shall be laundered regularly. After contact with the product, all parts of the body that have been soiled must be washed  Hands:  Wear suitable protective gloves (resistant to chemical agents in accordance with standard EN374) in the event of prolonged or repeated skin contact.  Eyes:  Avoid contact with eyes. Use eye protectors (safety goggles in accordance with standard EN376) designed to protect against liquid splashes.	Measures for Environmental Protections:	an appropriately labeled, sealed container for disposal. Care should be		
Avoid contact with eyes, skin, mucous and clothing. Wear required PPE. Observe good hygiene guidelines and general safety practices. Do NOT eat, drink, or smoke when handling. Ensure workspace is properly ventilated. Wash hands after handling.  Storage Conditions: Store in tightly sealed glass container, away from heat, light, and other sources of ignition; in a well-ventilated, dry, and cool location. Keep away from strong oxidizing agents.  8. Exposure Controls / Personal Protection  Exposure Limit: This product, as supplied, does not contain any hazardous materials with occupational exposure limits established by the region-specific regulatory bodies.  Engineering Controls: Extraction or global ventilation. Equipment should be grounded. Provide eyewash station.  Environmental Exposure Controls: Avoid discharging into sewer or environment. Do NOT eat, drink, or smoke near or after handling product.  Work clothing worn by personnel shall be laundered regularly. After contact with the product, all parts of the body that have been soiled must be washed  Wear suitable protective gloves (resistant to chemical agents in accordance with standard EN374) in the event of prolonged or repeated skin contact.  Eyes: Avoid contact with eyes. Use eye protectors (safety goggles in accordance with standard EN166) designed to protect against liquid splashes.	Additional Considerations for Large Spills:	materials such as sand, earth, vermiculite, or diatomaceous earth in drums for waste disposal. Avoid allowing product to reach sewage system or any waterways. Inform respective authorities in case of seepage into sewage		
Observe good hygiene guidelines and general safety practices. Do NOT eat, drink, or smoke when handling. Ensure workspace is properly ventilated. Wash hands after handling.  Store in tightly sealed glass container, away from heat, light, and other sources of ignition; in a well-ventilated, dry, and cool location. Keep away from strong oxidizing agents.  8. Exposure Controls / Personal Protection  Exposure Limit:  This product, as supplied, does not contain any hazardous materials with occupational exposure limits established by the region-specific regulatory bodies.  Engineering Controls:  Extraction or global ventilation. Equipment should be grounded. Provide eyewash station.  Environmental Exposure Controls:  Avoid discharging into sewer or environment. Do NOT eat, drink, or smoke near or after handling product.  Personal Protective Equipment (PPE):  Work clothing worn by personnel shall be laundered regularly. After contact with the product, all parts of the body that have been soiled must be washed  Wear suitable protective gloves (resistant to chemical agents in accordance with standard EN374) in the event of prolonged or repeated skin contact.  Eyes:  Avoid contact with eyes. Use eye protectors (safety goggles in accordance with standard EN166) designed to protect against liquid splashes.	7. Handling and Storage			
8. Exposure Controls / Personal Protection  Exposure Limit: This product, as supplied, does not contain any hazardous materials with occupational exposure limits established by the region-specific regulatory bodies.  Engineering Controls: Extraction or global ventilation. Equipment should be grounded. Provide eyewash station.  Environmental Exposure Controls: Avoid discharging into sewer or environment. Do NOT eat, drink, or smoke near or after handling product.  Work clothing worn by personnel shall be laundered regularly. After contact with the product, all parts of the body that have been soiled must be washed  Wear suitable protective gloves (resistant to chemical agents in accordance with standard EN374) in the event of prolonged or repeated skin contact.  Eyes: Avoid contact with eyes. Use eye protectors (safety goggles in accordance with standard EN166) designed to protect against liquid splashes.	General Handling:	Observe good hygiene guidelines and general safety practices. Do NOT eat, drink, or smoke when handling. Ensure workspace is properly		
Exposure Limit:  This product, as supplied, does not contain any hazardous materials with occupational exposure limits established by the region-specific regulatory bodies.  Engineering Controls:  Extraction or global ventilation. Equipment should be grounded. Provide eyewash station.  Environmental Exposure Controls:  Avoid discharging into sewer or environment. Do NOT eat, drink, or smoke near or after handling product.  Work clothing worn by personnel shall be laundered regularly. After contact with the product, all parts of the body that have been soiled must be washed  Wear suitable protective gloves (resistant to chemical agents in accordance with standard EN374) in the event of prolonged or repeated skin contact.  Eyes:  Avoid contact with eyes. Use eye protectors (safety goggles in accordance with standard EN166) designed to protect against liquid splashes.	Storage Conditions:	sources of ignition; in a well-ventilated, dry, and cool location. Keep away		
ccupational exposure limits established by the region-specific regulatory bodies.  Engineering Controls:  Extraction or global ventilation. Equipment should be grounded. Provide eyewash station.  Avoid discharging into sewer or environment. Do NOT eat, drink, or smoke near or after handling product.  Work clothing worn by personnel shall be laundered regularly. After contact with the product, all parts of the body that have been soiled must be washed  Hands:  Wear suitable protective gloves (resistant to chemical agents in accordance with standard EN374) in the event of prolonged or repeated skin contact.  Eyes:  Avoid contact with eyes. Use eye protectors (safety goggles in accordance with standard EN166) designed to protect against liquid splashes.	8. Exposure Controls / Personal Pro	tection		
eyewash station.  Avoid discharging into sewer or environment. Do NOT eat, drink, or smoke near or after handling product.  Personal Protective Equipment (PPE):  Work clothing worn by personnel shall be laundered regularly. After contact with the product, all parts of the body that have been soiled must be washed  Hands:  Wear suitable protective gloves (resistant to chemical agents in accordance with standard EN374) in the event of prolonged or repeated skin contact.  Eyes:  Avoid contact with eyes. Use eye protectors (safety goggles in accordance with standard EN166) designed to protect against liquid splashes.	Exposure Limit:	occupational exposure limits established by the region-specific regulatory		
Personal Protective Equipment (PPE):  Work clothing worn by personnel shall be laundered regularly. After contact with the product, all parts of the body that have been soiled must be washed  Hands:  Wear suitable protective gloves (resistant to chemical agents in accordance with standard EN374) in the event of prolonged or repeated skin contact.  Eyes:  Avoid contact with eyes. Use eye protectors (safety goggles in accordance with standard EN166) designed to protect against liquid splashes.	Engineering Controls:			
with the product, all parts of the body that have been soiled must be washed  Hands:  Wear suitable protective gloves (resistant to chemical agents in accordance with standard EN374) in the event of prolonged or repeated skin contact.  Eyes:  Avoid contact with eyes. Use eye protectors (safety goggles in accordance with standard EN166) designed to protect against liquid splashes.	Environmental Exposure Controls:			
with standard EN374) in the event of prolonged or repeated skin contact.  Eyes:  Avoid contact with eyes. Use eye protectors (safety goggles in accordance with standard EN166) designed to protect against liquid splashes.	Personal Protective Equipment (PPE):	with the product, all parts of the body that have been soiled must be		
with standard EN166) designed to protect against liquid splashes.	Hands:			
Skin: Use protective clothing as necessary, such as a lab coat.	Eyes:			
	Skin:	Use protective clothing as necessary, such as a lab coat.		



	"Naturally the Purest"			
Respiratory Protection:	Assure a well-ventilated work area – Use general face covering			
9. Physical and Chemical Properties				
Physical State:	Liquid			
Liquid Color:	Yellow to orange			
Odor:	Characteristic			
Molecular Weight:	No information			
Water Solubility:	Not soluble			
Boiling Point (°C):	No information			
Vapor Pressure (kPa):	No information			
Vapor Density (g/mL):	No information			
Flash Point – Liquid (°C):	87°C			
Upper Explosive Limits:	No information			
Lower Explosive Limits:	No information			
Polymerization:	Will not occur			
Specific Gravity 25°C:	No information			
Specific Gravity 20°C:	1.400 – 1.600			
Refractive Index 20°C:	0.900 – 0.960			
10. Stability and Reactivity				
Chemical Stability:	Stable under normal conditions of use.			
Conditions to Avoid:	Keep away from heat, spark, flames, and all other sources of ignition			
Incompatible Materials:	Strong oxidizing agents and strong inorganic acids			
11. Toxicological Information				
General Information:	Product does not present an acute toxicity hazard based on known or supplied information.			
Acute Toxicity:	Not Determined			
Irritation / Sensitization:	Causes skin irritation			
	May cause an allergic skin reaction			
	Causes serious eye irritation			
Skin Absorption:	No adverse effects with normal skin. However, potentially harmful amounts of material may be absorbed across markedly abraded skin when contact is sustained.			
Carcinogen Status:	Carcinogenicity of the mixture has not been determined. Not listed as carcinogens by IARC, US OSHA or NTP.			
12. Ecological Information				
Environmental Overview:	The environmental characteristics of this mixture have not been fully evaluated. Releases to the environment should be avoided.			
Eco-toxicity Effects:	Harmful to aquatic life with long lasting effects			
Persistence and Degradability:	Biodegradation is expected			
Bio-accumulative Potential:	Bioaccumulation is unlikely			
Mobility in Soil:	Not Determined			
Other Adverse Effects:	Avoid exposure to marine environments and waterways			
13. Disposal Considerations				
Waste Treatment Methods:	Releases to the environment should be avoided. Review and implement appropriate technical and procedural wastewater and waste disposal measures to prevent occupational exposure or environmental releases. Waste from a spill: Contain the source of spill if it is safe to do so. Collect			



	"Naturally the Purest"		
	spill with absorbent material. Place waste in an appropriately labeled, sealed container for disposal. Clean spill area thoroughly. Care should be taken to avoid environmental release.		
14. Transport Information			
The following refers to all modes of transportation ADR, IMDG, and IATA regulations.	on unless specified below. This material is regulated for transport under DOT,		
UN Number:	1169		
UN Proper Shipping Name:	Extracts, aromatic, liquid		
Transport Hazard Class(es):	Flammable Class 3		
Packing Group:			
Flash Point (°C):	87°C		
Marine Pollutant:	Yes		
15. Regulatory Information			
EU Symbol:			
EU Indication of Danger:	Xi – Irritant Xn – Harmful		
EU Risk Phrases:	R10 Flammable R22 Harmful if swallowed R36/38 Irritating to eyes and skin R43 May cause sensitization by skin contact R52/53 Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment		
EU Safety Phrases:	S3/7/9 Keep container tightly closed in a cool, well-ventilated place S16 Keep away from sources of ignition – No smoking S24/25 Avoid contact with skin and eyes S26 In case of contact with eyes, rinse immediately with plenty of water and seek medical advice S27/28 After contact with skin, immediately take off all contaminated clothing and wash skin with plenty of water/soap S29/56 Do not empty into drains, dispose of this material and its container at hazardous or special waste collection point S36/37 Wear suitable protective clothing and gloves S61 Avoid release to the environment S62 If swallowed, do not induce vomiting: seek medical advice immediately		
OSHA Label:	Danger		
Identifying Markings in Accordance with EC Directives / GefStoffV:	No duty to mark/Exempt		
California Proposition 65:	Not listed		
United States TSCA:	Complies		
Australia (AICS):	Not present		
EU EINECS/ELINCS List:	Complies		
16. Other Information	·		
Section 2 Expanded Precautionary Statements	N/A		
Section 3 Expanded Classification 1272 / 2008	AspT = Aspiration Toxicity ATox = Acute Toxicity SI = Skin Irritant		



	SS = Skin Sensitizer
	SC = Skin Corrosion
	AC = Aquatic Chronic
	AA = Aquatic Acute
	FL = Flammable Liquid
	FS = Flammable Solid
	EI = Eye Irritant
	ED = Eye Damage
	STOT SE = Specific Target Organ Toxicity - Single Exposure
	STOT RE = Specific Target Organ Toxicity - Repeat Exposure
	MUT = Mutagenicity
	CAR = Carcinogenicity
Disclaimer: The information contained herein is	accurate to the best of our knowledge. Amrita Aromatherany, Inc. ® makes

Disclaimer: The information contained herein is accurate to the best of our knowledge. Amrita Aromatherapy, Inc.® makes no warranty of any kind, express or implied, concerning the safe use of this material in your process or in combination with other substances.

Revision Tracking				
Revision	Date	Reason	Author	Reviewed by
V1.0	7/20/2023	Creation	AG	SS

Pg. 6