

S:	afety Data Sheet
1. Identification	diety Data Offeet
Product Name:	Ylang Ylang Extra Organic Essential Oil
Botanical/INCI:	Cananga odorata
Synonyms:	Flower of Flowers
CAS Number:	83863-30-3
Product Uses:	Personal care, Aromatherapy
Manufacturer/Supplier:	Amrita Aromatherapy, Inc.®
Address:	1900 W. Stone Ave., Suite C Fairfield, IA 52556
Phone:	1(800)410-9651 or 1(641)472-9136
Fax:	1(641)472-8672
Emergency Contact:	Poison Control: 1(800)222-1222
2. Hazard(s) Identification	(,
Appearance:	Liquid
Signal Word:	Danger
Statement of Hazard:	H302 Harmful if swallowed
	H304 May be fatal if swallowed and enters airways
	H315 Causes skin irritation
	H317 May cause an allergic skin reaction
	H319 Causes serious eye irritation
Dun and the second Chate was after	H412 Harmful to aquatic life with long lasting effects
Precautionary Statements:	P233 Keep container tightly closed. P264+P265 Wash hands thoroughly after handling. Do not
	touch eyes.
	P272 Contaminated work clothing should not be allowed out
	of the workplace.
	P273 Avoid release to the environment.
	P280 Wear protective gloves/protective clothing.
	P301+P316+P331 IF SWALLOWED: Get emergency
	medical help immediately. Do NOT induce vomiting.
	P303+P361+P353 IF ON SKIN (or hair): Take off
	Immediately all contaminated clothing. Rinse SKIN with water or shower.
	P305+P354+P338 IF IN EYES: Immediately rinse with
	water for several minutes. Remove contact lenses if present
	and easy to do. Continue rinsing.
	P362+P364 Take off contaminated clothing and wash it
	before reuse.
	P370+P378 In case of fire: Use Foam, Dry chemical,
	Carbon Dioxide, B class Extinguishers to extinguish. P391 Collect spillage.
	P403 Store in a well-ventilated place.
	P501 Dispose of contents/container in accordance with
	local/regional/national/international regulations.
Aspiration Toxicity:	Category 1
Acute Toxicity (Oral):	Category 4
Skin Irritation:	Category 2
Skin Sensitization:	Category 1B
Eye Irritation:	Category 2
Eye Damage:	Category N/A
Lye Damaye.	Outogoty 1471

Pg. 1



	"Naturally t	he Purest"			
Acute Aquatic Toxicity:		Category 3			
Chronic Aquatic Toxicity:		Category 3			
Flammable Liquids:		Category N/A			
Classification according to EU Directives 67/548 Section, see Section 16.	/EEC or 1999/4	15/EC. For the ful	ll text of the R	-phrases mentione	d in this
	Haza	ards			
Symbol(s) Writing		Pictogram(s)			
 Harmful if swallowed Causes skin irritation May cause an allergic skin reaction Causes serious eye irritation 			>		
May be fatal if swallowed and enters a	·		>		
3. Composition / Information on Ing					
Ingredients List: 100% Organic Ylang Ylang E	xtra Essentia		1	T	T
Component		CAS Number	Weight %	Classification 1272 / 2008	REACH Number
Linalool		78-70-6	<=32%	SI2, SS1B, EI2	201-134-4
Para-Cresyl Methyl Ether		104-93-8	<=20%	FL3, ATox4, SI2, EI2, REP2, AC3	203-253-7
Geranyl Acetate		105-87-3	<=13%	SI2, SS1, AC2	203-341-5
Methyl Benzoate		93-58-3	<=9%	ATox4, FL4	202-259-7
Germacrene D		23986-74-5	<=5%	ATox4, AspT1	639-624-9
Benzyl Acetate		140-11-4	<=5%	STOT SE 3, AC3	205-399-7
Beta Caryophyllene		10579-93-8	<=5%	N/A	234-173-0
Geraniol		106-24-1	<=4%	SI2, SS1, ED1	203-377-1
·	Section 8 for	Exposure Limit	s)		
4. First Aid Measures					
General Advice:	Seek medical attention in case of any discomfort. Observe risk of aspiration if vomiting occurs. May cause lung damage if swallowed.				
Eye Contact:	Remove contact lenses. Flush repeatedly with water for 15 minutes; contact physician				
Skin Contact:	Remove contaminated clothing, wash with water and soap. Contact physician if redness or irritation develop.				
Ingestion:	Do NOT induce vomiting. Rinse out mouth. Do NOT give water or milk unless directed by medical professional. Contact POISON CENTER or doctor immediately.				
Inhalation:	Remove to fresh air and contact a physician if symptoms such as wheezing, coughing, shortness of breath, or burning in the mouth, throat, or				



chest occur. S. Fire Fighting Measures Extinguishing Media: SUITABLE: Foam, Dry chemical, Carbon Dioxide, B class Extinguishers NON-SUITABLE: Water Jet August Carbon Dioxide and Carbon Monoxide When possible, prevent environmental run-off. Use self-contained breathing apparatus and protective clothing. Carbon monoxide, carbon dioxide, acrid furnes, smoke, or flammable vapor may be released during oil fires. Flammable liquid and vapor. Vapors are heavier than air and may travel along surfaces to remote ignition sources and flash back. 6. Accidental Release Measures Health and Safety Precautions: Personnel involved in cleanup should wear appropriate personal protective equipment (see Section 8). Minimize exposure. Eliminate all sources of ignition and ventilate area using explosion-proof equipment. Measures for Cleaning and Collecting: Absorb spill with non-combustible matter (such as detergent—do not use solvents) and transfer to containers. Clean spill area thoroughly. Measures for Environmental Protections: Do NOT allow to enter the sewer or outdoor environment. Place waste in appropriately labeled, sealed container for disposal. Care should be taken to avoid environmental release. Additional Considerations for Large Spills: Contain and control the leaks or spills with non-combustible absorbent materials such as sand, earth, vermiculite, or diatomaceous earth in drums for waste disposal. Avoid allowing product to reach sewage system or any waterways. Inform respective authorities in case of seepage into sewage system or waterways. 7. Handling and Storage General Handling: Avoid contact with eyes, skin, mucous and clothing. Wear required PPE. Observe good hygiene guidelines and general safety practices. Do NOT eat, drink, or smoke when handling. Ensure workspace is properly ventilated. Wash hands after handling. Ensure workspace is properly ventilated. Wash hands after handling. Storage Conditions: Storage Conditions: Exposure Controls / Personal Protection Exposure Limit: This product, a		"Naturally the Purest"		
SUITABLE: Foam, Dry chemical, Carbon Dioxide, B class Extinguishers NON-SUITABLE: Water Jet		chest occur.		
NON-SUITABLE: Water Jet	5. Fire Fighting Measures			
Fire Fighting Procedures: When possible, prevent environmental run-off. Use self-contained breathing apparatus and protective dothing. Carbon monoxide, carbon dioxide, acrid fumes, smoke, or flammable vapor may be released during oil fires. Flammable liquid and vapor. Vapors are heavier than air and may travel along surfaces to remote ignition sources and flash back. Personnel involved in cleanup should wear appropriate personal protective equipment (see Section 8). Minimize exposure. Eliminate all sources of ignition and ventilate area using explosion-proof equipment. Measures for Cleaning and Collecting: Absort spill with non-combustible matter (such as detergent—do not use solvents) and transfer to containers. Clean spill area throughly. Measures for Environmental Protections: Do NOT allow to enter the sewer or outdoor environment. Place waste in an appropriately labeled, sealed container for disposal. Care should be taken to avoid environmental release. Additional Considerations for Large Spills: Contain and control the leaks or spills with non-combustible absorbent materials such as sand, earth, vermiculte, or distoraceous earth in drums for waste disposal. Avoid allowing product to reach sewage system or any waterways. Inform respective authorities in case of seepage into sewage system or waterways. Inform respective authorities in case of seepage into sewage system or any waterways. Inform respective authorities in case of seepage into sewage system or waterways. Inform respective authorities in case of seepage into sewage system or waterways. Inform respective authorities in case of seepage into sewage system or any waterways. Inform respective authorities in case of seepage into sewage system or waterways. Inform respective authorities in case of seepage into sewage system or any waterways. Inform respective authorities in case of seepage into sewage system or any waterways. Inform respective authorities in case of seepage into sewage in waterways. Inform respective authorities in case of seep	Extinguishing Media:	•		
apparatus and protective dothing.	Hazardous Combustion Products:	Carbon Dioxide and Carbon Monoxide		
may be released during oil fires. Flammable liquid and vapor. Vapors are heavier than air and may travel along surfaces to remote ignition sources and flash back. 6. Accidental Release Measures Health and Safety Precautions: Personnel involved in cleanup should wear appropriate personal protective equipment (see Section 8). Minimize exposure. Eliminate all sources of ignition and ventilate area using explosion-proof equipment. Measures for Cleaning and Collecting: Absorb spill with non-combustible matter (such as detergent—do not use solvents) and transfer to containers. Clean spill area thoroughly. Measures for Environmental Protections: Do NOT allow to enter the sewer or outdoor environment. Place waste in an appropriately labeled, sealed container for disposal. Care should be taken to avoid environmental release. Additional Considerations for Large Spills: Contain and control the leaks or spills with non-combustible absorbent materials such as sand, earth, vermiculite, or diatomaceous earth in drums for waste disposal. Avoid allowing product to reach seway system or any waterways. Inform respective authorities in case of seepage into sewage system or waterways. 7. Handling and Storage General Handling: Avoid contact with eyes, skin, mucous and clothing. Wear required PPE. Observe good hygiene guidelines and general safety practices. Do NOT eat, drink, or smoke when handling. Ensure workspace is properly ventilated. Wash hands after handling. Storage Conditions: Store in tightly sealed glass container, away from heat, light, and other sources of ignition; in a well-ventilated, dry, and cool location. Keep away from strong oxidizing agents. 8. Exposure Controls / Personal Protection Exposure Limit: This product, as supplied, does not contain any hazardous materials with occupational exposure limits established by the region-specific regulatory bodies. Extraction or global ventilation. Equipment should be grounded. Provide eyewash station. Avoid discharging into sewer or environment. Do NOT e	Fire Fighting Procedures:			
Personnel involved in cleanup should wear appropriate personal protective equipment (see Section 8). Minimize exposure. Eliminate all sources of ignition and ventilate area using explosion-proof equipment. Measures for Cleaning and Collecting:	Fire / Explosion Hazards:	may be released during oil fires. Flammable liquid and vapor. Vapors are heavier than air and may travel along surfaces to remote ignition sources		
equipment (see Section 8). Minimize exposure. Eliminate all sources of ignition and ventilate area using explosion-proof equipment. Measures for Cleaning and Collecting: Absorb spill with non-combustible matter (such as detergent—do not use solvents) and transfer to containers. Clean spill area thoroughly. Measures for Environmental Protections: Do NOT allow to enter the sewer or outdoor environment. Place waste in an appropriately labeled, sealed container for disposal. Care should be taken to avoid environmental release. Additional Considerations for Large Spills: Contain and control the leaks or spills with non-combustible absorbent materials such as sand, earth, vermiculite, or diatomaceous earth in drums for waste disposal. Avoid allowing product to reads ewaye system or any waterways. Inform respective authorities in case of seepage into sewage system or waterways. 7. Handling and Storage General Handling: Avoid contact with eyes, skin, mucous and clothing. Wear required PPE. Observe good hygiene guidelines and general safety practices. Do NOT eat, drink, or smoke when handling. Ensure workspace is properly ventilated. Wash hands after handling. Storage Conditions: Store in tightly sealed glass container, away from heat, light, and other sources of ignition; in a well-ventilated, dry, and cool location. Keep away from strong oxidizing agents. 8. Exposure Controls / Personal Protection Exposure Limit: This product, as supplied, does not contain any hazardous materials with occupational exposure limits established by the region-specific regulatory bodies. Engineering Controls: Extraction or global ventilation. Equipment should be grounded. Provide eyewash station. Environmental Exposure Controls: Work clothing worn by personnel shall be laundered regularly. After contact with the product, all parts of the body that have been soiled must be washed Hands: Wear suitable protective gloves (resistant to chemical agents in accordance with standard EN374) in the event of prolonged or repeated skin cont	6. Accidental Release Measures			
Measures for Environmental Protections: Do NOT allow to enter the sewer or outdoor environment. Place waste in an appropriately labeled, sealed container for disposal. Care should be taken to avoid environmental release. Additional Considerations for Large Spills: Contain and control the leaks or spills with non-combustible absorbent materials such as sand, earth, vermiculite, or diatomaceous earth in drums for waste disposal. Avoid allowing product to reach sewage system or any waterways. Inform respective authorities in case of seepage into sewage system or waterways. 7. Handling and Storage General Handling: Avoid contact with eyes, skin, mucous and clothing. Wear required PPE. Observe good hygiene guidelines and general safety practices. Do NOT eat, drink, or smoke when handling. Ensure workspace is properly ventilated. Wash hands after handling. Storage Conditions: Storage Conditions: Store in tightly sealed glass container, away from heat, light, and other sources of ignition; in a well-ventilated, dry, and cool location. Keep away from strong oxidizing agents. 8. Exposure Controls / Personal Protection Exposure Limit: This product, as supplied, does not contain any hazardous materials with occupational exposure limits established by the region-specific regulatory bodies. Extraction or global ventilation. Equipment should be grounded. Provide eyewash station. Environmental Exposure Controls: Avoid discharging into sewer or environment. Do NOT eat, drink, or smoke near or after handling product. Work clothing worn by personnel shall be laundered regularly. After contact with the product, all parts of the body that have been soiled must be washed Hands: Wear suitable protective gloves (resistant to chemical agents in accordance with standard EN374) in the event of prolonged or repeated skin contact. Eyes: Avoid contact with eyes. Use eye protectors (safety goggles in accordance with standard EN374) in the event of prolonged or repeated skin contact.	Health and Safety Precautions:	equipment (see Section 8). Minimize exposure. Eliminate all sources of		
Additional Considerations for Large Spills: Additional Considerations for Large Spills: Contain and control the leaks or spills with non-combustible absorbent materials such as sand, earth, vermiculite, or diatomaceous earth in drums for waste disposal. Avoid allowing product to reach sewage system or any waterways. Inform respective authorities in case of seepage into sewage system or vaterways. 7. Handling and Storage General Handling: Avoid contact with eyes, skin, mucous and clothing. Wear required PPE. Observe good hygiene guidelines and general safety practices. Do NOT eat, drink, or smoke when handling. Ensure workspace is properly ventilated. Wash hands after handling. Storage Conditions: Storage Conditions: Storage Conditions: Storage Conditions: This product, as supplied, does not contain any hazardous materials with occupational exposure limits established by the region-specific regulatory bodies. Exposure Limit: This product, as supplied, does not contain any hazardous materials with occupational exposure limits established by the region-specific regulatory bodies. Environmental Exposure Controls: Extraction or global ventilation. Equipment should be grounded. Provide eyewash station. Environmental Exposure Controls: Work clothing worn by personnel shall be laundered regularly. After contact with the product, all parts of the body that have been soiled must be washed Wear suitable protective gloves (resistant to chemical agents in accordance with standard EN374) in the event of prolonged or repeated skin contact. Eyes: Avoid contact with eyes. Use eye protectors (safety goggles in accordance with standard EN366) designed to protect against liquid splashes.	Measures for Cleaning and Collecting:			
materials such as sand, earth, vermiculite, or diatomaceous earth in drums for waste disposal. Avoid allowing product to reach sewage system or any waterways. Inform respective authorities in case of seepage into sewage system or waterways. 7. Handling and Storage General Handling: Avoid contact with eyes, skin, mucous and clothing. Wear required PPE. Observe good hygiene guidelines and general safety practices. Do NOT eat, drink, or smoke when handling. Ensure workspace is properly ventilated. Wash hands after handling. Ensure workspace is properly ventilated. Wash hands after handling. Ensure workspace is properly ventilated. Wash hands after handling. Ensure workspace is properly ventilated. Wash hands after handling. Ensure workspace is properly ventilated. Wash hands after handling. Storage Conditions: Storage Conditions: This product, as supplied, does not contain any hazardous materials with occupational exposure limits established by the region-specific regulatory bodies. Engineering Controls: Extraction or global ventilation. Equipment should be grounded. Provide eyewash station. Environmental Exposure Controls: Avoid discharging into sewer or environment. Do NOT eat, drink, or smoke near or after handling product. Work clothing worn by personnel shall be laundered regularly. After contact with the product, all parts of the body that have been soiled must be washed Hands: Wear suitable protective gloves (resistant to chemical agents in accordance with standard EN374) in the event of prolonged or repeated skin contact. Eyes: Avoid contact with eyes. Use eye protectors (safety goggles in accordance with standard EN376) designed to protect against liquid splashes.	Measures for Environmental Protections:	an appropriately labeled, sealed container for disposal. Care should be		
Avoid contact with eyes, skin, mucous and clothing. Wear required PPE. Observe good hygiene guidelines and general safety practices. Do NOT eat, drink, or smoke when handling. Ensure workspace is properly ventilated. Wash hands after handling. Storage Conditions: Store in tightly sealed glass container, away from heat, light, and other sources of ignition; in a well-ventilated, dry, and cool location. Keep away from strong oxidizing agents. 8. Exposure Controls / Personal Protection Exposure Limit: This product, as supplied, does not contain any hazardous materials with occupational exposure limits established by the region-specific regulatory bodies. Engineering Controls: Extraction or global ventilation. Equipment should be grounded. Provide eyewash station. Environmental Exposure Controls: Avoid discharging into sewer or environment. Do NOT eat, drink, or smoke near or after handling product. Work clothing worn by personnel shall be laundered regularly. After contact with the product, all parts of the body that have been soiled must be washed Wear suitable protective gloves (resistant to chemical agents in accordance with standard EN374) in the event of prolonged or repeated skin contact. Eyes: Avoid contact with eyes. Use eye protectors (safety goggles in accordance with standard EN166) designed to protect against liquid splashes.	Additional Considerations for Large Spills:	materials such as sand, earth, vermiculite, or diatomaceous earth in drums for waste disposal. Avoid allowing product to reach sewage system or any waterways. Inform respective authorities in case of seepage into sewage		
Observe good hygiene guidelines and general safety practices. Do NOT eat, drink, or smoke when handling. Ensure workspace is properly ventilated. Wash hands after handling. Store in tightly sealed glass container, away from heat, light, and other sources of ignition; in a well-ventilated, dry, and cool location. Keep away from strong oxidizing agents. 8. Exposure Controls / Personal Protection Exposure Limit: This product, as supplied, does not contain any hazardous materials with occupational exposure limits established by the region-specific regulatory bodies. Engineering Controls: Extraction or global ventilation. Equipment should be grounded. Provide eyewash station. Environmental Exposure Controls: Avoid discharging into sewer or environment. Do NOT eat, drink, or smoke near or after handling product. Personal Protective Equipment (PPE): Work clothing worn by personnel shall be laundered regularly. After contact with the product, all parts of the body that have been soiled must be washed Wear suitable protective gloves (resistant to chemical agents in accordance with standard EN374) in the event of prolonged or repeated skin contact. Eyes: Avoid contact with eyes. Use eye protectors (safety goggles in accordance with standard EN166) designed to protect against liquid splashes.	7. Handling and Storage			
8. Exposure Controls / Personal Protection Exposure Limit: This product, as supplied, does not contain any hazardous materials with occupational exposure limits established by the region-specific regulatory bodies. Engineering Controls: Extraction or global ventilation. Equipment should be grounded. Provide eyewash station. Environmental Exposure Controls: Avoid discharging into sewer or environment. Do NOT eat, drink, or smoke near or after handling product. Work clothing worn by personnel shall be laundered regularly. After contact with the product, all parts of the body that have been soiled must be washed Wear suitable protective gloves (resistant to chemical agents in accordance with standard EN374) in the event of prolonged or repeated skin contact. Eyes: Avoid contact with eyes. Use eye protectors (safety goggles in accordance with standard EN166) designed to protect against liquid splashes.	General Handling:	Observe good hygiene guidelines and general safety practices. Do NOT eat, drink, or smoke when handling. Ensure workspace is properly		
Exposure Limit: This product, as supplied, does not contain any hazardous materials with occupational exposure limits established by the region-specific regulatory bodies. Engineering Controls: Extraction or global ventilation. Equipment should be grounded. Provide eyewash station. Environmental Exposure Controls: Avoid discharging into sewer or environment. Do NOT eat, drink, or smoke near or after handling product. Work clothing worn by personnel shall be laundered regularly. After contact with the product, all parts of the body that have been soiled must be washed Wear suitable protective gloves (resistant to chemical agents in accordance with standard EN374) in the event of prolonged or repeated skin contact. Eyes: Avoid contact with eyes. Use eye protectors (safety goggles in accordance with standard EN166) designed to protect against liquid splashes.	Storage Conditions:	sources of ignition; in a well-ventilated, dry, and cool location. Keep away		
ccupational exposure limits established by the region-specific regulatory bodies. Engineering Controls: Extraction or global ventilation. Equipment should be grounded. Provide eyewash station. Avoid discharging into sewer or environment. Do NOT eat, drink, or smoke near or after handling product. Work clothing worn by personnel shall be laundered regularly. After contact with the product, all parts of the body that have been soiled must be washed Hands: Wear suitable protective gloves (resistant to chemical agents in accordance with standard EN374) in the event of prolonged or repeated skin contact. Eyes: Avoid contact with eyes. Use eye protectors (safety goggles in accordance with standard EN166) designed to protect against liquid splashes.	8. Exposure Controls / Personal Pro	tection		
eyewash station. Avoid discharging into sewer or environment. Do NOT eat, drink, or smoke near or after handling product. Personal Protective Equipment (PPE): Work clothing worn by personnel shall be laundered regularly. After contact with the product, all parts of the body that have been soiled must be washed Hands: Wear suitable protective gloves (resistant to chemical agents in accordance with standard EN374) in the event of prolonged or repeated skin contact. Eyes: Avoid contact with eyes. Use eye protectors (safety goggles in accordance with standard EN166) designed to protect against liquid splashes.	Exposure Limit:	occupational exposure limits established by the region-specific regulatory		
Personal Protective Equipment (PPE): Work clothing worn by personnel shall be laundered regularly. After contact with the product, all parts of the body that have been soiled must be washed Hands: Wear suitable protective gloves (resistant to chemical agents in accordance with standard EN374) in the event of prolonged or repeated skin contact. Eyes: Avoid contact with eyes. Use eye protectors (safety goggles in accordance with standard EN166) designed to protect against liquid splashes.	Engineering Controls:			
with the product, all parts of the body that have been soiled must be washed Hands: Wear suitable protective gloves (resistant to chemical agents in accordance with standard EN374) in the event of prolonged or repeated skin contact. Eyes: Avoid contact with eyes. Use eye protectors (safety goggles in accordance with standard EN166) designed to protect against liquid splashes.	Environmental Exposure Controls:			
with standard EN374) in the event of prolonged or repeated skin contact. Eyes: Avoid contact with eyes. Use eye protectors (safety goggles in accordance with standard EN166) designed to protect against liquid splashes.	Personal Protective Equipment (PPE):	with the product, all parts of the body that have been soiled must be		
with standard EN166) designed to protect against liquid splashes.	Hands:			
Skin: Use protective clothing as necessary, such as a lab coat.	Eyes:			
	Skin:	Use protective clothing as necessary, such as a lab coat.		

August 1, 2023 Safety Data Sheet Pg. 3



	"Naturally the Purest"
Respiratory Protection:	Assure a well-ventilated work area – Use general face covering
9. Physical and Chemical Properties	
Physical State:	Liquid
Liquid Color:	Pale yellow to dark orange
Odor:	Very floral
Molecular Weight:	No information
Water Solubility:	Not soluble
Boiling Point (°C):	No information
Vapor Pressure (kPa):	No information
Vapor Density (g/mL):	No information
Flash Point – Liquid (°C):	>78°C
Upper Explosive Limits:	No information
Lower Explosive Limits:	No information
Polymerization:	Will not occur
Specific Gravity 25°C:	No information
Specific Gravity 20°C:	0.924 – 0.975
Refractive Index 20°C:	1.490 – 1.509
10. Stability and Reactivity	
Chemical Stability:	Stable under normal conditions of use.
Conditions to Avoid:	Keep away from heat, spark, flames, and all other sources of ignition
Incompatible Materials:	Strong oxidizing agents and strong inorganic acids
11. Toxicological Information	
General Information:	Harmful if swallowed
	May be fatal if swallowed and enters airways
Acute Toxicity:	Acute Toxicity (Oral): Category 4
	Aspiration Hazard: Category 1
Irritation / Sensitization:	Causes skin irritation
	May cause an allergic skin reaction
Chin Ahaamtian	Causes serious eye irritation
Skin Absorption:	No adverse effects with normal skin. However, potentially harmful amounts of material may be absorbed across markedly abraded skin when contact is
	sustained.
Carcinogen Status:	Carcinogenicity of the mixture has not been determined. Not listed as
	carcinogens by IARC, US OSHA or NTP.
12. Ecological Information	
Environmental Overview:	The environmental characteristics of this mixture have not been fully
F	evaluated. Releases to the environment should be avoided.
Eco-toxicity Effects:	Harmful to aquatic life with long lasting effects
Persistence and Degradability:	Biodegradation is expected
Bio-accumulative Potential:	Bioaccumulation is unlikely
Mobility in Soil:	Not Determined
Other Adverse Effects:	Avoid exposure to marine environments and waterways
13. Disposal Considerations	
Waste Treatment Methods:	Releases to the environment should be avoided. Review and implement
	appropriate technical and procedural wastewater and waste disposal measures to prevent occupational exposure or environmental releases.
	modulito to provent occupational exposure of environmental releases.

August 1, 2023 Safety Data Sheet Pg. 4



	"Naturally the Purest"		
	Waste from a spill: Contain the source of spill if it is safe to do so. Collect spill with absorbent material. Place waste in an appropriately labeled, sealed container for disposal. Clean spill area thoroughly. Care should be taken to avoid environmental release.		
14. Transport Information			
•	on unless specified below. This material is regulated for transport under DOT,		
UN Number:	1169		
UN Proper Shipping Name:	Extracts, aromatic, liquid		
Transport Hazard Class(es):	Flammable Class 3		
Packing Group:	III		
Flash Point (°C):	>78°C		
Marine Pollutant:	Yes		
15. Regulatory Information			
EU Symbol:			
EU Indication of Danger:	Xn – Harmful		
	Xi – Irritant		
EU Risk Phrases:	R22 Harmful if swallowed		
	R36/38 Irritating to eyes and skin		
	R43 May cause sensitization by skin contact		
	R52/53 Harmful to aquatic organisms, may cause long-term adverse effects		
	in the aquatic environment		
EU Safety Phrases:	S7/9 Keep container tightly closed in well-ventilated place. S24/25 Avoid contact with skin and eyes S26 In case of contact with eyes, rinse immediately with plenty of water and seek medical advice S27/28 After contact with skin, immediately take off all contaminated clothing and wash skin with plenty of water/soap S29/56 Do not empty into drains, dispose of this material and its container at hazardous or special waste collection point S36/37 Wear suitable protective clothing and gloves S61 Avoid release to the environment S62 If swallowed, do not induce vomiting: seek medical advice immediately		
OSHA Label:	Danger		
Identifying Markings in Accordance with EC Directives / GefStoffV:	No duty to mark/Exempt		
California Proposition 65:	Not listed		
United States TSCA:	Complies		
Australia (AICS):	Not present		
EU EINECS/ELINCS List:	Complies		
16. Other Information			
Section 2 Expanded Precautionary Statements	N/A		
Section 3 Expanded Classification 1272 / 2008	AspT = Aspiration Toxicity ATox = Acute Toxicity SI = Skin Irritant SS = Skin Sensitizer		

August 1, 2023 Safety Data Sheet Pg. 5



	SC = Skin Corrosion
	AC = Aquatic Chronic
	AA = Aquatic Acute
	FL = Flammable Liquid
	FS = Flammable Solid
	EI = Eye Irritant
	ED = Eye Damage
	STOT SE = Specific Target Organ Toxicity - Single Exposure
	STOT RE = Specific Target Organ Toxicity - Repeat Exposure
	MUT = Mutagenicity
	CAR = Carcinogenicity
	REP = Reproductive Toxicity
Disclaimers The information contained herein is	a accurate to the heat of our knowledge. Amrite Aremethereny, Inc. 8 makes

Disclaimer: The information contained herein is accurate to the best of our knowledge. Amrita Aromatherapy, Inc.® makes no warranty of any kind, express or implied, concerning the safe use of this material in your process or in combination with other substances.

Revision Tracking				
Revision	Date	Reason	Author	Reviewed by
V1.0	7/26/2023	Creation	AG	SS

Pg. 6