

Safety Data Sheet 1. Identification Product Name: Botanical/INCI: Product Name: Botanical/INCI: Product Uses: N/A CAS Number: Product Uses: Personal care, Aromatherapy Manufacturer/Bupplier: Amrita Aromatherapy, Inc. ® Address: 1900 W. Stone Ave. Suite C Fairfield, IA 52556 Phone: 1(800)410-9851 or 1(841)472-9136 Fax: 1(641)472-8672 Emergency Contact: Poison Control: 1(800)222-1222 2. Hazard(s) Identification Appearance: Liquid Signal Word: Danger Statement of Hazard: H302 Harmful if swallowed H304 May be fatal if swallowed and enters airways H315 Causes skin irration H317 May cause an allergic skin reaction H319 Causes sorius eye irration H319 Causes sorius eye irration H310 Causes sorius eye irration H310 Fayer you've be part of the representation of the	"Naturally the Purest"				
Black Spruce Organic Essential Oil	<u> </u>	ata Sneet			
Botanical/INCC: Picea mariana	1. Identification				
Synonyms: N/A Shumber: 9172-19-9 Personal care, Aromatherapy Manufacturer/Supplier: Amrita Aromatherapy Manufacturer/Supplier: Manufactu		· · · · ·			
CAS Number: Product Uses: Personal care, Aromatherapy Manufacturer/Supplier: Amrita Aromatherapy, Inc. ® Address: 1900 W. Stone Ave., Suite C Fairfield, IA 52556 Phone: 1(800)410-9651 or 1(641)472-9136 Fax: 1(641)472-8672 Emergency Contact: Poison Control: 1(800)222-1222 2. Hazard(s) Identification Appearance: Liquid Signal Word: Danger Statement of Hazard: H302 Harmful if swallowed H304 May be fatal if swallowed and enters airways H315 Causes skin irritation H317 May cause an allergic skin reaction H319 Causes serious eye irritation H319 Causes serious eye irritation H319 Causes serious eye irritation H310 Aguses and largic skin reaction H310 Causes serious eye irritation H3110 Aguses serious eye irritation H3110 Causes serious eye irritation H3110 Aguses serious eye irritation H31110 Aguses eye irritation H31110 Agu	Botanical/INCI:	Picea mariana			
Product Uses: Personal care, Aromatherapy Manufacturer/Supplier: Amrita Aromatherapy, Inc. * Amrita Aromatherapy, Inc. * Address: 1900 W. Stone Ave., Suite C Fairfield, IA 52556 Phone: 1(800)410-9651 or 1(641)472-9136 Fax: 1(641)472-8672 Emergency Contact: Poison Control: 1(800)222-1222 2. Hazard(s) Identification Appearance: Liquid Signal Word: Danger Statement of Hazard: H302 Harmful if swallowed H304 May be fatal if swallowed and enters airways H315 Causes skin irritation H317 May cause an allergic skin reaction H319 Causes serious eye irritation H317 May cause an allergic with long lasting effects Precautionary Statements: P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P233 Keep container tightly Gosed. P243 Take precautionary measures against static discharge. P264+P265 Wash hands thoroughly after handling. Do not touch eyes. P272 Contaminated work clothing should not be allowed out of the workplace. P273 Avoid release to the environment. P280 Wear protective gloves/protective clothing. P301+P316+P331 IF SWALLOWED: Get emergency medical help immediately. Do NOT induce vomiting. P303+P361+P363 IF ON SKIN (or har): Take off Immediately all contaminated clothing. Rinse SKIN with water. P305+P364+P364 Take off contaminated clothing and wash it before reuse. P370+P378 in case of fire: Use Foam, Dry chemical, Carbon Dioxide, B class Extinguishers to extinguish. P391-P378 P378 in case of fire: Use Foam, Dry chemical, Carbon Dioxide, B class Extinguishers to extinguish. P391 Collect spillage. P403+P235 Store in a well-ventilated place. Keep cool. P501 Dispose of contents/container in accordance with local/regional/inational/international regulations. Category 1 Skin Irritation: Category 2	·	·			
Manufacturer/Supplier: Address: 1900 W. Stone Ave., Suite C Fairfield, IA 52556 Phone: 11(800)410-9651 or 1(641)472-9136 Fax: 1(641)472-8672 Emergency Contact: Poison Control: 1(800)222-1222 2. Hazard(s) Identification Appearance: Liquid Signal Word: Danger Statement of Hazard: H302 Harmful if swallowed H304 May be fatal if swallowed and enters airways H315 Causes skin irritation H317 May cause an allergic skin reaction H319 Causes serious eye irritation H319 Causes serious eye irritation H310 Very toxic to aquatic life with long lasting effects Precautionary Statements: P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smooth, per 33 Keep container tightly closed. P243 Take precautionary measures against static discharge. P264+P265 Wash hands thoroughly after handling. Do not touch eyes. P272 Contaminated work clothing should not be allowed out of the workplace. P273 Avoid release to the environment. P280 Wear protective gloves/protective clothing. P303+P361+P335 IF ON SKIN (or hair): Take off Immediately all contaminated clothing. Rinse SKIN with water. P303+P361+P335 IF ON SKIN (or hair): Take off Immediately all contaminated clothing. Rinse SKIN with water for several minutes. Remove contact lenses if present and easy to do. Continue rinsing. P303+P364-P388 IF IN EYES: Immediately rinse with water for several minutes. Remove contact lenses if present and easy to do. Continue insing. P303+P364-P386 Take off contaminated clothing and wash it before reuse. P370+P378 In case of fire: Use Foam, Dry chemical, Carbon Dioxide, B class Extinguishers to extinguish. P391 Collect spillage. P403-P235 Store in a well-ventilated place, Keep cool. P501 Dispose of contents/container in accordance with local/regional/national/international regulations. Aspiration Toxicity: Category 2	CAS Number:	91722-19-9			
Address: 1900 W. Stone Ave., Suite C Fairfield, IA 52556 Phone: 1(800)410-9651 or 1(641)472-9136 Fax: 1(641)472-8672 Emergency Contact: Poison Control: 1(800)222-1222 2. Hazard(s) Identification Appearance: Liquid Signal Word: Danger Statement of Hazard: H302 Harmful if swallowed H304 May be fatal if swallowed and enters airways H315 Causes skin irritation H317 May cause an allergic skin reaction H319 Causes serious eye irritation H319 Causes serious eye irritation H319 Causes serious eye irritation H310 Very toxic to aquatic life with long lasting effects Precautionary Statements: P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P233 Keep container tightly closed. P243 Take precautionary measures against static discharge. P264-P265 Wash hands thoroughly after handling. Do not touch eyes. P272 Contaminated work clothing should not be allowed out of the workplace. P273 Avoid release to the environment. P280 Wear protective gloves/protective clothing. P301+P316+P331 IF SWALLOWED: Get emergency medical help immediately. Do NOT induce vormiting. P303-P361+P353 IF ON SKIN (or hair): Take off Immediately all contaminated clothing. Rinse SKIN with water. P305-P364-P363 IF IN EYES: Immediately rinse with water for several minutes. Remove contact lenses if present and easy to do. Continue rinsing. P302-P378 In case of fire: Use Foam, Dry chemical, Carbon Dioxide, B class Extinguishers to extinguish. P391 Collect spillage. P403-P235 Store in a well-ventilated place. Keep cool. P501 Dispose of contents/container in accordance with local/regional/national/international regulations. Aspiration Toxicity: Category 2	Product Uses:	Personal care, Aromatherapy			
Phone: 1(800)410-9651 or 1(641)472-9136 Fax: 1(641)472-8672 Emergency Contact: Poison Control: 1(800)222-1222 2. Hazard(s) Identification Appearance: Liquid Signal Word: Danger Statement of Hazard: H302 Harmful if swallowed H304 May be fatal if swallowed and enters airways H315 Causes skin irritation H317 May cause an allergic skin reaction H319 Causes serious eye irritation H410 Very toxic to aquatic life with long lasting effects Precautionary Statements: P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P233 Keep container tightly closed. P243 Take precautionary measures against static discharge. P264-P265 Wash hands thoroughly after handling. Do not touch eyes. P272 Contaminated work clothing should not be allowed out of the workplace. P273 Avoid release to the environment. P280 Wear protective gloves/protective clothing. P301-P331 F SWALLOWED: Get emergency medical help immediately. Do NOT induce vomiting. P303-P361-P363 IF SWALLOWED: Get emergency medical help immediately. Do NOT induce vomiting. P303-P361-P363 IF SWALLOWED: Get emergency medical help immediately all contaminated clothing. Rinse SKIN with water. P305-P364-P338 IF IN EYES: Immediately rinse with water for several minutes. Remove contact lenses if present and easy to do. Continue rinsing. P304-P378 In case of fire: Use Foam, Dry chemical, Carbon Dioxide, B class Extinguishers to extinguish. P391 Collect spillage. P403-P275 Store in a well-ventilated place. Keep cool. P501 Dispose of contents/container in accordance with local/regional/national/international regulations. Aspiration Toxicity: Category 2	Manufacturer/Supplier:	Amrita Aromatherapy, Inc.®			
Fax: 1(641)472-8672 Emergency Contact: Poison Control: 1(800)222-1222 2. Hazard(s) Identification Appearance: Liquid Signal Word: Danger Statement of Hazard: H302 Harmful if swallowed and enters airways H315 Causes skin irritation H317 May cause an allergic skin reaction H319 Causes skin eraction H319 Causes skin eraction H319 Causes serious eye irritation H310 very toxic to aquatic life with long lasting effects Precautionary Statements: P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P233 Keep container tightly closed. P243 Take precautionary measures against static discharge. P264+P265 Wash hands thoroughly after handling. Do not touch eyes. P272 Contaminated work clothing should not be allowed out of the workplace. P273 Avoid release to the environment. P280 Wear protective gloves/protective clothing. P301+P316+P331 IF SWALLOWED: Get emergency medical help immediately. Do NOT induce wornting. P301+P316+P331 IF SWALLOWED: Get emergency medical help immediately all contaminated clothing. Rinse SKIN with water. P305+P354+P338 IF IN EYES: Immediately rinse with water for several minutes. Remove contact lenses if present and easy to do. Continue rinsing. P302+P364 Take off contaminated clothing and wash it before reuse. P370+P378 In case of fire: Use Foam, Dry chemical, Carbon Dioxide, B class Extinguishers to extinguish. P391 Collect spillage. P403+P235 Store in a well-ventilated place. Keep cool. P501 Dispose of contents/container in accordance with local/regional/national/international regulations. Aspiration Toxicity: Category 2	Address:	·			
Emergency Contact: 2. Hazard(s) Identification Appearance: Liquid Danger Statement of Hazard: H302 Harmful if swallowed H304 May be fatal if swallowed and enters airways H315 Causes skin irritation H317 May cause an allergic skin reaction H319 Causes serious eye irritation H410 Very toxic to aquatic life with long lasting effects Precautionary Statements: Precautionary Statements: P210 Keep away from heat, not surfaces, sparks, open flames and other ignition sources. No smoking. P233 Keep container tightly closed. P243 Take precautionary measures against static discharge. P253 Keep container tightly closed. P243 Take precautionary measures against static discharge. P254 H265 Wash hands thoroughly after handling. Do not touch eyes. P272 Contaminated work clothing should not be allowed out of the workplace. P273 Novid release to the environment. P280 Wear protective gloves/protective clothing. P301+P316+P331 IF SWALLOWED: Get emergency medical help immediately. Do NOT induce vomiting. P303+P361+P353 IF ON SKIN (or hair): Take off Immediately all contaminated clothing. Rinse SKIN with water. P305+P354+P358 IF IN EYES: Immediately rinse with water for several minutes. Remove contact lenses if present and easy to do. Continue minsing. P362+P364 Take off contaminated clothing and wash it before reuse. P370+P378 In case of fire: Use Foam, Dry chemical, Carbon Dioxide, B class Extinguishers to extinguish. P391 Collect spillage. P403+P235 Store in a well-ventilated place. Keep cool. P501 Dispose of contents/container in accordance with local/regional/national/international regulations. Aspiration Toxicity: Category 2	Phone:	()			
2. Hazard(s) Identification Appearance: Signal Word: Danger Statement of Hazard: H302 Harmful if swallowed H304 May be fatal if swallowed and enters airways H315 Causes skin irritation H317 May cause an allergic skin reaction H319 Causes serious eye irritation H410 Very toxic to aquatic life with long lasting effects Precautionary Statements: Precautionary Magnetic Magnet	Fax:	1(641)472-8672			
Appearance: Signal Word: Danger H302 Harmful if swallowed H304 May be fatal if swallowed and enters airways H315 Causes skin irritation H317 May cause an allergic skin reaction H319 Causes serious eye irritation H410 Very toxic to aquatic life with long lasting effects Precautionary Statements: Precautionary Statements: P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P233 Keep container tightly closed. P243 Take precautionary measures against static discharge. P264+P265 Wash hands thoroughly after handling. Do not touch eyes. P272 Contaminated work clothing should not be allowed out of the workplace. P273 Avoid release to the environment. P280 Wear protective gloves/protective clothing. P301+P316+P331 IF SWALLOWED: Get emergency medical help immediately. Do NOT induce vomiting. P303+P361+P353 IF ON SKIN (or hair): Take off Immediately all contaminated clothing. Rinse SKIN with water. P305+P354+P338 IF IN EYES: Immediately rinse with water for several minutes. Remove contact lenses if present and easy to do. Continue rinsing. P362+P364 Take off contaminated clothing and wash it before reuse. P370+P378 In case of fire: Use Foam, Dry chemical, Carbon Dioxide, B class Extinguishers to extinguish. P391 Collect spillinge. P403+P235 Store in a well-ventilated place. Keep cool. P501 Dispose of contents/container in accordance with local/regional/inational/international regulations. Aspiration Toxicity: Category 2	Emergency Contact:	Poison Control: 1(800)222-1222			
Signal Word: Statement of Hazard: H302 Harmful if swallowed H304 May be fatal if swallowed and enters airways H315 Causes skin irritation H317 May cause an allergic skin reaction H319 Causes serious eye irritation H310 Very toxic to aquatic life with long lasting effects Precautionary Statements: P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P233 Keep container tightly closed. P243 Take precautionary measures against static discharge. P264+P265 Wash hands thoroughly after handling. Do not touch eyes. P272 Contaminated work clothing should not be allowed out of the workplace. P273 Avoid release to the environment. P280 Wear protective gloves/protective clothing. P301+P316+P331 IF SWALLOWED: Get emergency medical help immediately. Do NOT induce vomiting. P303+P361+P351 IF SWALLOWED: Also off Immediately all contaminated clothing. Rinse SKIN with water. P305+P364+P383 IF IN EYES: Immediately rinse with water for several minutes. Remove contact lenses if present and easy to do. Continue rinsing. P362+P364 Take off contaminated clothing and wash it before reuse. P370+P378 In case of fire: Use Foam, Dry chemical, Carbon Dioxide, B class Extinguishers to extinguish. P391 Collect spillage. P403+P235 Store in a well-ventilated place. Keep cool. P501 Dispose of contents/container in accordance with local/regional/inational/international regulations. Aspiration Toxicity: Category 2	2. Hazard(s) Identification				
Statement of Hazard: H302 Harmful if swallowed H304 May be fatal if swallowed and enters airways H315 Causes skin irritation H317 May cause an allergic skin reaction H319 Causes serious eye irritation H410 Very toxic to aquatic life with long lasting effects Precautionary Statements: Precautionary Statements: Precautionary Statements: P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P233 Keep container tightly closed. P243 Take precautionary measures against static discharge. P264+P265 Wash hands thoroughly after handling. Do not touch eyes. P272 Contaminated work clothing should not be allowed out of the workplace. P273 Avoid release to the environment. P280 Wear protective gloves/protective clothing. P301+P316+P331 IF SWALLOWED: Get emergency medical help immediately. Do NOT induce vomitting. P303+P361+P353 IF ON SKIN (or hair): Take off Immediately all contaminated clothing. Rinse SKIN with water. P305+P354+P338 IF IN EYES: Immediately rinse with water for several minutes. Remove contact lenses if present and easy to do. Continue rinsing. P362+P364 Take off contaminated clothing and wash it before reuse. P370+P378 In case of fire: Use Foam, Dry chemical, Carbon Dioxide, B class Extinguishers to extinguish. P391 Collect spillage. P403+P235 Store in a well-ventilated place. Keep cool. P501 Dispose of contents/container in accordance with local/regional/national/international regulations. Aspiration Toxicity: Category 2	Appearance:	Liquid			
H304 May be fatal if swallowed and enters airways H315 Causes skin irritation H317 May cause an allergic skin reaction H319 Causes serious eye irritation H410 Very toxic to aquatic life with long lasting effects Precautionary Statements: P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P233 Keep container tightly closed. P243 Take precautionary measures against static discharge. P264+P265 Wash hands thoroughly after handling. Do not touch eyes. P272 Contaminated work clothing should not be allowed out of the workplace. P273 Avoid release to the environment. P280 Wear protective gloves/protective clothing. P301+P316+P331 IF SWALLOWED: Get emergency medical help immediately. Do NOT induce vomiting. P303+P361+P353 IF ON SKIN (or hair): Take off Immediately all contaminated clothing. Rinse SKIN with water. P305+P354+P338 IF IN EYES: Immediately rinse with water for several minutes. Remove contact lenses if present and easy to do. Continue rinsing. P362+P364 Take off contaminated clothing and wash it before reuse. P370+P378 In case of fire: Use Foam, Dry chemical, Carbon Dioxide, B class Extinguishers to extinguish. P391 Collect spillage. P403+P235 Store in a well-ventilated place. Keep cool. P501 Dispose of contents/container in accordance with local/regional/national/international regulations. Aspiration Toxicity: Category 1 Skin Irritation:	Signal Word:	Danger			
H315 Causes skin irritation H317 May cause an allergic skin reaction H319 Causes serious eye irritation H410 Very toxic to aquatic life with long lasting effects Precautionary Statements: P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P233 Keep container tightly closed. P243 Take precautionary measures against static discharge. P264+P265 Wash hands thoroughly after handling. Do not touch eyes. P272 Contaminated work clothing should not be allowed out of the workplace. P273 Avoid release to the environment. P280 Wear protective gloves/protective clothing. P301+P316+P331 IF SWALLOWED. Get emergency medical help immediately. Do NOT induce vomiting. P303+P361+P353 IF ON SKIN (or hair): Take off Immediately all contaminated clothing. Rinse SKIN with water. P305+P354+P338 IF IN EYES: Immediately rinse with water for several minutes. Remove contact lenses if present and easy to do. Continue rinsing. P304-P364 Take off contaminated clothing and wash it before reuse. P370+P378 In case of fire: Use Foam, Dry chemical, Carbon Dioxide, B class Extinguishers to extinguish. P391 Collect spillage. P403+P235 Store in a well-ventilated place. Keep cool. P501 Dispose of contents/container in accordance with local/regional/national/international regulations. Aspiration Toxicity: Category 1 Skin Irritation: Category 2	Statement of Hazard:	H302 Harmful if swallowed			
H317 May cause an allergic skin reaction H319 Causes serious eye irritation H410 Very toxic to aquatic life with long lasting effects Precautionary Statements: P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P233 Keep container tightly closed. P243 Take precautionary measures against static discharge. P264+P265 Wash hands thoroughly after handling. Do not touch eyes. P272 Contaminated work clothing should not be allowed out of the workplace. P273 Avoid release to the environment. P280 Wear protective gloves/protective clothing. P301+P316+P331 IF SWALLOWED: Get emergency medical help immediately. Do NOT induce vomiting. P303+P361+P353 IF ON SKIN (or hair): Take off Immediately all contaminated clothing. Rinse SKIN with water. P305+P354+P338 IF IN EYES: Immediately rinse with water for several minutes. Remove contact lenses if present and easy to do. Continue rinsing. P362+P364 Take off contaminated clothing and wash it before reuse. P370+P378 In case of fire: Use Foam, Dry chemical, Carbon Dioxide, B class Extinguishers to extinguish. P391 Collect spillage. P403+P235 Store in a well-ventilated place. Keep cool. P501 Dispose of contents/container in accordance with local/regional/national/international regulations. Aspiration Toxicity: Category 1 Skin Irritation: Category 2					
H319 Causes serious eye irritation H410 Very toxic to aquatic life with long lasting effects Precautionary Statements: P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P233 Keep container tightly closed. P243 Take precautionary measures against static discharge. P264+P265 Wash hands thoroughly after handling. Do not touch eyes. P272 Contaminated work clothing should not be allowed out of the workplace. P273 Avoid release to the environment. P280 Wear protective gloves/protective clothing. P301+P316+P331 IF SWALLOWED: Get emergency medical help immediately. Do NOT induce vomiting. P303+P361+P353 IF ON SKIN (or hair): Take off Immediately all contaminated clothing. Rinse SKIN with water. P305+P354+P338 IF IN EYES: Immediately rinse with water for several minutes. Remove contact lenses if present and easy to do. Continue rinsing. P362+P364 Take off contaminated clothing and wash it before reuse. P370+P378 In case of fire: Use Foam, Dry chemical, Carbon Dioxide, B class Extinguishers to extinguish. P391 Collect spillage. P403+P235 Store in a well-ventilated place. Keep cool. P501 Dispose of contents/container in accordance with local/regional/national/international regulations. Aspiration Toxicity: Category 2					
Precautionary Statements: P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P233 Keep container tightly closed. P243 Take precautionary measures against static discharge. P264+P265 Wash hands thoroughly after handling. Do not touch eyes. P272 Contaminated work clothing should not be allowed out of the workplace. P273 Avoid release to the environment. P280 Wear protective gloves/protective clothing. P301+P316+P331 IF SWALLOWED: Get emergency medical help immediately. Do NOT induce vomiting. P303+P361+P353 IF ON SKIN (or hair): Take off Immediately all contaminated clothing. Rinse SKIN with water. P305+P354+P338 IF IN EYES: Immediately rinse with water for several minutes. Remove contact lenses if present and easy to do. Continue rinsing. P362+P364 Take off contaminated clothing and wash it before reuse. P370+P378 In case of fire: Use Foam, Dry chemical, Carbon Dioxide, B class Extinguishers to extinguish. P391 Collect spillage. P403+P235 Store in a well-ventilated place. Keep cool. P501 Dispose of contents/container in accordance with local/regional/national/international regulations. Aspiration Toxicity: Category 1 Skin Irritation: Category 2					
Precautionary Statements: P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P233 Keep container tightly closed. P243 Take precautionary measures against static discharge. P264-P265 Wash hands thoroughly after handling. Do not touch eyes. P272 Contaminated work clothing should not be allowed out of the workplace. P273 Avoid release to the environment. P280 Wear protective gloves/protective clothing. P301+P316+P331 IF SWALLOWED: Get emergency medical help immediately. Do NOT induce vomiting. P303+P361+P353 IF ON SKIN (or hair): Take off Immediately all contaminated clothing. Rinse SKIN with water. P305+P354+P338 IF IN EYES: Immediately rinse with water for several minutes. Remove contact lenses if present and easy to do. Continue rinsing. P362+P364 Take off contaminated clothing and wash it before reuse. P370+P378 In case of fire: Use Foam, Dry chemical, Carbon Dioxide, B class Extinguishers to extinguish. P391 Collect spillage. P403+P235 Store in a well-ventilated place. Keep cool. P501 Dispose of contents/container in accordance with local/regional/national/international regulations. Aspiration Toxicity: Category 1 Skin Irritation: Category 2					
flames and other ignition sources. No smoking. P233 Keep container tightly closed. P243 Take precautionary measures against static discharge. P264+P265 Wash hands thoroughly after handling. Do not touch eyes. P272 Contaminated work clothing should not be allowed out of the workplace. P273 Avoid release to the environment. P280 Wear protective gloves/protective clothing. P301+P316+P331 IF SWLOWED: Get emergency medical help immediately. Do NOT induce vomiting. P301+P316+P331 IF ON SKIN (or hair): Take off Immediately all contaminated clothing. Rinse SKIN with water. P305+P354+P338 IF IN EYES: Immediately rinse with water for several minutes. Remove contact lenses if present and easy to do. Continue rinsing. P362+P364 Take off contaminated clothing and wash it before reuse. P370+P378 In case of fire: Use Foam, Dry chemical, Carbon Dioxide, B class Extinguishers to extinguish. P391 Collect spillage. P403+P235 Store in a well-ventilated place. Keep cool. P501 Dispose of contents/container in accordance with local/regional/national/international regulations. Aspiration Toxicity: Category 1 Skin Irritation: Category 2	Draggutionary Statemental				
P233 Keep container tightly closed. P243 Take precautionary measures against static discharge. P264+P265 Wash hands thoroughly after handling. Do not touch eyes. P272 Contaminated work clothing should not be allowed out of the workplace. P273 Avoid release to the environment. P280 Wear protective gloves/protective clothing. P301+P316+P331 IF SWALLOWED: Get emergency medical help immediately. Do NOT induce vomiting. P303+P361+P353 IF ON SKIN (or hair): Take off Immediately all contaminated clothing. Rinse SKIN with water. P305+P354+P338 IF IN EYES: Immediately rinse with water for several minutes. Remove contact lenses if present and easy to do. Continue rinsing. P362+P364 Take off contaminated clothing and wash it before reuse. P370+P378 In case of fire: Use Foam, Dry chemical, Carbon Dioxide, B class Extinguishers to extinguish. P391 Collect spillage. P403+P235 Store in a well-ventilated place. Keep cool. P501 Dispose of contents/container in accordance with local/regional/national/international regulations. Aspiration Toxicity: Category 2	Precautionary Statements.				
P243 Take precautionary measures against static discharge. P264+P265 Wash hands thoroughly after handling. Do not touch eyes. P272 Contaminated work clothing should not be allowed out of the workplace. P273 Avoid release to the environment. P280 Wear protective gloves/protective clothing. P301+P316+P331 IF SWALLOWED: Get emergency medical help immediately. Do NOT induce vomiting. P303+P361+P353 IF ON SKIN (or hair): Take off Immediately all contaminated clothing. Rinse SKIN with water. P305+P354+P338 IF IN EYES: Immediately rinse with water for several minutes. Remove contact lenses if present and easy to do. Continue rinsing. P362+P364 Take off contaminated clothing and wash it before reuse. P370+P378 In case of fire: Use Foam, Dry chemical, Carbon Dioxide, B class Extinguishers to extinguish. P391 Collect spillage. P403+P235 Store in a well-ventilated place. Keep cool. P501 Dispose of contents/container in accordance with local/regional/national/international regulations. Aspiration Toxicity: Category 1 Skin Irritation:					
discharge. P264+P265 Wash hands thoroughly after handling. Do not touch eyes. P272 Contaminated work clothing should not be allowed out of the workplace. P273 Avoid release to the environment. P280 Wear protective gloves/protective clothing. P301+P316+P331 IF SWALLOWED: Get emergency medical help immediately. Do NOT induce vomiting. P303+P361+P353 IF ON SKIN (or hair): Take off Immediately all contaminated clothing. Rinse SKIN with water. P305+P354+P338 IF IN EYES: Immediately rinse with water for several minutes. Remove contact lenses if present and easy to do. Continue rinsing. P362+P364 Take off contaminated clothing and wash it before reuse. P370+P378 In case of fire: Use Foam, Dry chemical, Carbon Dioxide, B class Extinguishers to extinguish. P391 Collect spillage. P403+P235 Store in a well-ventilated place. Keep cool. P501 Dispose of contents/container in accordance with local/regional/national/international regulations. Aspiration Toxicity: Category 1 Skin Irritation:					
P264+P265 Wash hands thoroughly after handling. Do not touch eyes. P272 Contaminated work clothing should not be allowed out of the workplace. P273 Avoid release to the environment. P280 Wear protective gloves/protective clothing. P301+P316+P331 IF SWALLOWED: Get emergency medical help immediately. Do NOT induce vomiting. P303+P361+P353 IF ON SKIN (or hair): Take off Immediately all contaminated clothing. Rinse SKIN with water. P305+P354+P338 IF IN EYES: Immediately rinse with water for several minutes. Remove contact lenses if present and easy to do. Continue rinsing. P362+P364 Take off contaminated clothing and wash it before reuse. P370+P378 In case of fire: Use Foam, Dry chemical, Carbon Dioxide, B class Extinguishers to extinguish. P391 Collect spillage. P403+P235 Store in a well-ventilated place. Keep cool. P501 Dispose of contents/container in accordance with local/regional/national/international regulations. Aspiration Toxicity: Category 1 Skin Irritation: Category 2					
touch eyes. P272 Contaminated work clothing should not be allowed out of the workplace. P273 Avoid release to the environment. P280 Wear protective gloves/protective clothing. P301+P316+P331 IF SWALLOWED: Get emergency medical help immediately. Do NOT induce vomiting. P303+P361+P353 IF ON SKIN (or hair): Take off Immediately all contaminated clothing. Rinse SKIN with water. P305+P354+P338 IF IN EYES: Immediately rinse with water for several minutes. Remove contact lenses if present and easy to do. Continue rinsing. P362+P364 Take off contaminated clothing and wash it before reuse. P370+P378 In case of fire: Use Foam, Dry chemical, Carbon Dioxide, B class Extinguishers to extinguish. P391 Collect spillage. P403+P235 Store in a well-ventilated place. Keep cool. P501 Dispose of contents/container in accordance with local/regional/national/international regulations. Aspiration Toxicity: Category 1 Skin Irritation: Category 2					
of the workplace. P273 Avoid release to the environment. P280 Wear protective gloves/protective clothing. P301+P316+P331 IF SWALLOWED: Get emergency medical help immediately. Do NOT induce vomiting. P303+P361+P353 IF ON SKIN (or hair): Take off Immediately all contaminated clothing. Rinse SKIN with water. P305+P354+P338 IF IN EYES: Immediately rinse with water for several minutes. Remove contact lenses if present and easy to do. Continue rinsing. P362+P364 Take off contaminated clothing and wash it before reuse. P370+P378 In case of fire: Use Foam, Dry chemical, Carbon Dioxide, B class Extinguishers to extinguish. P391 Collect spillage. P403+P235 Store in a well-ventilated place. Keep cool. P501 Dispose of contents/container in accordance with local/regional/national/international regulations. Aspiration Toxicity: Category 1 Skin Irritation: Category 2					
P273 Avoid release to the environment. P280 Wear protective gloves/protective clothing. P301+P316+P331 IF SWALLOWED: Get emergency medical help immediately. Do NOT induce vomiting. P303+P361+P353 IF ON SKIN (or hair): Take off Immediately all contaminated clothing. Rinse SKIN with water. P305+P354+P338 IF IN EYES: Immediately rinse with water for several minutes. Remove contact lenses if present and easy to do. Continue rinsing. P362+P364 Take off contaminated clothing and wash it before reuse. P370+P378 In case of fire: Use Foam, Dry chemical, Carbon Dioxide, B class Extinguishers to extinguish. P391 Collect spillage. P403+P235 Store in a well-ventilated place. Keep cool. P501 Dispose of contents/container in accordance with local/regional/national/international regulations. Aspiration Toxicity: Category 1 Skin Irritation: Category 2					
P280 Wear protective gloves/protective clothing. P301+P316+P331 IF SWALLOWED: Get emergency medical help immediately. Do NOT induce vomiting. P303+P361+P353 IF ON SKIN (or hair): Take off Immediately all contaminated clothing. Rinse SKIN with water. P305+P354+P338 IF IN EYES: Immediately rinse with water for several minutes. Remove contact lenses if present and easy to do. Continue rinsing. P362+P364 Take off contaminated clothing and wash it before reuse. P370+P378 In case of fire: Use Foam, Dry chemical, Carbon Dioxide, B class Extinguishers to extinguish. P391 Collect spillage. P403+P235 Store in a well-ventilated place. Keep cool. P501 Dispose of contents/container in accordance with local/regional/national/international regulations. Aspiration Toxicity: Category 1 Skin Irritation: Category 2					
P301+P316+P331 IF SWALLOWED: Get emergency medical help immediately. Do NOT induce vomiting. P303+P361+P353 IF ON SKIN (or hair): Take off Immediately all contaminated clothing. Rinse SKIN with water. P305+P354+P338 IF IN EYES: Immediately rinse with water for several minutes. Remove contact lenses if present and easy to do. Continue rinsing. P362+P364 Take off contaminated clothing and wash it before reuse. P370+P378 In case of fire: Use Foam, Dry chemical, Carbon Dioxide, B class Extinguishers to extinguish. P391 Collect spillage. P403+P235 Store in a well-ventilated place. Keep cool. P501 Dispose of contents/container in accordance with local/regional/national/international regulations. Aspiration Toxicity: Category 1 Skin Irritation: Category 2					
medical help immediately. Do NOT induce vomiting. P303+P361+P353 IF ON SKIN (or hair): Take off Immediately all contaminated clothing. Rinse SKIN with water. P305+P354+P338 IF IN EYES: Immediately rinse with water for several minutes. Remove contact lenses if present and easy to do. Continue rinsing. P362+P364 Take off contaminated clothing and wash it before reuse. P370+P378 In case of fire: Use Foam, Dry chemical, Carbon Dioxide, B class Extinguishers to extinguish. P391 Collect spillage. P403+P235 Store in a well-ventilated place. Keep cool. P501 Dispose of contents/container in accordance with local/regional/national/international regulations. Aspiration Toxicity: Category 1 Skin Irritation: Category 2					
P303+P361+P353 IF ON SKIN (or hair): Take off Immediately all contaminated clothing. Rinse SKIN with water. P305+P354+P338 IF IN EYES: Immediately rinse with water for several minutes. Remove contact lenses if present and easy to do. Continue rinsing. P362+P364 Take off contaminated clothing and wash it before reuse. P370+P378 In case of fire: Use Foam, Dry chemical, Carbon Dioxide, B class Extinguishers to extinguish. P391 Collect spillage. P403+P235 Store in a well-ventilated place. Keep cool. P501 Dispose of contents/container in accordance with local/regional/national/international regulations. Aspiration Toxicity: Category 1 Skin Irritation: Category 2					
Immediately all contaminated clothing. Rinse SKIN with water. P305+P354+P338 IF IN EYES: Immediately rinse with water for several minutes. Remove contact lenses if present and easy to do. Continue rinsing. P362+P364 Take off contaminated clothing and wash it before reuse. P370+P378 In case of fire: Use Foam, Dry chemical, Carbon Dioxide, B class Extinguishers to extinguish. P391 Collect spillage. P403+P235 Store in a well-ventilated place. Keep cool. P501 Dispose of contents/container in accordance with local/regional/national/international regulations. Aspiration Toxicity: Category 1 Skin Irritation: Category 2					
water. P305+P354+P338 IF IN EYES: Immediately rinse with water for several minutes. Remove contact lenses if present and easy to do. Continue rinsing. P362+P364 Take off contaminated clothing and wash it before reuse. P370+P378 In case of fire: Use Foam, Dry chemical, Carbon Dioxide, B class Extinguishers to extinguish. P391 Collect spillage. P403+P235 Store in a well-ventilated place. Keep cool. P501 Dispose of contents/container in accordance with local/regional/national/international regulations. Aspiration Toxicity: Category 1 Skin Irritation: Category 2		,			
P305+P354+P338 IF IN EYES: Immediately rinse with water for several minutes. Remove contact lenses if present and easy to do. Continue rinsing. P362+P364 Take off contaminated clothing and wash it before reuse. P370+P378 In case of fire: Use Foam, Dry chemical, Carbon Dioxide, B class Extinguishers to extinguish. P391 Collect spillage. P403+P235 Store in a well-ventilated place. Keep cool. P501 Dispose of contents/container in accordance with local/regional/national/international regulations. Aspiration Toxicity: Category 1 Skin Irritation: Category 2		,			
water for several minutes. Remove contact lenses if present and easy to do. Continue rinsing. P362+P364 Take off contaminated clothing and wash it before reuse. P370+P378 In case of fire: Use Foam, Dry chemical, Carbon Dioxide, B class Extinguishers to extinguish. P391 Collect spillage. P403+P235 Store in a well-ventilated place. Keep cool. P501 Dispose of contents/container in accordance with local/regional/national/international regulations. Aspiration Toxicity: Category 1 Skin Irritation: Category 2		P305+P354+P338 IF IN EYES: Immediately rinse with			
P362+P364 Take off contaminated clothing and wash it before reuse. P370+P378 In case of fire: Use Foam, Dry chemical, Carbon Dioxide, B class Extinguishers to extinguish. P391 Collect spillage. P403+P235 Store in a well-ventilated place. Keep cool. P501 Dispose of contents/container in accordance with local/regional/national/international regulations. Aspiration Toxicity: Category 1 Skin Irritation: Category 2		1			
before reuse. P370+P378 In case of fire: Use Foam, Dry chemical, Carbon Dioxide, B class Extinguishers to extinguish. P391 Collect spillage. P403+P235 Store in a well-ventilated place. Keep cool. P501 Dispose of contents/container in accordance with local/regional/national/international regulations. Aspiration Toxicity: Category 1 Skin Irritation: Category 2					
P370+P378 In case of fire: Use Foam, Dry chemical, Carbon Dioxide, B class Extinguishers to extinguish. P391 Collect spillage. P403+P235 Store in a well-ventilated place. Keep cool. P501 Dispose of contents/container in accordance with local/regional/national/international regulations. Aspiration Toxicity: Category 1 Skin Irritation: Category 2		· ·			
Carbon Dioxide, B class Extinguishers to extinguish. P391 Collect spillage. P403+P235 Store in a well-ventilated place. Keep cool. P501 Dispose of contents/container in accordance with local/regional/national/international regulations. Aspiration Toxicity: Category 1 Category 2					
P391 Collect spillage. P403+P235 Store in a well-ventilated place. Keep cool. P501 Dispose of contents/container in accordance with local/regional/national/international regulations. Aspiration Toxicity: Category 1 Category 2					
P501 Dispose of contents/container in accordance with local/regional/national/international regulations. Aspiration Toxicity: Category 1 Skin Irritation: Category 2		P391 Collect spillage.			
local/regional/national/international regulations. Aspiration Toxicity: Category 1 Skin Irritation: Category 2					
Aspiration Toxicity: Category 1 Skin Irritation: Category 2					
Skin Irritation: Category 2					
		<u> </u>			
Skin Sensitization: Category 1		<u> </u>			
	Skin Sensitization:	Category 1			



	Category 2			
Eye Irritation:	Category 2 Category N/A			
Eye Damage:				
Acute Aquatic Toxicity:	Category 1 Category 1			
Chronic Aquatic Toxicity:	Category 3			
Flammable Liquids:		Il toyt of the D	nhragas montions	d in this
Classification according to EU Directives 67/548/EEC or 1995 Section, see Section 16.	99/45/EG. For the tu	II text of the R	-pnrases mentione	a in this
200dan, 200 200dan 10.				
Н	azards			
Symbol(s) Writing	Pictogram(s)			
Flammable liquid and vapor		>		
 Causes skin irritation May cause an allergic skin reaction Causes serious eye irritation Harmful if swallowed 	(!	>		
May be fatal if swallowed and enters airways		>		
Very toxic to aquatic life with long lasting effects	*	>		
3. Composition / Information on Ingredients Ingredients List: 100% Organic Black Spruce Essential	Oil			
Component	CAS Number	Weight %	Classification 1272 / 2008	REACH Number
Alpha Pinene	80-56-8	<=24%	FL3, ATox4, AspT1, SI2, SS1, AA1, AC1	201-291-9
Bornyl Acetate	76-49-3	<=20%	N/A	227-101-4
Camphene	79-92-5	<=14%	FS2, AspT1, EI2, AA1, AC1	201-234-8
Delta-3-Carene	13466-78-9	<=14%	FL3, AspT1, SI2, SS1, AC3	236-719-3
Beta Pinene	127-91-3	<=12%	FL3, AspT1, SI2, SS1, AA1,	204-872-5



	"Naturally i	he Purest"			
				AC1	
D-Limonene		5989-27-5	<=6%	FL3, AspT1, SI2, SS1B, EI2, AA1, AC1	227-813-5
Myrcene		123-35-3	<=4%	FL3, AspT1, SI2, EI2, AA1, AC1	204-622-5
(Sec	e Section 8 for	Exposure Limi	its)		
4. First Aid Measures					
General Advice:	Seek medical attention in case of any discomfort. Observe risk of aspiration if vomiting occurs. May cause lung damage if swallowed.				of aspiration
Eye Contact:	Remove contact lenses. Flush repeatedly with water for 15 minutes; contact physician			iutes;	
Skin Contact:	Remove contaminated clothing, wash with water and soap. Contact physician if redness or irritation develop.				ntact
Ingestion:	Do NOT induce vomiting. Rinse out mouth. Do NOT give water or milk unless directed by medical professional. Contact POISON CENTER or doctor immediately.				
Inhalation:	Remove to fresh air and contact a physician if symptoms such as wheezing, coughing, shortness of breath, or burning in the mouth, throat, or chest occur.				
5. Fire Fighting Measures					
Extinguishing Media:	SUITABLE: Foam, Dry chemical, Carbon Dioxide, B class Extinguishers NON-SUITABLE: Water Jet				
Hazardous Combustion Products:	Carbon Dioxide and Carbon Monoxide				
Fire Fighting Procedures:	When possible, prevent environmental run-off. Use self-contained breathing apparatus and protective clothing.				
Fire / Explosion Hazards:	Carbon monoxide, carbon dioxide, acrid fumes, smoke, or flammable vapor may be released during oil fires. Flammable liquid and vapor. Vapors are heavier than air and may travel along surfaces to remote ignition sources and flash back.				
6. Accidental Release Measures					
Health and Safety Precautions:	Personnel involved in cleanup should wear appropriate personal protective equipment (see Section 8). Minimize exposure. Eliminate all sources of ignition and ventilate area using explosion-proof equipment.				
Measures for Cleaning and Collecting:	Absorb spill with non-combustible matter (such as detergentdo not use solvents) and transfer to containers. Clean spill area thoroughly.				
Measures for Environmental Protections:	Do NOT allow to enter the sewer or outdoor environment. Place waste in an appropriately labeled, sealed container for disposal. Care should be taken to avoid environmental release.				
Additional Considerations for Large Spills:	Contain and control the leaks or spills with non-combustible absorbent materials such as sand, earth, vermiculite, or diatomaceous earth in drums for waste disposal. Avoid allowing product to reach sewage system or any waterways. Inform respective authorities in case of seepage into sewage system or waterways.				
7. Handling and Storage					
General Handling:	Observe goo eat, drink, or	d hygiene guidel	ines and gene ndling. Ensure	clothing. Wear requeral safety practices. workspace is prope	Do NOT



	"Naturally the Purest"		
Storage Conditions:	Store in tightly sealed glass container, away from heat, light, and other sources of ignition; in a well-ventilated, dry, and cool location. Keep away from strong oxidizing agents.		
8. Exposure Controls / Personal Pr	rotection		
Exposure Limit:	This product, as supplied, does not contain any hazardous materials with occupational exposure limits established by the region-specific regulatory bodies.		
Engineering Controls:	Extraction or global ventilation. Equipment should be grounded. Provide eyewash station.		
Environmental Exposure Controls:	Avoid discharging into sewer or environment. Do NOT eat, drink, or smoke near or after handling product.		
Personal Protective Equipment (PPE):	Work clothing worn by personnel shall be laundered regularly. After containing with the product, all parts of the body that have been soiled must be washed		
Hands:	Wear suitable protective gloves (resistant to chemical agents in accordance with standard EN374) in the event of prolonged or repeated skin contact.		
Eyes:	Avoid contact with eyes. Use eye protectors (safety goggles in accordance with standard EN166) designed to protect against liquid splashes.		
Skin:	Use protective clothing as necessary, such as a lab coat.		
Respiratory Protection:	Assure a well-ventilated work area – Use general face covering		
9. Physical and Chemical Propertie	es		
Physical State:	Liquid		
Liquid Color:	Colorless to pale yellow		
Odor:	Fresh, penetrating, woody, pine aroma		
Molecular Weight:	No information		
Water Solubility:	Not soluble		
Boiling Point (°C):	No information		
Vapor Pressure (kPa):	No information		
Vapor Density (g/mL):	No information		
Flash Point – Liquid (°C):	48°C		
Upper Explosive Limits:	No information		
Lower Explosive Limits:	No information		
Polymerization:	Will not occur		
Specific Gravity 25°C:	No information		
Specific Gravity 20°C:	0.890 – 0.920		
Refractive Index 20°C:	1.460 – 1.500		
10. Stability and Reactivity			
Chemical Stability:	Stable under normal conditions of use.		
Conditions to Avoid:	Keep away from heat, spark, flames, and all other sources of ignition		
Incompatible Materials:	Strong oxidizing agents and strong inorganic acids		
11. Toxicological Information			
General Information:	Product does not present an acute toxicity hazard based on known or supplied information.		
Acute Toxicity:	Acute Toxicity (Oral): Category 4 Aspiration Hazard: Category 1		
Irritation / Sensitization:	Causes skin irritation May cause an allergic skin reaction		



	"Naturally the Purest"
	Causes serious eye irritation
Skin Absorption:	No adverse effects with normal skin. However, potentially harmful amounts of material may be absorbed across markedly abraded skin when contact is sustained.
Carcinogen Status:	Carcinogenicity of the mixture has not been determined. Not listed as carcinogens by IARC, US OSHA or NTP.
12. Ecological Information	
Environmental Overview:	The environmental characteristics of this mixture have not been fully evaluated. Releases to the environment should be avoided.
Eco-toxicity Effects:	Very toxic to aquatic life with long lasting effects
Persistence and Degradability:	Biodegradation is expected
Bio-accumulative Potential:	Bioaccumulation is unlikely
Mobility in Soil:	Not Determined
Other Adverse Effects:	Avoid exposure to marine environments and waterways
13. Disposal Considerations	
Waste Treatment Methods:	Releases to the environment should be avoided. Review and implement appropriate technical and procedural wastewater and waste disposal measures to prevent occupational exposure or environmental releases. Waste from a spill: Contain the source of spill if it is safe to do so. Collect spill with absorbent material. Place waste in an appropriately labeled, sealed container for disposal. Clean spill area thoroughly. Care should be taken to avoid environmental release.
14. Transport Information	
	sportation unless specified below. This material is regulated for transport under DOT,
ADR, IMDG, and IATA regulations. UN Number:	1169
UN Proper Shipping Name:	Extracts, aromatic, liquid
Transport Hazard Class(es):	Flammable Class 3
Packing Group:	
Flash Point (°C):	48°C
Marine Pollutant:	Yes
	165
15. Regulatory Information EU Symbol:	
Lo Symbol.	
EU Indication of Danger:	F – Flammable
	Xn – Harmful
	Xi – Irritant
	N – Dangerous for the environment
EU Risk Phrases:	R10 Flammable
	R22 Harmful if swallowed
	R36/38 Irritating to eyes and skin
	R43 May cause sensitization by skin contact
	R51/53 Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment
EU Safety Phrases:	S3/7/9 Keep container tightly closed in a cool, well-ventilated place
	S16 Keep away from sources of ignition – No smoking

Pg. 5

August 1, 2023



			ct with skin and eyes		
		S26 In case of contact with eyes, rinse immediately with plenty of water seek medical advice			
		S27/28 After contact	S27/28 After contact with skin, immediately take off all contaminated		
			clothing and wash skin with plenty of water/soap		
				this material and its container	
		· ·	ecial waste collection poir		
			le protective clothing and	d gloves	
l		S61 Avoid release t			
OSHA Label:			o not induce vomiting; se	eek medical advice immediately	
Identifying Mark	ings in Accordance with	Danger No duty to mark/Ex	empt		
EC Directives / C					
California Propo	sition 65:			a chemical known to the State	
			se cancer, birth defects, to to www.P65Warnings.c	or other reproductive harm. For a gov.	
United States TS	SCA:	Complies	o to trianing of	u.go	
Australia (AICS)		Not present			
EU EINECS/ELIN	ICS List:	Complies			
16. Other Info	rmation				
Section 2 Expan Statements	ded Precautionary	N/A			
Section 3 Expan	ded Classification 1272	AspT = Aspiration 1	AspT = Aspiration Toxicity		
2008			ATox = Acute Toxicity		
		SI = Skin Irritant			
		SS = Skin Sensitize SC = Skin Corrosio			
		AC = Aquatic Chror			
		AA = Aquatic Acute			
		FL = Flammable Lic			
		FS = Flammable So	olid		
		EI = Eye Irritant			
		ED = Eye Damage	Target Organ Toxicity -	Single Exposure	
		STOT RE = Specific Target Organ Toxicity - Repeat Exposure MUT = Mutagenicity			
		CAR = Carcinogeni			
				Aromatherapy, Inc.® makes	
no warranty of an other substances.		concerning the safe use	of this material in your pr	ocess or in combination with	
		Revision Tracki	ng		
Revision	Date	Reason	Author	Reviewed by	
V1.0	7/24/2023	Creation	AG	SS	